



NotesBench R6iNotes Disclosure Report for SunFire V880@1.2GHz on Solaris 9 with Lotus® Domino 6.0

August 2003

© 2003 Sun Microsystems, Inc. All rights reserved.
1 Network Drive, Burlington, MA 01803-0903, USA

Section 1: Executive Summary

Sun Microsystems has completed a Notesbench benchmark using the R6iNotes workload on the SunFire V880@1.2GHz. The test was executed in the Sun's Engineering Performance Lab – Burlington, MA. [August 2003].

The Server Under Test (SUT) was configured with eight 1.2 GHz UltraSPARC-III processors (each with 8MB L2 cache), 32 Gigabytes (GB) of memory and three A1000 storage devices (each with twelve 36 GB disks in RAID 0+1 configuration).

The Operating System on the SUT was Sun Solaris 9 and the messaging server Domino release 6.0 (plus the Hot fix HF301) was configured with 4 partitions.

The R6iNotes workload simulated 8399 active users sending, deleting and receiving e-mails via standard HTTP browser. The mail sent by each user is delivered to mail database of the other users on the System Under Test. Every 15 minutes each user reads five messages, deletes two documents, and every ninety minutes it sends 1 new mail message (average message and attachment size is 97 KB) and calendar invitation to 3 recipients.

Every 15 minutes each user reads five messages (with or without the attachment of size 10KB), deletes several documents, and every ninety minutes it sends 1 new mail message with calendar invitation of 97KB (message and attachment size) to 3 recipients.

The R6iNotes Web Access mail workload though similar to R6mail workload it creates significantly higher load on the server machine due to the stateless nature of the HTTP protocol. R6iNotes Web Access combines the simplicity and universality of a Web browser with the power of an enterprise-class, full-featured application giving Web browser users access to e-mail, calendar, group scheduling, to-do list, invitation and appointments.

The benchmark results are summarized below:

NotesBench Workload	Users Supported	NotesMark	Average Response Time	Price per User	Price per NotesMark
R6iNotes	8399	7,128 transactions per minute	851ms	\$19.30	\$22.75

Section 2: Benchmarking Objectives

The objective of this benchmark was to provide evidence that Sun's system and operating environment technology are the best choice for organizations looking for a scalable and high performance platform on which to deploy R6iNotes Domino services.

Section 3: Test Methodologies

The test environment for the NotesBench R6iNotes workload consists of four hardware components: the *server under test (SUT)*, one or more *child drivers* to generate load on the SUT by simulating the activity of R6iNotes Web Access mail users, one *parent driver* to control the progress of the test, and a network through which the various systems communicate.

The server under test was a SunFire V880 equipped with 8 UltraSPARC III 1.2GHz processors. Lotus Domino server was configured with four partitions.

Four 2-CPU 450 MHz Sun Ultra II Enterprise 220R with 2GB of memory systems were configured as child drivers. A total of 26 user accounts were used to simulate 8399 R6iNotes users, each account corresponding to 100 to 400 R6iNotes users. One of the Sun Ultra II systems hosted an additional account to run the NotesBench parent driver for overall benchmark control.

The systems were connected by a TCP/IP network running over Ethernet and tied together by one Cisco switch. The switch has been configured as an independent subnet for this experiment. Four client machines were connected to the switch via a 100Mbit/sec Fast Ethernet interface. The SUT was connected to the switch via onboard 1Gigabit/sec Fast Ethernet interface.

Each test run began with a number of preparatory steps such as setting up configuration files, initializing mail data bases, starting the servers, and so on. The NotesBench test then began by starting the child drivers' user accounts one by one over a ramp-up period of about five hours. Once all the simulated users were active, the peak load was maintained for over six hours. NotesBench then shut down the child driver accounts one at a time over a ramp-down period of about half an hour. The server was then shut down and logs, configuration files, and other products of the test were collected and archived.

During the test, the SUT's IO and CPU utilization were monitored by running standard Unix system monitoring tools: *iostat* and *mpstat*. The outputs of these utilities were post-processed to extract relevant data points. The data points obtained were then plotted.

The name and address book (NAB) contained 20000 test users in 4 Domino partitions, which were all part of the same Domino domain. All child drivers used the server-resident NAB for name lookups. Each partition was configured with four mail{n}.boxes for mail routing.

The server system had three twelve-drive A1000 disk arrays, each one configured with a single RAID0+1 LUN. One of the arrays had three disk partitions, two of which were used to store portion of the mail files. The third partition had Domino executables/binaries, names.nsf, log.nsf, all other .nsf, .ntf and notesdata files. Hence all the Domino executables and the data files were redundantly protected. The other two RAID arrays were used to store the remaining mail files. SUT's internal disk was configured with three disk partitions, two of which were used by the OS and the third was used for OS-level performance statistics collection tools and custom scripts.

Database activity logging was not enabled during the benchmark run and all Domino tasks were disabled except for Router and HTTP.

During the steady state period of the run, the *show stat mail* command was used regularly for each partition on the Server to verify that at least 90 percent of the mail generated during the test was delivered to the local mail databases. In fact, during the test period, the SUT Domino Server delivered more than 99 percent of the mail generated to the local mail databases. *Show stat mail* and *show stat database* were used regularly during the run for each partition. *show stat* command was used at the end of the run for each partition.

To ensure that the results were reproducible, the tests were repeated. The test results showed a very small variation in throughput.

The following NOTES.INI parameters were modified for the server partitions for this benchmark.
All Domino server tasks were disabled except Router and HTTP.

Server NOTES.INI Modifications
Debug_Outfile=/tmp/sut#.txt
NSF_BUFFER_POOL_SIZE_MB=1800
MailLogToEventsOnly=1
ServerTasks=Router,HTTP
TCP_TCPIPAddress=0,128,128,128,#:1352

Section 4: Data


The server under test supported 8399 NotesBench R6iNotes users, achieving a NotesMark rating of 7128 transactions per minute with an average response time of 851 milliseconds per transaction. The test ran for a total of 12 hours, with the steady state lasting for over 6 hours.

One ERROR message was logged in one of the results files during the ramp-up period. The logged message with its explanation is listed below.


Error in /export/home/results/res13 - GetWebPageObject(budice1.east.sun.com/mail4330.nsf) failed(15), return error.

The message indicates that the Domino server was not able to handle a specific R6iNotes request at the rampup time due to the heavy workload and transaction was timed out.

During the test, the standard Unix mpstat utility program measured user CPU utilization. Samples were taken at 60 Sec. intervals during the ramp-up, steady state, and ramp-down periods. As the following graph shows, the CPU had ~8% spare capacity at peak load:



Disk responsiveness was also measured at 60 Sec. intervals throughout the test, using the standard Unix utility *iostat*. The following graph shows the average time per I/O operation for the three RAID volumes. Under peak load, the disk subsystem averaged about ~7 milliseconds to service each I/O request.



Section 5: Analysis

Like any benchmark based on synthetic workloads, NotesBench is more suitable for comparing the "capacities" of different servers relative to each other than for choosing a server for a particular real world situation. The load on a real world server tends to have higher peaks and lower valleys than the load produced by a benchmark executed under tightly controlled conditions. Many industry experts recommend sizing a server to handle peak loads of three to four times the value suggested by a simple average.

One must also determine how closely the benchmark's workload matches the server's intended use. The NotesBench R6iNotes workload simulates users employing a standard browser for sending and receiving e-mails. Each simulated user repeats a cycle of activity lasting roughly fifteen minutes, with extra activity on every sixth cycle (roughly once every ninety minutes):

- Read five messages and mark them as read
- Delete two messages
- Every ninety minutes, creates a mail message and a calendar invitation and sends it to three recipients found in the server's Domino Directory (NAB)

Section 6: Conclusions

This result demonstrates that a single SUN system can serve even a large organization by supporting 8399 R6iNotes mail users.


Moreover, SUN's SunFire V880 based on UltraSPARC III processors, is a highly scalable solution. Many of the same components (CPU, I/O interfaces etc.) are shared by other servers in the SunFire(TM) product line. All of them run the robust and scalable Solaris Operating environment and the same Domino executable.

Section 7: Statement by Auditor

The copy of the original certification letter, which was signed by Daryl K. Thompson, auditor for KMDS Technical Associates, Inc., is available upon request.

Appendix A: Overall Test Setup

This schematic diagram shows the components of the server under test, the parent and child driver systems, and their network interconnections.



Appendix B: System Configurations

	System Under Test	Clients
Model	SunFire V880	Sun Enterprise 220R
CPUs	8 UltraSPARC-III 8MB external cache	2 UltraSPARC-II 4MB external cache
CPU clock rate	1.2 GHz	450 MHz
Main memory	32 GB	2GB
O/S and program disks	1 × 73 GB disk	1 × 36GB
Data disks	36 x 36 GB disk	n/a
Network adapters	1 onboard Fast Ethernet interface	1 Fast Ethernet NIC
Adapter speed	1 Gb/s	100 Mb/s
Operating system	Solaris 9	Solaris 9
Lotus software	Domino 6.0 with HF301	Domino 6.0 with HF215 Notebench 6.0

Three hardware RAID controllers managed 3 sets of 12 disks each, which were configured individually as RAID 0+1 volumes with 436 GB each of fully redundant capacity. The RAID volumes contained all mail files, and all Domino data files.

The hot fixes HF301 and HF215 for Domino 6.0 are available from IBM Lotus Software support, Westford, Massachusetts.

Appendix C: Operating System Parameters

The SUT ran Solaris 9 "out of the box," without patches. In the future, Sun or Lotus may recommend applying various patches to such a configuration. All Solaris patches are available from the SunSolve OnlineSM Web site, <http://sunsolve.sun.com/>.

The following non-default parameter settings were added to the */etc/system* configuration file. Sun recommends the *rlim_fd_max* setting on all Domino server systems; the other settings were specific to this benchmark and may or may not be appropriate for real world servers:

```
forceload: drv/sd
forceload: drv/rdnexus
forceload: drv/rdriver

set shmsys:shminfo_shmmax=0xffffffffffffffff
set shmsys:shminfo_shmseg=512
set shmsys:shminfo_shmmni=4096
set autoup=900
set tune_t_fsflushr=30
set rlim_fd_max=65536
set shmsys:shminfo_shmmax=0xffffffff
set semsys:seminfo_semmns=2200
set semsys:seminfo_semmnu=2200
set semsys:seminfo_semume=2200
set semsys:seminfo_semmsl=340
set semsys:seminfo_semmni=320
set msgsys:msginfo_msgmax=16384
set msgsys:msginfo_msgmnb=16384
set msgsys:msginfo_msgmni=2200
set msgsys:msginfo_msgtql=2500

set msgsys:msginfo_msgseg=32767
set msgsys:msginfo_msgssz=128
set msgsys:msginfo_msgmap=200

set tcp:tcp_conn_hash_size=262144
set sq_max_size=512
set fastscan=131072
set slowscan=8192
set ufs:ufs_HW=1572864
set ufs:ufs_LW=1048576
set segmap_percent=64

set ge:ge_int_mode=1
set ge:ge_dmaburst_mode=1
set ge:ge_tx_fastdvma_min=95
set ge:ge_nos_tmnds=8192
set ge:ge_nos_txdvma=8192
set ge:ge_tx_bcopy_max=96
set ge:ge_pci_intr_blank_time=12
```

Appendix D: Notes Parameters (notes.ini)

The following are the complete contents of the *notes.ini* configuration files for four servers.

Notes.ini. from Domino Partition 1 :

```
[Notes]
Directory=/export/raid_module1/lotus/notesdata1.6gbl
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/60000/sunspa
;CleanupScriptPath=/opt/lotus/notes/60000/sunspa/nsd.sh -batch
FaultRecovery_Build=Build V60_09262002GOLD
Debug_Outfile=/tmp/sut1.txt
DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0
NSF_BUFFER_POOL_SIZE_MB=1800
DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
MailLogToEventsOnly=1
DefaultMailTemplate=mail6.ntf
Preferences=32
ServerTasks=Router,HTTP
;nameloop_max_mb=5
;DominoAsynchronizeAgents=1
;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
TCPIP_TCPIPAddress=0,128.128.128.1:1352
TCPIP=TCP,0,15,0
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1
MailType=0
$$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=1
LOG_SESSIONS=0
KeyFilename=/export/raid_module1/lotus/notesdata1.6gbl/server.id
CertifierIDFile=/export/raid_module1/lotus/notesdata1.6gbl/cert.id
MailServer=CN=budicel/O=sun
NAMELOOKUP_TRUST_DIRCAT=0
PhoneLog=2
Log=log.nsf,1,0,7,4000
ServerKeyFileName=server.id
Domain=sun
Admin=CN=admin/O=sun
TemplateSetup=6010
Setup=6023
```

ServerSetup=6010
CleanSetup=1
ServerName=budicel/sun
ServerNameNative=04220422627564696365312F73756E
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
ServerController=0
FaultRecovery=0
MTEEnabled=0
WebAdminSetup=600
DominoConfigLevel=1
EventSetup=600
UPDATE_TIMER=12/03/2002 15:46:40
CONSOLE_LOG_ENABLED=1
CleanupScriptPath=/opt/lotus/notes/60000/sunspa/nsd.sh -batch
JrnlEnbld=0

Notes.ini. from Domino Partition 2 :

[Notes]
Directory=/export/raid_module1/lotus/notesdata2.6gbl
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/60000/sunspa
CleanupScriptPath=/opt/lotus/notes/60000/sunspa/nsd.sh -batch
Debug_Outfile=/tmp/sut2.txt
TCPIP_TcpIpAddress=0,128.128.128.12:1352
FaultRecovery_Build=Build V60_09262002GOLD
DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0
NSF_BUFFER_POOL_SIZE_MB=1800
DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
MailLogToEventsOnly=1
DefaultMailTemplate=mail6.ntf
Preferences=32
ServerTasks=Router,HTTP
;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
DominoAsynchronizeAgents=1
TCPIP=TCP, 0, 15, 0
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1

MailType=0
\$\$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=0
LOG_SESSIONS=0
ExistingServerName=CN=budice1/O=sun
KeyFilename=/export/raid_module1/lotus/notesdata2.6gbl/budice2.id
ServerKeyFileName=budice2.id
MailServer=CN=budice2/O=sun
Domain=sun
Admin=admin
TemplateSetup=6010
Setup=6023
ServerSetup=6010
CleanSetup=1
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
NAMELOOKUP_TRUST_DIRCAT=0
ServerName=budice2/sun
ServerNameNative=04230423627564696365322F73756E
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
ServerController=0
FaultRecovery=0
MTEabled=0
WebAdminSetup=600
DominoConfigLevel=1
EventSetup=600
CATALOG_UPDATED_BY_BUILD=510
CONSOLE_LOG_ENABLED=1
JrnlEnbld=0

Notes.ini. from Domino Partition 3 :

[Notes]
Directory=/export/raid_module1/lotus/notesdata3.6gbl
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/60000/sunspa
CleanupScriptPath=/opt/lotus/notes/60000/sunspa/nsd.sh -batch
Debug_Outfile=/tmp/sut3.txt
TCPIP_TcpIpAddress=0,128.128.128.13:1352
FaultRecovery_Build=Build V60_09262002GOLD
DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0
NSF_BUFFER_POOL_SIZE_MB=1800
DisableLDAPOnAdmin=1
Passthru_LogLevel=0

Console_LogLevel=2
MailLogToEventsOnly=1
DefaultMailTemplate=mail6.ntf
Preferences=32
ServerTasks=Router,HTTP
;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
DominoAsynchronizeAgents=1
TCPIP=TCP, 0, 15, 0
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1
MailType=0
\$\$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=0
LOG_SESSIONS=0
ExistingServerName=CN=budice1/O=sun
KeyFilename=/export/raid_module1/lotus/notesdata3.6gbl/budice3.id
ServerKeyFileName=budice3.id
MailServer=CN=budice3/O=sun
Domain=sun
Admin=admin
TemplateSetup=6010
Setup=6023
ServerSetup=6010
CleanSetup=1
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
NAMELOOKUP_TRUST_DIRCAT=0
ServerName=budice3/sun
ServerNameNative=04240424627564696365332F73756E
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
ServerController=0
FaultRecovery=0
MTEEnabled=0
WebAdminSetup=600
DominoConfigLevel=1
EventSetup=600
CATALOG_UPDATED_BY_BUILD=510
CONSOLE_LOG_ENABLED=1
JrnlEnbl=0

Notes.ini. from Domino Partition 4 :
[Notes]

Directory=/export/raid_module1/lotus/notesdata4.6gbl
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/60000/sunspa
CleanupScriptPath=/opt/lotus/notes/60000/sunspa/nsd.sh -batch
Debug_Outfile=/tmp/sut4.txt
TCPIP_TcpIpAddress=0,128.128.128.14:1352
FaultRecovery_Build=Build V60_09262002GOLD
DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0
NSF_BUFFER_POOL_SIZE_MB=1800
DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
MailLogToEventsOnly=1
DefaultMailTemplate=mail6.ntf
Preferences=32
ServerTasks=Router,HTTP
;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
DominoAsynchronizeAgents=1
TCPIP=TCP, 0, 15, 0
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1
MailType=0
\$\$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=0
LOG_SESSIONS=0
ExistingServerName=CN=budice1/O=sun
KeyFilename=/export/raid_module1/lotus/notesdata4.6gbl/budice4.id
ServerKeyFileName=budice4.id
MailServer=CN=budice4/O=sun
Domain=sun
Admin=admin
TemplateSetup=6010
Setup=6023
ServerSetup=6010
CleanSetup=1
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
NAMELOOKUP_TRUST_DIRCAT=0
ServerName=budice4/sun
ServerNameNative=04250425627564696365342F73756E
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0

TRANSLOG_Performance=2
TRANSLOG_Status=0
ServerController=0
FaultRecovery=0
MTEnabled=0
WebAdminSetup=600
DominoConfigLevel=1
EventSetup=600
CATALOG_UPDATED_BY_BUILD=510

CONSOLE_LOG_ENABLED=1
JrnlEnbl=0

Notes.ini. from Child :

[Notes]

ResultsDirectory=/export/home/results
Debug_Outfile=/export/home/results/res_schell_1
Debug_File_Perms=0666
Domain=sun
UseServerNAB=1

NthIteration=6

NormalMessageSize=10000
NumMessageRecipients=3
MessageLineSize=100
NumMailNotesPerUser=100
MailTemplate=iNotes60.ntf
MaxDocToDelete=10000
NodeName=sc1
MailServer=CN=budice3/O=sun
ThreadStagger=3
;NABentries=7800
;NABentries=8300
;NABentries=12400
;NABentries=7800
;NABentries=5200
;
HTTPHost=budice3.east.sun.com
WebDebugOn=0
WebAuthenticationOff=1
WebPreferencesOff=0
;

Directory=/export/home/child1
KitType=1
InstallType=1
Timezone=5
DST=1
\$\$HasLANPort=1
WWWDSync_BROWSERCACHE=1

WWWDSP_PREFETCH_OBJECT=1
EnableJavaApplets=1
EnablePlugins=1
Preferences=2147486833
AltNameLanguage=en
ContentLanguage=en-US
WeekStart=1
ViewWeekStart=2
NavWeekStart=2
XLATE_CSID=52
SPELL_LANG=1033
Region=en-US
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail50.ntf
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
TCPIP=TCP, 0, 15, 0
LAN0=NETBIOS, 0, 15, 0
VINES=VINES, 0, 15, 0
SPX=NWSPX, 0, 15, 0
COM1=XPC, 1, 15, 0,
COM2=XPC, 2, 15, 0,
COM3=XPC, 3, 15, 0,
COM4=XPC, 4, 15, 0,
COM5=XPC, 5, 15, 0,
;Ports=TCPIP, LAN0, COM1
Ports=TCPIP
DisabledPorts=VINES, SPX, COM2, COM3, COM4, COM5
KeyFilename=child2.id
CertificateExpChecked=child2.id 12/10/2002
MailFile=mail\admin.nsf
TemplateSetup=55
Setup=59
Location=budice3, ED2, CN=child2/O=sun
;\$IEVersionMajor=5
ECLSetup=3
;\$headlineClientId=21B0E7B0:037D545D-8825687A:0007187C
AdminLastServer=budice3/sun
FileDlgDirectory=/export/purple/lotus/notesdata
AdminSetup=501
CertifierIDFile=/export/purple/lotus/notesdata/cert.id
NewUserServer=CN=budice3/O=sun
FaultRecovery_Build=Build V60_09252002
CONSOLE_LOG_ENABLED=1
DSTLAW=4, 1, 1, 10, -1, 1
MailType=0
UPDATE_TIMER=01/22/2003 18:17:21

Appendix E: Network Configuration Files

The network used Solaris' native TCP/IP capability. System name services were supplied by each machine's local */etc/hosts* file; here is the SUT's version:

```
#
# Internet host table
#
127.0.0.1    localhost
129.148.93.183  wgs93-183 wgs93-183.sun.com wgs93-183.east.sun.com
loghost

128.128.128.1  budice1 budice1.sun.com budice1.east.sun.com
128.128.128.12 budice2 budice2.sun.com budice2.east.sun.com
128.128.128.13 budice3 budice3.sun.com budice3.east.sun.com
128.128.128.14 budice4 budice4.sun.com budice4.east.sun.com

128.128.128.5  schell
128.128.128.6  firebrick
128.128.128.7  weizen
128.128.128.8  pils
```

Appendix F: Guidelines for Information Usage

This report is for use by Sun Microsystems' staff, customers, and resellers. It may be freely copied and distributed provided the entire report remains intact.

Appendix G: Pricing

Product No.	Description	Qty	List Price	Discounted Price	Extended Net Price
A30-WUF8-32GRF	SunFire V880 Server w/8x1.2GHz CPUs, 32GB memory, 6x73GB disk drives	1	\$109,995.00	\$93,495.75	\$93,495.75
SG-XARY171A-436G	436-GB (12x36.4-Gbyte 10K RPM disks) Sun StorEdge A1000 Tabletop or Deskside w/1 HW RAID controller, 24MB std cache, 2 fantrays (4 fans), 2 Differential UltraSCSI to host ports and 2 power supplies. RAID Manager v6.22. Standard Configuration	3	\$16,500	\$14,025.00	\$42,075.00
X6541A	Dual-channel differential UltraSCSI host adapter, PCI; includes two 2m SCSI cables	3	\$1,440.00	\$792.00	\$2,376.00
X311L	Localized Power Cord Kit North American/Asian	3	N/A	N/A	N/A
SOLZS-090C9AYM	Solaris 9 System Administrator's media kit (latest release). Contains Multilingual CD & DVD Media & English Installation Documentation, SPARC Platform Edition	1	\$95.00	\$52.25	\$52.25
X1151A	Gigabit Ethernet Network Interface Card for high performance MMF fibre and PCI applications with full IEEE 802.3 compliance.	1	\$1,295.00	\$712.25	\$712.25
D51NRLX-X	Domino R6 Enterprise Server Per Processor	8	\$2925	-	\$23,400.00
AH0EFNA	Domino 6.0.1 Media Pack -English	1	\$18	-	\$18.00
					\$162,129.25

The prices quoted above were obtained from Sun Microsystems and a specific reseller. They are available to any buyer purchasing a single system of this configuration from this reseller. Someone purchasing this system directly from Sun or from a different reseller might be quoted different prices. In the United States, Sun can set list prices but cannot dictate prices to its resellers.

Appendix H: Vendor-Defined Information

None.

Appendix I: Domino “Show Statistics” Output

Show Stat, Partition 1

```
> show stat
Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 4
Database.Database.BufferPool.MM.Writes = 1
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 98.31
Database.DbCache.CurrentEntries = 534
Database.DbCache.HighWaterMark = 885
Database.DbCache.Hits = 299344
Database.DbCache.InitialDbOpens = 305417
Database.DbCache.Lookups = 305381
Database.DbCache.MaxEntries = 5400
Database.DbCache.OvercrowdingRejections = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 114
Database.FreeHandleStack.FreeHandleStackHits = 6868070
Database.FreeHandleStack.HandleAllocations = 6884838
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0
Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0
Database.NAMELookupCacheCacheSize = 14,712,048
Database.NAMELookupCacheHashSize = 1,236,854
Database.NAMELookupCacheHits = 62,158
Database.NAMELookupCacheLookups = 461,228
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 365,868
Database.NAMELookupCacheNoHitHits = 33,202
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,770,848
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 70
Database.NAMELookupTotal = 461248
Database.NAMELookupTotalLookupTime = 9,717.56
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 532,160
Database.NSFPool.Peak = 57,671,680
Database.NSFPool.Used = 44,576,128
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
```

Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfullHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.SignatureCache.Hits = 1
Database.NSF.SignatureCache.Tries = 2
Database.RM.Sys.Logged = Disabled
Disk.Fixed = 12
Disk.Remote = 0
Disk./export/raid_module1/bkpfiles1.Free = 29,983,330,304
Disk./export/raid_module1/bkpfiles1.Size = 214,682,567,680
Disk./export/raid_module1/bkpfiles1.Type = ufs
Disk./export/raid_module1/lotus.Free = 3,818,381,312
Disk./export/raid_module1/lotus.Size = 10,572,787,712
Disk./export/raid_module1/lotus.Type = ufs
Disk./export/raid_module1/mailfiles1.Free = 28,124,898,304
Disk./export/raid_module1/mailfiles1.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles1.Type = ufs
Disk./export/raid_module1/mailfiles2.Free = 19,033,496,576
Disk./export/raid_module1/mailfiles2.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles2.Type = ufs
Disk./export/raid_module1/mailfiles3.Free = 24,579,394,560
Disk./export/raid_module1/mailfiles3.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles3.Type = ufs
Disk./export/raid_module1/mailfiles4.Free = 23,756,293,120
Disk./export/raid_module1/mailfiles4.Size = 52,872,077,312
Disk./export/raid_module1/mailfiles4.Type = ufs
Disk./export/raid_module1/mailfiles6.Free = 27,306,884,096
Disk./export/raid_module1/mailfiles6.Size = 53,898,805,248
Disk./export/raid_module1/mailfiles6.Type = ufs
Disk./export/raid_module1/mailfiles7.Free = 22,419,887,104
Disk./export/raid_module1/mailfiles7.Size = 42,280,717,312
Disk./export/raid_module1/mailfiles7.Type = ufs
Disk./export/raid_module2/mailfiles1.Free = 19,880,197,120
Disk./export/raid_module2/mailfiles1.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles1.Type = ufs
Disk./export/raid_module2/mailfiles2.Free = 19,583,889,408
Disk./export/raid_module2/mailfiles2.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles2.Type = ufs
Disk./export/raid_module2/mailfiles3.Free = 17,890,589,696
Disk./export/raid_module2/mailfiles3.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles3.Type = ufs
Disk./export/raid_module2/mailfiles4.Free = 17,645,853,696
Disk./export/raid_module2/mailfiles4.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles4.Type = ufs
Disk./Free = 3,964,178,432
Disk./Size = 10,326,728,704
Disk./Type = ufs
Domino.Cache.Database.HitRate = 32.0431821460926
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 11.7081456778195
Domino.Cache.Design.HitRate = 88.2909728115357
Domino.Cache.Design.MaxSize = 128

Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 100.000025475766
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session.Count = 0
Domino.Cache.Session.MaxSize = 1,000
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User.Count = 0
Domino.Cache.User.DisplaceRate = 0
Domino.Cache.User.HitRate = 100.000070518878
Domino.Cache.User.MaxSize = 2,500
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0
Domino.Command.DeleteDocuments = 0
Domino.Command.EditDocument = 525881
Domino.Command.GetOrbCookie = 0
Domino.Command.MoveToFolder = 0
Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0
Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 778287
Domino.Command.OpenElement = 14400
Domino.Command.OpenFileResource = 0
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 1418041
Domino.Command.Unknown = 0
Domino.Config.ActiveThreads.Max = 60
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI =
/export/raid_module1/lotus/notesdata1.6gbl/domino/cgi-bin
Domino.Config.Directory.HTML =
/export/raid_module1/lotus/notesdata1.6gbl/domino/html

```
Domino.Config.Directory.Icons =
/export/raid_module1/lotus/notesdata1.6gbl/domino/icons
Domino.Config.Directory.JavaRoot =
/export/raid_module1/lotus/notesdata1.6gbl/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName = budicel
Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile =
/export/raid_module1/lotus/notesdata1.6gbl/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 1,410,215
Domino.Requests.Per1Day.PeakTime = 08/26/2003 00:41:39 EDT
Domino.Requests.Per1Day.Total = 1,410,215
Domino.Requests.Per1Hour.Peak = 143,942
Domino.Requests.Per1Hour.PeakTime = 08/26/2003 00:02:38 EDT
Domino.Requests.Per1Hour.Total = 140,789
Domino.Requests.Per1Minute.Peak = 3,822
Domino.Requests.Per1Minute.PeakTime = 08/25/2003 23:28:55 EDT
Domino.Requests.Per1Minute.Total = 2,231
Domino.Requests.Per5Minute.Peak = 14,440
Domino.Requests.Per5Minute.PeakTime = 08/25/2003 23:06:39 EDT
Domino.Requests.Per5Minute.Total = 12,000
Domino.Requests.Total = 1,418,019
Domino.ThreadPool.average = 77241
Domino.ThreadPool.max = 458752
Domino.Threads.Active.Peak = 59
Http.Accept.ConnectionsAccepted = 1417900
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 1426248
Http.Accept.PollTimeouts = 8347
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 9
Http.MaxConnections = 2020
Http.Workers = 60
```

Http.Worker.Total.BytesRead = 684,946,961
Http.Worker.Total.BytesWritten = 29,009,060,850
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 1171990
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 1417891
Http.Worker.Total.Notes.RequestTime = 840,975,035
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.RequestsProcessed = 1417891
Http.Worker.Total.TotalRequestTime = 840,975,035
Mail.AverageDeliverTime = 56
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 50
Mail.CurrentByteDeliveryRate = 194848
Mail.CurrentByteTransferRate = 192674
Mail.CurrentMessageDeliveryRate = 0
Mail.CurrentMessageTransferRate = 1
Mail.DBCacheEntries = 2420
Mail.DBCacheHits = 93364
Mail.DBCacheReads = 99404
MAIL.Dead = 0
Mail.Delivered = 86016
Mail.DeliveredSize.100KB_to_1MB = 4079
Mail.DeliveredSize.10KB_to_100KB = 34774
Mail.DeliveredSize.1KB_to_10KB = 46930
Mail.DeliveredSize.1MB_to_10MB = 233
Mail.Deliveries = 99255
Mail.DeliveryThreads.Active = 0
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = SUN
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 4
Mail.Mailbox.Accesses = 33052
Mail.Mailbox.AccessWarnings = 192
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 6
Mail.Mailbox.Opens = 226
Mail.MaximumDeliverTime = 1542
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9767
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 465991
Mail.PeakByteTransferRate = 312290
Mail.PeakMessageDeliveryRate = 11
Mail.PeakMessageDeliveryTime = 08/25/2003 21:26:37 EDT
Mail.PeakMessagesDelivered = 712

```

Mail.PeakMessagesTransferred = 606
Mail.PeakMessageTransferRate = 10
Mail.PeakMessageTransferTime = 08/25/2003 13:19:00 EDT
Mail.PeakTotalBytesDelivered = 27959509
Mail.PeakTotalBytesTransferred = 18737439
Mail.TotalKBDelivered = 4,370,679
Mail.TotalKBTransferred = 2,822,335
Mail.TotalKBTransferred.NRPC = 2,822,335
Mail.TotalPending = 159
Mail.TotalRouted = 160207
Mail.TotalRouted.NRPC = 160207
Mail.Transferred = 57272
Mail.TransferredSize.100KB_to_1MB = 2734
Mail.TransferredSize.10KB_to_100KB = 22988
Mail.TransferredSize.1KB_to_10KB = 31404
Mail.TransferredSize.1MB_to_10MB = 146
Mail.Transferred.NRPC = 57272
Mail.TransferThreads.Active = 0
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 245
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 734
Mem.Allocated = 639805572
Mem.Allocated.Process = -1502922590
Mem.Allocated.Shared = 2142728128
Mem.Availability = Plentiful
Mem.PhysicalRAM = 2147483647
Monitor.Last.ROUTER.Failure = 13,208
Monitor.Last.ROUTER.FailureText = Router: Unable to obtain Internet
host and domain names
Monitor.ROUTER.Failure = 1
NET.GroupCache.Hits = 922
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,186
NET.Log.budicel/sun.PeakUnwrittenEntries = 3
NET.Log.budicel/sun.UnwrittenEntries = 2
NET.TCPIP.BytesReceived = 1,945,508,650
NET.TCPIP.BytesSent = 2,294,739,180
NET.TCPIP.Sessions.Established.Incoming = 249
NET.TCPIP.Sessions.Established.Outgoing = 291
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 7
NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0
Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.11.AssignedName = ssd8
Platform.LogicalDisk.11.PctUtil = 0
Platform.LogicalDisk.11.PctUtil.Avg = 0.1

```

Platform.LogicalDisk.11.PctUtil.Peak = 2.4
Platform.LogicalDisk.11.ServiceTimeinmsecs = 0
Platform.LogicalDisk.11.ServiceTimeinmsecs.Avg = 2
Platform.LogicalDisk.11.ServiceTimeinmsecs.Peak = 32.9
Platform.LogicalDisk.12.AssignedName = sd19
Platform.LogicalDisk.12.PctUtil = 0
Platform.LogicalDisk.12.PctUtil.Avg = 0.8
Platform.LogicalDisk.12.PctUtil.Peak = 3.5
Platform.LogicalDisk.12.ServiceTimeinmsecs = 0
Platform.LogicalDisk.12.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.12.ServiceTimeinmsecs.Peak = 4.6
Platform.LogicalDisk.13.AssignedName = sd65
Platform.LogicalDisk.13.PctUtil = 1.5
Platform.LogicalDisk.13.PctUtil.Avg = 0.9
Platform.LogicalDisk.13.PctUtil.Peak = 3.5
Platform.LogicalDisk.13.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.13.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.13.ServiceTimeinmsecs.Peak = 3.2
Platform.LogicalDisk.14.AssignedName = sd35
Platform.LogicalDisk.14.PctUtil = 0
Platform.LogicalDisk.14.PctUtil.Avg = 0
Platform.LogicalDisk.14.PctUtil.Peak = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs.Peak = 0.1
Platform.LogicalDisk.15.AssignedName = sd50
Platform.LogicalDisk.15.PctUtil = 0
Platform.LogicalDisk.15.PctUtil.Avg = 1
Platform.LogicalDisk.15.PctUtil.Peak = 3.6
Platform.LogicalDisk.15.ServiceTimeinmsecs = 0
Platform.LogicalDisk.15.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.15.ServiceTimeinmsecs.Peak = 4.2
Platform.LogicalDisk.16.AssignedName = sd6
Platform.LogicalDisk.16.PctUtil = 0
Platform.LogicalDisk.16.PctUtil.Avg = 0
Platform.LogicalDisk.16.PctUtil.Peak = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.1.AssignedName = ssd1
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0
Platform.LogicalDisk.1.PctUtil.Peak = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.2.AssignedName = ssd2
Platform.LogicalDisk.2.PctUtil = 0
Platform.LogicalDisk.2.PctUtil.Avg = 0
Platform.LogicalDisk.2.PctUtil.Peak = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.3.AssignedName = ssd3
Platform.LogicalDisk.3.PctUtil = 0
Platform.LogicalDisk.3.PctUtil.Avg = 0

Platform.LogicalDisk.3.PctUtil.Peak = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.4.AssignedName = ssd4
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0
Platform.LogicalDisk.4.PctUtil.Peak = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.5.AssignedName = ssd5
Platform.LogicalDisk.5.PctUtil = 0
Platform.LogicalDisk.5.PctUtil.Avg = 0
Platform.LogicalDisk.5.PctUtil.Peak = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.7.AssignedName = ssd6
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0
Platform.LogicalDisk.7.PctUtil.Peak = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.8.AssignedName = ssd7
Platform.LogicalDisk.8.PctUtil = 0
Platform.LogicalDisk.8.PctUtil.Avg = 0
Platform.LogicalDisk.8.PctUtil.Peak = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.9.AssignedName = ssd9
Platform.LogicalDisk.9.PctUtil = 0
Platform.LogicalDisk.9.PctUtil.Avg = 0
Platform.LogicalDisk.9.PctUtil.Peak = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.TotalNumofDisks = 16
Platform.LogicalDisk..10.AssignedName = ssd1
Platform.LogicalDisk..10.PctUtil = 0
Platform.LogicalDisk..10.PctUtil.Avg = 0
Platform.LogicalDisk..10.PctUtil.Peak = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk..6.AssignedName = ssd1
Platform.LogicalDisk..6.PctUtil = 0
Platform.LogicalDisk..6.PctUtil.Avg = 0
Platform.LogicalDisk..6.PctUtil.Peak = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs.Peak = 0
Platform.Memory.RAM.AvailMBytes = 2,048.8
Platform.Memory.RAM.AvailMBytes.Avg = 3,961.7

Platform.Memory.RAM.AvailMBytes.Min = 2,013.2
Platform.Memory.RAM.AvailMBytes.Peak = 11,038.1
Platform.Memory.RAM.PctUtil = 93.7
Platform.Memory.RAM.TotalMBytes = 32768
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.1.AdapterName = eri0
Platform.Network.1.BytesRecvdPerSec = 11.9
Platform.Network.1.BytesSentPerSec = 35.2
Platform.Network.1.CurrBandwidthMbitsPerSec = 100
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = 0
Platform.Network.1.TotalBytesPerSec = 47
Platform.Network.2.AdapterName = ge0
Platform.Network.2.BytesRecvdPerSec = 215,810.6
Platform.Network.2.BytesSentPerSec = 2,807,842.7
Platform.Network.2.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = 2.4
Platform.Network.2.TotalBytesPerSec = 3,023,653.3
Platform.Network.TotalNumofAdapters = 2
Platform.Network.Total.BytesRecvdPerSec = 215,822.5
Platform.Network.Total.BytesSentPerSec = 2,807,877.9
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,100
Platform.Network.Total.NetworkBytesPerSec = 3,023,700.4
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 2.2
Platform.PagingFile.Total.PctUtil = 27.9
Platform.PagingFile.Total.PctUtil.Avg = 24.8
Platform.PagingFile.Total.PctUtil.Peak = 27.9
Platform.Process.ActiveDomino.TotalCpuUtil = 2.3
Platform.Process.ActiveNumOfDominoProc = 4
Platform.Process.event.1.PctCpuUtil = 0
Platform.Process.event.1.ProcessID = 1251
Platform.Process.http.1.PctCpuUtil = 2
Platform.Process.http.1.ProcessID = 1258
Platform.Process.router.1.PctCpuUtil = 0.2
Platform.Process.router.1.ProcessID = 1257
Platform.Process.server.1.PctCpuUtil = 0.1
Platform.Process.server.1.ProcessID = 1046
Platform.System.ContextSwitchesPerSec = 8,630.3
Platform.System.ContextSwitchesPerSec.Avg = 9,337.5
Platform.System.ContextSwitchesPerSec.Min = 4,393.6
Platform.System.ContextSwitchesPerSec.Peak = 13,581.2
Platform.System.CPUQueueLen = 11.9
Platform.System.CPUQueueLen.Avg = 10.5
Platform.System.CPUQueueLen.Peak = 35
Platform.System.PctCombinedCpuUtil = 89.2
Platform.System.PctCombinedCpuUtil.Avg = 80.5
Platform.System.PctCombinedCpuUtil.Peak = 100
Platform.System.PctTotalPrivilegedCpuUtil = 6.5
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 6.5
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 10.1
Platform.System.PctTotalUserCpuUtil = 82.7
Platform.System.PctTotalUserCpuUtil.Avg = 74

```

Platform.System.PctTotalUserCpuUtil.Peak = 92.3
Platform.Time.LastSample = 08/26/2003 00:44:56 EDT
Platform.Time.SampleRateInMins = 1
Server.Administrators = CN=admin/O=sun
Server.Administrators.Access = CN=admin/O=sun
Server.AvailabilityIndex = 100
Server.AvailabilityThreshold = 0
Server.BootID = 6030304
Server.BusyTimeQuery.ReceivedCount = 0
Server.CPU.Count = 8
Server.ElapsedTime = 11:58:31
Server.ExpansionFactor = 1
Server.MailBoxes = 4
Server.Monitor.Start = 08/25/2003 12:45:58 EDT
Server.Name = CN=budicel/O=sun
Server.OpenRequest.MaxUsers = 0
Server.OpenRequest.Restricted = 0
Server.Path.Configfile =
/export/raid_module1/lotus/notesdata1.6gbl/notes.ini
Server.Path.Data = /export/raid_module1/lotus/notesdata1.6gbl
Server.Path.Executable = /opt/lotus.6gbl/notes/60000/sunspa/
Server.Ports = TCPIP
Server.PoweredBy = Notes
Server.Sessions.Dropped = 2
Server.SharedMail = 0
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:39:01 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:22 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:00 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:18 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:22 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:19 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:21 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:40 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:21 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:21 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:58 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:07 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:58 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:22 EDT]

```

```

Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:19 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:23 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:28 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:53 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:03 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:19 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:21 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:39 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:54 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:39 EDT]
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:41:57 EDT]
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:44:10 EDT]
Server.Task = HTTP Server: Listen for connect requests on TCP
Port:80: [08/26/2003 00:44:27 EDT]
Server.Task = Router: Idle: [08/26/2003 00:44:27 EDT]
Server.Task = Event Monitor: Idle: [08/26/2003 00:44:29 EDT]
Server.Tasks = 105
Server.Task.DB = Database Server: Idle: [08/26/2003 00:44:29 EDT]
Server.Time.Start = 08/25/2003 12:45:58 EDT
Server.Title = First server
Server.Trans.PerMinute = 0
Server.Trans.PerMinute.Peak = 1345
Server.Trans.PerMinute.Peak.Time = 08/25/2003 19:13:53 EDT
Server.Trans.Total = 122792
Server.Users = 0
Server.Users.1MinPeak = 1
Server.Users.1MinPeakTime = 08/25/2003 16:08:54 EDT
Server.Users.5MinPeak = 1
Server.Users.5MinPeakTime = 08/25/2003 16:08:54 EDT
Server.Users.Active = 0
Server.Users.Active15Min = 0
Server.Users.Active1Min = 0
Server.Users.Active30Min = 0
Server.Users.Active3Min = 0
Server.Users.Active5Min = 0
Server.Users.Peak = 3
Server.Users.Peak.Time = 08/25/2003 18:33:37 EDT
Server.Version.Notes = Release 6.0HF301
Server.Version.Notes.BuildNumber = 190
Server.Version.OS = SunOS 5.9 Generic_112233-07
Server.WorkThreads = 40
Stats.Time.Current = 08/26/2003 00:45:06 EDT

```

Stats.Time.Start = 08/25/2003 12:45:03 EDT
571 statistics found

Show Stat, Partition 2

```
> show stat
Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 4
Database.Database.BufferPool.MM.Writes = 1
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 98.3
Database.DbCache.CurrentEntries = 719
Database.DbCache.HighWaterMark = 1017
Database.DbCache.Hits = 271861
Database.DbCache.InitialDbOpens = 281504
Database.DbCache.Lookups = 281469
Database.DbCache.MaxEntries = 5400
Database.DbCache.OvercrowdingRejections = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 114
Database.FreeHandleStack.FreeHandleStackHits = 6066917
Database.FreeHandleStack.HandleAllocations = 6074692
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0
Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0
Database.NAMELookupCacheCacheSize = 14,726,356
Database.NAMELookupCacheHashSize = 1,236,854
Database.NAMELookupCacheHits = 63,848
Database.NAMELookupCacheLookups = 415,479
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 322,415
Database.NAMELookupCacheNoHitHits = 29,216
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,769,824
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 81
Database.NAMELookupTotal = 415508
Database.NAMELookupTotalLookupTime = 1,808.076
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 483,392
Database.NSFPool.Peak = 54,525,952
Database.NSFPool.Used = 41,845,472
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
```

Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfullHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.SignatureCache.Hits = 1
Database.NSF.SignatureCache.Tries = 2
Database.RM.Sys.Logged = Disabled
Disk.Fixed = 12
Disk.Remote = 0
Disk./export/raid_module1/bkpfiles1.Free = 29,983,330,304
Disk./export/raid_module1/bkpfiles1.Size = 214,682,567,680
Disk./export/raid_module1/bkpfiles1.Type = ufs
Disk./export/raid_module1/lotus.Free = 3,986,035,712
Disk./export/raid_module1/lotus.Size = 10,572,787,712
Disk./export/raid_module1/lotus.Type = ufs
Disk./export/raid_module1/mailfiles1.Free = 34,754,454,528
Disk./export/raid_module1/mailfiles1.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles1.Type = ufs
Disk./export/raid_module1/mailfiles2.Free = 25,547,635,712
Disk./export/raid_module1/mailfiles2.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles2.Type = ufs
Disk./export/raid_module1/mailfiles3.Free = 31,556,037,632
Disk./export/raid_module1/mailfiles3.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles3.Type = ufs
Disk./export/raid_module1/mailfiles4.Free = 30,507,418,624
Disk./export/raid_module1/mailfiles4.Size = 52,872,077,312
Disk./export/raid_module1/mailfiles4.Type = ufs
Disk./export/raid_module1/mailfiles6.Free = 31,971,138,560
Disk./export/raid_module1/mailfiles6.Size = 53,898,805,248
Disk./export/raid_module1/mailfiles6.Type = ufs
Disk./export/raid_module1/mailfiles7.Free = 23,534,900,224
Disk./export/raid_module1/mailfiles7.Size = 42,280,717,312
Disk./export/raid_module1/mailfiles7.Type = ufs
Disk./export/raid_module2/mailfiles1.Free = 26,305,453,056
Disk./export/raid_module2/mailfiles1.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles1.Type = ufs
Disk./export/raid_module2/mailfiles2.Free = 26,321,031,168
Disk./export/raid_module2/mailfiles2.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles2.Type = ufs
Disk./export/raid_module2/mailfiles3.Free = 23,367,646,208
Disk./export/raid_module2/mailfiles3.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles3.Type = ufs
Disk./export/raid_module2/mailfiles4.Free = 23,338,761,216
Disk./export/raid_module2/mailfiles4.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles4.Type = ufs
Disk./Free = 3,964,178,432
Disk./Size = 10,326,728,704
Disk./Type = ufs
Domino.Cache.Database.HitRate = 32.0530855009708
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 10.7924112855502
Domino.Cache.Design.HitRate = 89.2057927390511
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1

Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 100.000608924043
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session.Count = 0
Domino.Cache.Session.MaxSize = 1,000
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User.Count = 0
Domino.Cache.User.DisplaceRate = 0
Domino.Cache.User.HitRate = 99.9999195409975
Domino.Cache.User.MaxSize = 2,500
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0
Domino.Command.DeleteDocuments = 0
Domino.Command.EditDocument = 461670
Domino.Command.GetOrbCookie = 0
Domino.Command.MoveToFolder = 0
Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0
Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 681758
Domino.Command.OpenElement = 12000
Domino.Command.OpenFileResource = 0
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 1242863
Domino.Command.Unknown = 0
Domino.Config.ActiveThreads.Max = 60
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI =
/export/raid_module1/lotus/notesdata2.6gbl/domino/cgi-bin
Domino.Config.Directory.HTML =
/export/raid_module1/lotus/notesdata2.6gbl/domino/html

```
Domino.Config.Directory.Icons =
/export/raid_module1/lotus/notesdata2.6gbl/domino/icons
Domino.Config.Directory.JavaRoot =
/export/raid_module1/lotus/notesdata2.6gbl/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName = budice2
Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile =
/export/raid_module1/lotus/notesdata2.6gbl/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 1,236,677
Domino.Requests.Per1Day.PeakTime = 08/26/2003 00:41:44 EDT
Domino.Requests.Per1Day.Total = 1,236,677
Domino.Requests.Per1Hour.Peak = 125,358
Domino.Requests.Per1Hour.PeakTime = 08/25/2003 15:53:41 EDT
Domino.Requests.Per1Hour.Total = 112,521
Domino.Requests.Per1Minute.Peak = 2,687
Domino.Requests.Per1Minute.PeakTime = 08/25/2003 15:10:41 EDT
Domino.Requests.Per1Minute.Total = 1,819
Domino.Requests.Per5Minute.Peak = 12,436
Domino.Requests.Per5Minute.PeakTime = 08/25/2003 15:13:16 EDT
Domino.Requests.Per5Minute.Total = 8,985
Domino.Requests.Total = 1,242,772
Domino.ThreadPool.average = 96485
Domino.ThreadPool.max = 458752
Domino.Threads.Active.Peak = 60
Http.Accept.ConnectionsAccepted = 1242801
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 1255839
Http.Accept.PollTimeouts = 13037
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 5
Http.MaxConnections = 2020
Http.Workers = 60
```

Http.Worker.Total.BytesRead = 601,327,250
Http.Worker.Total.BytesWritten = 25,535,565,871
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 1293015
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 1242796
Http.Worker.Total.Notes.RequestTime = 242,855,912
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.RequestsProcessed = 1242796
Http.Worker.Total.TotalRequestTime = 242,855,912
Mail.AverageDeliverTime = 67
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 48
Mail.CurrentByteDeliveryRate = 209739
Mail.CurrentByteTransferRate = 0
Mail.CurrentMessageDeliveryRate = 1
Mail.CurrentMessageTransferRate = 0
Mail.DBCacheEntries = 2399
Mail.DBCacheHits = 90591
Mail.DBCacheReads = 96748
MAIL.Dead = 0
Mail.Delivered = 86187
Mail.DeliveredSize.100KB_to_1MB = 4171
Mail.DeliveredSize.10KB_to_100KB = 34763
Mail.DeliveredSize.1KB_to_10KB = 47043
Mail.DeliveredSize.1MB_to_10MB = 210
Mail.Deliveries = 96631
Mail.DeliveryThreads.Active = 0
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = SUN
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 0
Mail.Mailbox.Accesses = 29061
Mail.Mailbox.AccessWarnings = 15
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 4
Mail.Mailbox.Opens = 239
Mail.MaximumDeliverTime = 1650
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9767
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 314781
Mail.PeakByteTransferRate = 265863
Mail.PeakMessageDeliveryRate = 12
Mail.PeakMessageDeliveryTime = 08/25/2003 20:40:42 EDT
Mail.PeakMessagesDelivered = 740

```

Mail.PeakMessagesTransferred = 559
Mail.PeakMessageTransferRate = 9
Mail.PeakMessageTransferTime = 08/26/2003 00:39:58 EDT
Mail.PeakTotalBytesDelivered = 18886904
Mail.PeakTotalBytesTransferred = 15951832
Mail.TotalKBDelivered = 4,168,233
Mail.TotalKBTransferred = 2,490,424
Mail.TotalKBTransferred.NRPC = 2,490,424
Mail.TotalPending = 143
Mail.TotalRouted = 151355
Mail.TotalRouted.NRPC = 151355
Mail.Transferred = 50210
Mail.TransferredSize.100KB_to_1MB = 2368
Mail.TransferredSize.10KB_to_100KB = 20240
Mail.TransferredSize.1KB_to_10KB = 27472
Mail.TransferredSize.1MB_to_10MB = 130
Mail.Transferred.NRPC = 50210
Mail.TransferThreads.Active = 0
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 223
Mail.WaitingForDeliveryRetry = 2
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 663
Mem.Allocated = 1128083414
Mem.Allocated.Process = -1003357514
Mem.Allocated.Shared = 2131440928
Mem.Availability = Plentiful
Mem.PhysicalRAM = 2147483647
Monitor.Last.ROUTER.Failure = 13,208
Monitor.Last.ROUTER.FailureText = Router: Unable to obtain Internet
host and domain names
Monitor.ROUTER.Failure = 1
NET.GroupCache.Hits = 957
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,186
NET.Log.budice2/sun.PeakUnwrittenEntries = 3
NET.Log.budice2/sun.UnwrittenEntries = 2
NET.TCPIP.BytesReceived = 1,970,706,882
NET.TCPIP.BytesSent = 2,050,906,948
NET.TCPIP.Sessions.Established.Incoming = 265
NET.TCPIP.Sessions.Established.Outgoing = 260
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 7
NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0
Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.11.AssignedName = ssd8
Platform.LogicalDisk.11.PctUtil = 0

```

Platform.LogicalDisk.11.PctUtil.Avg = 0.1
Platform.LogicalDisk.11.PctUtil.Peak = 2.4
Platform.LogicalDisk.11.ServiceTimeinmsecs = 0
Platform.LogicalDisk.11.ServiceTimeinmsecs.Avg = 2
Platform.LogicalDisk.11.ServiceTimeinmsecs.Peak = 32.9
Platform.LogicalDisk.12.AssignedName = sd19
Platform.LogicalDisk.12.PctUtil = 0
Platform.LogicalDisk.12.PctUtil.Avg = 0.8
Platform.LogicalDisk.12.PctUtil.Peak = 3.6
Platform.LogicalDisk.12.ServiceTimeinmsecs = 0
Platform.LogicalDisk.12.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.12.ServiceTimeinmsecs.Peak = 8.5
Platform.LogicalDisk.13.AssignedName = sd65
Platform.LogicalDisk.13.PctUtil = 1.6
Platform.LogicalDisk.13.PctUtil.Avg = 0.9
Platform.LogicalDisk.13.PctUtil.Peak = 3.5
Platform.LogicalDisk.13.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.13.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.13.ServiceTimeinmsecs.Peak = 2.9
Platform.LogicalDisk.14.AssignedName = sd35
Platform.LogicalDisk.14.PctUtil = 0
Platform.LogicalDisk.14.PctUtil.Avg = 0
Platform.LogicalDisk.14.PctUtil.Peak = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs.Peak = 0.7
Platform.LogicalDisk.15.AssignedName = sd50
Platform.LogicalDisk.15.PctUtil = 0
Platform.LogicalDisk.15.PctUtil.Avg = 0.9
Platform.LogicalDisk.15.PctUtil.Peak = 3.6
Platform.LogicalDisk.15.ServiceTimeinmsecs = 0
Platform.LogicalDisk.15.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.15.ServiceTimeinmsecs.Peak = 5
Platform.LogicalDisk.16.AssignedName = sd6
Platform.LogicalDisk.16.PctUtil = 0
Platform.LogicalDisk.16.PctUtil.Avg = 0
Platform.LogicalDisk.16.PctUtil.Peak = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.1.AssignedName = ssd1
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0
Platform.LogicalDisk.1.PctUtil.Peak = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.2.AssignedName = ssd2
Platform.LogicalDisk.2.PctUtil = 0
Platform.LogicalDisk.2.PctUtil.Avg = 0
Platform.LogicalDisk.2.PctUtil.Peak = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.3.AssignedName = ssd3
Platform.LogicalDisk.3.PctUtil = 0

Platform.LogicalDisk.3.PctUtil.Avg = 0
Platform.LogicalDisk.3.PctUtil.Peak = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.4.AssignedName = ssd4
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0
Platform.LogicalDisk.4.PctUtil.Peak = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.5.AssignedName = ssd5
Platform.LogicalDisk.5.PctUtil = 0
Platform.LogicalDisk.5.PctUtil.Avg = 0
Platform.LogicalDisk.5.PctUtil.Peak = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.7.AssignedName = ssd6
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0
Platform.LogicalDisk.7.PctUtil.Peak = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.8.AssignedName = ssd7
Platform.LogicalDisk.8.PctUtil = 0
Platform.LogicalDisk.8.PctUtil.Avg = 0
Platform.LogicalDisk.8.PctUtil.Peak = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.9.AssignedName = ssd9
Platform.LogicalDisk.9.PctUtil = 0
Platform.LogicalDisk.9.PctUtil.Avg = 0
Platform.LogicalDisk.9.PctUtil.Peak = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.TotalNumofDisks = 16
Platform.LogicalDisk..10.AssignedName = ssd1
Platform.LogicalDisk..10.PctUtil = 0
Platform.LogicalDisk..10.PctUtil.Avg = 0
Platform.LogicalDisk..10.PctUtil.Peak = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk..6.AssignedName = ssd1
Platform.LogicalDisk..6.PctUtil = 0
Platform.LogicalDisk..6.PctUtil.Avg = 0
Platform.LogicalDisk..6.PctUtil.Peak = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs.Peak = 0
Platform.Memory.RAM.AvailMBytes = 2,022.4

Platform.Memory.RAM.AvailMBytes.Avg = 3,961.1
Platform.Memory.RAM.AvailMBytes.Min = 2,015.4
Platform.Memory.RAM.AvailMBytes.Peak = 11,084.2
Platform.Memory.RAM.PctUtil = 93.8
Platform.Memory.RAM.TotalMBytes = 32768
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.1.AdapterName = eri0
Platform.Network.1.BytesRecvdPerSec = 11.9
Platform.Network.1.BytesSentPerSec = 35.3
Platform.Network.1.CurrBandwidthMbitsPerSec = 100
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = 0
Platform.Network.1.TotalBytesPerSec = 47.2
Platform.Network.2.AdapterName = ge0
Platform.Network.2.BytesRecvdPerSec = 216,469.1
Platform.Network.2.BytesSentPerSec = 2,813,646.2
Platform.Network.2.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = 2.4
Platform.Network.2.TotalBytesPerSec = 3,030,115.3
Platform.Network.TotalNumofAdapters = 2
Platform.Network.Total.BytesRecvdPerSec = 216,481
Platform.Network.Total.BytesSentPerSec = 2,813,681.5
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,100
Platform.Network.Total.NetworkBytesPerSec = 3,030,162.5
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 2.2
Platform.PagingFile.Total.PctUtil = 27.9
Platform.PagingFile.Total.PctUtil.Avg = 24.8
Platform.PagingFile.Total.PctUtil.Peak = 27.9
Platform.Process.ActiveDomino.TotalCpuUtil = 2
Platform.Process.ActiveNumOfDominoProc = 4
Platform.Process.event.1.PctCpuUtil = 0
Platform.Process.event.1.ProcessID = 1261
Platform.Process.http.1.PctCpuUtil = 1.7
Platform.Process.http.1.ProcessID = 1265
Platform.Process.router.1.PctCpuUtil = 0.2
Platform.Process.router.1.ProcessID = 1264
Platform.Process.server.1.PctCpuUtil = 0.1
Platform.Process.server.1.ProcessID = 1114
Platform.System.ContextSwitchesPerSec = 8,631.8
Platform.System.ContextSwitchesPerSec.Avg = 9,339.1
Platform.System.ContextSwitchesPerSec.Min = 4,789.2
Platform.System.ContextSwitchesPerSec.Peak = 13,660.2
Platform.System.CPUQueueLen = 11.9
Platform.System.CPUQueueLen.Avg = 10.5
Platform.System.CPUQueueLen.Peak = 35
Platform.System.PctCombinedCpuUtil = 89
Platform.System.PctCombinedCpuUtil.Avg = 80.5
Platform.System.PctCombinedCpuUtil.Peak = 100
Platform.System.PctTotalPrivilegedCpuUtil = 6.5
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 6.5
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 10.1
Platform.System.PctTotalUserCpuUtil = 82.4

```
Platform.System.PctTotalUserCpuUtil.Avg = 73.9
Platform.System.PctTotalUserCpuUtil.Peak = 92.3
Platform.Time.LastSample = 08/26/2003 00:44:59 EDT
Platform.Time.SampleRateInMins = 1
Server.Administrators = admin
Server.Administrators.Access = admin
Server.AvailabilityIndex = 100
Server.AvailabilityThreshold = 0
Server.BootID = 6034515
Server.BusyTimeQuery.ReceivedCount = 0
Server.CPU.Count = 8
Server.ElapsedTime = 11:58:23
Server.ExpansionFactor = 1
Server.MailBoxes = 4
Server.Monitor.Start = 08/25/2003 12:46:42 EDT
Server.Name = CN=budice2/O=sun
Server.OpenRequest.MaxUsers = 0
Server.OpenRequest.Restricted = 0
Server.Path.Configfile =
/export/raid_module1/lotus/notesdata2.6gbl/notes.ini
Server.Path.Data = /export/raid_module1/lotus/notesdata2.6gbl
Server.Path.Executable = /opt/lotus.6gbl/notes/60000/sunspa/
Server.Ports = TCPIP
Server.PoweredBy = Notes
Server.Sessions.Dropped = 1
Server.SharedMail = 0
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:51 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:45 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:03 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:58 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:42 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:19 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:59 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:11 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:45 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:23 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:20 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:45 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:48 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:26 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:54 EDT]
```

```
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:09 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:10 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:45 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:42 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:12 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:54 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:26 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:45 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:45:04 EDT]
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:39:35 EDT]
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:40:01 EDT]
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:40:02 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:29 EDT]
Server.Task = HTTP Server: Listen for connect requests on TCP
Port:80: [08/26/2003 00:45:03 EDT]
Server.Task = Router: Idle: [08/26/2003 00:45:04 EDT]
Server.Task = Event Monitor: Idle: [08/26/2003 00:45:05 EDT]
Server.Tasks = 105
Server.Task.DB = Database Server: Idle: [08/26/2003 00:45:05 EDT]
Server.Time.Start = 08/25/2003 12:46:42 EDT
Server.Title = Second Domino Server
Server.Trans.PerMinute = 178
Server.Trans.PerMinute.Peak = 1433
Server.Trans.PerMinute.Peak.Time = 08/26/2003 00:00:19 EDT
Server.Trans.Total = 127406
Server.Users = 0
Server.Users.1MinPeak = 2
Server.Users.1MinPeakTime = 08/25/2003 19:40:58 EDT
Server.Users.5MinPeak = 2
Server.Users.5MinPeakTime = 08/25/2003 19:40:58 EDT
Server.Users.Active = 0
Server.Users.Active15Min = 1
Server.Users.Active1Min = 1
Server.Users.Active30Min = 1
Server.Users.Active3Min = 1
Server.Users.Active5Min = 1
Server.Users.Peak = 3
Server.Users.Peak.Time = 08/25/2003 23:59:21 EDT
Server.Version.Notes = Release 6.0HF301
Server.Version.Notes.BuildNumber = 190
Server.Version.OS = SunOS 5.9 Generic_112233-07
Server.WorkThreads = 40
Stats.Time.Current = 08/26/2003 00:45:07 EDT
```

572 statistics found

Show Stat, Partition 3

```
> show stat
Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 4
Database.Database.BufferPool.MM.Writes = 1
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 98.32
Database.DbCache.CurrentEntries = 670
Database.DbCache.HighWaterMark = 1134
Database.DbCache.Hits = 260017
Database.DbCache.InitialDbOpens = 270589
Database.DbCache.Lookups = 270551
Database.DbCache.MaxEntries = 5400
Database.DbCache.OvercrowdingRejections = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 114
Database.FreeHandleStack.FreeHandleStackHits = 5761691
Database.FreeHandleStack.HandleAllocations = 5769705
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0
Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0
Database.NAMELookupCacheCacheSize = 14,726,264
Database.NAMELookupCacheHashSize = 1,236,854
Database.NAMELookupCacheHits = 64,094
Database.NAMELookupCacheLookups = 397,956
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 306,242
Database.NAMELookupCacheNoHitHits = 27,620
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,769,824
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 82
Database.NAMELookupTotal = 397984
Database.NAMELookupTotalLookupTime = 1,974.44
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 474,240
Database.NSFPool.Peak = 53,477,376
Database.NSFPool.Used = 41,403,648
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfullHashHits = 0
```

Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.SignatureCache.Hits = 1
Database.NSF.SignatureCache.Tries = 2
Database.RM.Sys.Logged = Disabled
Disk.Fixed = 12
Disk.Remote = 0
Disk./export/raid_module1/bkpfiles1.Free = 29,983,330,304
Disk./export/raid_module1/bkpfiles1.Size = 214,682,567,680
Disk./export/raid_module1/bkpfiles1.Type = ufs
Disk./export/raid_module1/lotus.Free = 3,808,223,232
Disk./export/raid_module1/lotus.Size = 10,572,787,712
Disk./export/raid_module1/lotus.Type = ufs
Disk./export/raid_module1/mailfiles1.Free = 29,099,435,008
Disk./export/raid_module1/mailfiles1.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles1.Type = ufs
Disk./export/raid_module1/mailfiles2.Free = 19,753,376,768
Disk./export/raid_module1/mailfiles2.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles2.Type = ufs
Disk./export/raid_module1/mailfiles3.Free = 25,564,482,560
Disk./export/raid_module1/mailfiles3.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles3.Type = ufs
Disk./export/raid_module1/mailfiles4.Free = 24,581,440,512
Disk./export/raid_module1/mailfiles4.Size = 52,872,077,312
Disk./export/raid_module1/mailfiles4.Type = ufs
Disk./export/raid_module1/mailfiles6.Free = 28,003,703,808
Disk./export/raid_module1/mailfiles6.Size = 53,898,805,248
Disk./export/raid_module1/mailfiles6.Type = ufs
Disk./export/raid_module1/mailfiles7.Free = 22,535,541,760
Disk./export/raid_module1/mailfiles7.Size = 42,280,717,312
Disk./export/raid_module1/mailfiles7.Type = ufs
Disk./export/raid_module2/mailfiles1.Free = 20,650,695,680
Disk./export/raid_module2/mailfiles1.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles1.Type = ufs
Disk./export/raid_module2/mailfiles2.Free = 20,558,958,592
Disk./export/raid_module2/mailfiles2.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles2.Type = ufs
Disk./export/raid_module2/mailfiles3.Free = 18,661,153,792
Disk./export/raid_module2/mailfiles3.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles3.Type = ufs
Disk./export/raid_module2/mailfiles4.Free = 18,380,258,304
Disk./export/raid_module2/mailfiles4.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles4.Type = ufs
Disk./Free = 3,964,178,432
Disk./Size = 10,326,728,704
Disk./Type = ufs
Domino.Cache.Database.HitRate = 32.0453272378137
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 10.7768933383445
Domino.Cache.Design.HitRate = 89.2217258743835
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 100.000091812105

```

Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session.Count = 0
Domino.Cache.Session.MaxSize = 1,000
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User.Count = 0
Domino.Cache.User.DisplaceRate = 0
Domino.Cache.User.HitRate = 99.9999152598388
Domino.Cache.User.MaxSize = 2,500
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0
Domino.Command.DeleteDocuments = 0
Domino.Command.EditDocument = 437456
Domino.Command.GetOrbCookie = 0
Domino.Command.MoveToFolder = 0
Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0
Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 647961
Domino.Command.OpenElement = 12000
Domino.Command.OpenFileResource = 0
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 1180071
Domino.Command.Unknown = 0
Domino.Config.ActiveThreads.Max = 60
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI =
/export/raid_module1/lotus/notesdata3.6gbl/domino/cgi-bin
Domino.Config.Directory.HTML =
/export/raid_module1/lotus/notesdata3.6gbl/domino/html
Domino.Config.Directory.Icons =
/export/raid_module1/lotus/notesdata3.6gbl/domino/icons

```

```
Domino.Config.Directory.JavaRoot =
/export/raid_module1/lotus/notesdata3.6gbl/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName = budice3
Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile =
/export/raid_module1/lotus/notesdata3.6gbl/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 1,174,855
Domino.Requests.Per1Day.PeakTime = 08/26/2003 00:42:33 EDT
Domino.Requests.Per1Day.Total = 1,174,855
Domino.Requests.Per1Hour.Peak = 122,791
Domino.Requests.Per1Hour.PeakTime = 08/25/2003 16:47:44 EDT
Domino.Requests.Per1Hour.Total = 113,909
Domino.Requests.Per1Minute.Peak = 2,695
Domino.Requests.Per1Minute.PeakTime = 08/26/2003 00:01:08 EDT
Domino.Requests.Per1Minute.Total = 1,877
Domino.Requests.Per5Minute.Peak = 12,595
Domino.Requests.Per5Minute.PeakTime = 08/25/2003 16:17:30 EDT
Domino.Requests.Per5Minute.Total = 9,539
Domino.Requests.Total = 1,180,031
Domino.ThreadPool.average = 99004
Domino.ThreadPool.max = 458752
Domino.Threads.Active.Peak = 60
Http.Accept.ConnectionsAccepted = 1180052
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 1198271
Http.Accept.PollTimeouts = 18218
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 5
Http.MaxConnections = 2020
Http.Workers = 60
Http.Worker.Total.BytesRead = 570,471,461
Http.Worker.Total.BytesWritten = 24,478,929,713
```

Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 1215695
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 1180047
Http.Worker.Total.Notes.RequestTime = 258,434,120
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.RequestsProcessed = 1180047
Http.Worker.Total.TotalRequestTime = 258,434,120
Mail.AverageDeliverTime = 79
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 46
Mail.CurrentByteDeliveryRate = 12023
Mail.CurrentByteTransferRate = 0
Mail.CurrentMessageDeliveryRate = 0
Mail.CurrentMessageTransferRate = 0
Mail.DBCacheEntries = 2411
Mail.DBCacheHits = 91731
Mail.DBCacheReads = 97825
MAIL.Dead = 0
Mail.Delivered = 85800
Mail.DeliveredSize.100KB_to_1MB = 4122
Mail.DeliveredSize.10KB_to_100KB = 34682
Mail.DeliveredSize.1KB_to_10KB = 46801
Mail.DeliveredSize.1MB_to_10MB = 195
Mail.Deliveries = 97706
Mail.DeliveryThreads.Active = 0
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = SUN
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 0
Mail.Mailbox.Accesses = 27442
Mail.Mailbox.AccessWarnings = 28
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 4
Mail.Mailbox.Opens = 233
Mail.MaximumDeliverTime = 1509
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9768
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 824944
Mail.PeakByteTransferRate = 732960
Mail.PeakMessageDeliveryRate = 13
Mail.PeakMessageDeliveryTime = 08/26/2003 00:23:48 EDT
Mail.PeakMessagesDelivered = 816
Mail.PeakMessagesTransferred = 634
Mail.PeakMessageTransferRate = 10

Mail.PeakMessageTransferTime = 08/25/2003 16:45:01 EDT
Mail.PeakTotalBytesDelivered = 50321590
Mail.PeakTotalBytesTransferred = 43977623
Mail.TotalKBDelivered = 3,999,404
Mail.TotalKBTransferred = 2,419,147
Mail.TotalKBTransferred.NRPC = 2,419,147
Mail.TotalPending = 205
Mail.TotalRouted = 147232
Mail.TotalRouted.NRPC = 147232
Mail.Transferred = 47406
Mail.TransferredSize.100KB_to_1MB = 2290
Mail.TransferredSize.10KB_to_100KB = 19128
Mail.TransferredSize.1KB_to_10KB = 25859
Mail.TransferredSize.1MB_to_10MB = 129
Mail.Transferred.NRPC = 47406
Mail.TransferThreads.Active = 0
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 165
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 494
Mem.Allocated = 1173262032
Mem.Allocated.Process = -955228372
Mem.Allocated.Shared = 2128490404
Mem.Availability = Plentiful
Mem.PhysicalRAM = 2147483647
Monitor.Last.ROUTER.Failure = 13,208
Monitor.Last.ROUTER.FailureText = Router: Unable to obtain Internet
host and domain names
Monitor.ROUTER.Failure = 1
NET.GroupCache.Hits = 951
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,186
NET.Log.budice3/sun.PeakUnwrittenEntries = 3
NET.Log.budice3/sun.UnwrittenEntries = 2
NET.TCPIP.BytesReceived = 2,045,329,166
NET.TCPIP.BytesSent = 1,932,754,854
NET.TCPIP.Sessions.Established.Incoming = 261
NET.TCPIP.Sessions.Established.Outgoing = 244
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 7
NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0
Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.11.AssignedName = ssd8
Platform.LogicalDisk.11.PctUtil = 0
Platform.LogicalDisk.11.PctUtil.Avg = 0.1
Platform.LogicalDisk.11.PctUtil.Peak = 1.5
Platform.LogicalDisk.11.ServiceTimeinmsecs = 0

Platform.LogicalDisk.11.ServiceTimeinmsecs.Avg = 2
Platform.LogicalDisk.11.ServiceTimeinmsecs.Peak = 32.9
Platform.LogicalDisk.12.AssignedName = sd19
Platform.LogicalDisk.12.PctUtil = 0
Platform.LogicalDisk.12.PctUtil.Avg = 0.9
Platform.LogicalDisk.12.PctUtil.Peak = 3.5
Platform.LogicalDisk.12.ServiceTimeinmsecs = 0
Platform.LogicalDisk.12.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.12.ServiceTimeinmsecs.Peak = 6.5
Platform.LogicalDisk.13.AssignedName = sd65
Platform.LogicalDisk.13.PctUtil = 0.2
Platform.LogicalDisk.13.PctUtil.Avg = 0.9
Platform.LogicalDisk.13.PctUtil.Peak = 3.5
Platform.LogicalDisk.13.ServiceTimeinmsecs = 0
Platform.LogicalDisk.13.ServiceTimeinmsecs.Avg = 0.2
Platform.LogicalDisk.13.ServiceTimeinmsecs.Peak = 3.1
Platform.LogicalDisk.14.AssignedName = sd35
Platform.LogicalDisk.14.PctUtil = 0
Platform.LogicalDisk.14.PctUtil.Avg = 0
Platform.LogicalDisk.14.PctUtil.Peak = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs.Peak = 0.7
Platform.LogicalDisk.15.AssignedName = sd50
Platform.LogicalDisk.15.PctUtil = 0
Platform.LogicalDisk.15.PctUtil.Avg = 1
Platform.LogicalDisk.15.PctUtil.Peak = 3.6
Platform.LogicalDisk.15.ServiceTimeinmsecs = 0
Platform.LogicalDisk.15.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.15.ServiceTimeinmsecs.Peak = 4.9
Platform.LogicalDisk.16.AssignedName = sd6
Platform.LogicalDisk.16.PctUtil = 0
Platform.LogicalDisk.16.PctUtil.Avg = 0
Platform.LogicalDisk.16.PctUtil.Peak = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.1.AssignedName = ssd1
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0
Platform.LogicalDisk.1.PctUtil.Peak = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.2.AssignedName = ssd2
Platform.LogicalDisk.2.PctUtil = 0
Platform.LogicalDisk.2.PctUtil.Avg = 0
Platform.LogicalDisk.2.PctUtil.Peak = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.3.AssignedName = ssd3
Platform.LogicalDisk.3.PctUtil = 0
Platform.LogicalDisk.3.PctUtil.Avg = 0
Platform.LogicalDisk.3.PctUtil.Peak = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs = 0

Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.4.AssignedName = ssd4
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0
Platform.LogicalDisk.4.PctUtil.Peak = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.5.AssignedName = ssd5
Platform.LogicalDisk.5.PctUtil = 0
Platform.LogicalDisk.5.PctUtil.Avg = 0
Platform.LogicalDisk.5.PctUtil.Peak = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.7.AssignedName = ssd6
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0
Platform.LogicalDisk.7.PctUtil.Peak = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.8.AssignedName = ssd7
Platform.LogicalDisk.8.PctUtil = 0
Platform.LogicalDisk.8.PctUtil.Avg = 0
Platform.LogicalDisk.8.PctUtil.Peak = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.9.AssignedName = ssd9
Platform.LogicalDisk.9.PctUtil = 0
Platform.LogicalDisk.9.PctUtil.Avg = 0
Platform.LogicalDisk.9.PctUtil.Peak = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.TotalNumofDisks = 16
Platform.LogicalDisk..10.AssignedName = ssd1
Platform.LogicalDisk..10.PctUtil = 0
Platform.LogicalDisk..10.PctUtil.Avg = 0
Platform.LogicalDisk..10.PctUtil.Peak = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk..6.AssignedName = ssd1
Platform.LogicalDisk..6.PctUtil = 0
Platform.LogicalDisk..6.PctUtil.Avg = 0
Platform.LogicalDisk..6.PctUtil.Peak = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs.Peak = 0
Platform.Memory.RAM.AvailMBytes = 2,113.2
Platform.Memory.RAM.AvailMBytes.Avg = 5,229.1
Platform.Memory.RAM.AvailMBytes.Min = 2,104.1
Platform.Memory.RAM.AvailMBytes.Peak = 11,086.3

Platform.Memory.RAM.PctUtil = 93.6
Platform.Memory.RAM.TotalMBytes = 32768
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.1.AdapterName = eri0
Platform.Network.1.BytesRecvdPerSec = 20.4
Platform.Network.1.BytesSentPerSec = 53.9
Platform.Network.1.CurrBandwidthMbitsPerSec = 100
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = 0
Platform.Network.1.TotalBytesPerSec = 74.2
Platform.Network.2.AdapterName = ge0
Platform.Network.2.BytesRecvdPerSec = 224,014.2
Platform.Network.2.BytesSentPerSec = 2,784,231.6
Platform.Network.2.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = 2.4
Platform.Network.2.TotalBytesPerSec = 3,008,245.9
Platform.Network.TotalNumofAdapters = 2
Platform.Network.Total.BytesRecvdPerSec = 224,034.6
Platform.Network.Total.BytesSentPerSec = 2,784,285.5
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,100
Platform.Network.Total.NetworkBytesPerSec = 3,008,320.1
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 2.2
Platform.PagingFile.Total.PctUtil = 27.7
Platform.PagingFile.Total.PctUtil.Avg = 23.1
Platform.PagingFile.Total.PctUtil.Peak = 27.7
Platform.Process.ActiveDomino.TotalCpuUtil = 1.8
Platform.Process.ActiveNumOfDominoProc = 4
Platform.Process.event.1.PctCpuUtil = 0
Platform.Process.event.1.ProcessID = 1260
Platform.Process.http.1.PctCpuUtil = 1.5
Platform.Process.http.1.ProcessID = 1263
Platform.Process.router.1.PctCpuUtil = 0.2
Platform.Process.router.1.ProcessID = 1262
Platform.Process.server.1.PctCpuUtil = 0.1
Platform.Process.server.1.ProcessID = 1182
Platform.System.ContextSwitchesPerSec = 8,743.3
Platform.System.ContextSwitchesPerSec.Avg = 9,058.9
Platform.System.ContextSwitchesPerSec.Min = 4,760.1
Platform.System.ContextSwitchesPerSec.Peak = 13,624.5
Platform.System.CPUQueueLen = 11
Platform.System.CPUQueueLen.Avg = 7.4
Platform.System.CPUQueueLen.Peak = 28.3
Platform.System.PctCombinedCpuUtil = 87.3
Platform.System.PctCombinedCpuUtil.Avg = 72
Platform.System.PctCombinedCpuUtil.Peak = 99.9
Platform.System.PctTotalPrivilegedCpuUtil = 6.2
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 5.9
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 9.9
Platform.System.PctTotalUserCpuUtil = 81.1
Platform.System.PctTotalUserCpuUtil.Avg = 66
Platform.System.PctTotalUserCpuUtil.Peak = 91.2
Platform.Time.LastSample = 08/25/2003 19:53:29 EDT

```

Platform.Time.SampleRateInMins = 1
Server.Administrators = admin
Server.Administrators.Access = admin
Server.AvailabilityIndex = 100
Server.AvailabilityThreshold = 0
Server.BootID = 6034607
Server.BusyTimeQuery.ReceivedCount = 0
Server.CPU.Count = 8
Server.ElapsedTime = 11:58:28
Server.ExpansionFactor = 1
Server.MailBoxes = 4
Server.Monitor.Start = 08/25/2003 12:46:41 EDT
Server.Name = CN=budice3/O=sun
Server.OpenRequest.MaxUsers = 0
Server.OpenRequest.Restricted = 0
Server.Path.Configfile =
/export/raid_module1/lotus/notesdata3.6gbl/notes.ini
Server.Path.Data = /export/raid_module1/lotus/notesdata3.6gbl
Server.Path.Executable = /opt/lotus.6gbl/notes/60000/sunspa/
Server.Ports = TCPIP
Server.PoweredBy = Notes
Server.Sessions.Dropped = 9
Server.SharedMail = 0
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:34:00 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:15 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:54 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:15 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:53 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:53 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:45:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:53 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:10 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:40 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:55 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:50 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:20 EDT]

```

```

Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:55 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:38 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:45:00 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:38 EDT]
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:43:13 EDT]
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:40:43 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:33 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:53 EDT]
Server.Task = HTTP Server: Listen for connect requests on TCP
Port:80: [08/26/2003 00:45:08 EDT]
Server.Task = Router: Idle: [08/26/2003 00:45:08 EDT]
Server.Task = Event Monitor: Idle: [08/26/2003 00:45:08 EDT]
Server.Tasks = 105
Server.Task.DB = Database Server: Idle: [08/26/2003 00:45:09 EDT]
Server.Time.Start = 08/25/2003 12:46:41 EDT
Server.Title = Third Domino server
Server.Trans.PerMinute = 0
Server.Trans.PerMinute.Peak = 2294
Server.Trans.PerMinute.Peak.Time = 08/26/2003 00:23:25 EDT
Server.Trans.Total = 129937
Server.Users = 0
Server.Users.1MinPeak = 3
Server.Users.1MinPeakTime = 08/26/2003 00:07:48 EDT
Server.Users.5MinPeak = 3
Server.Users.5MinPeakTime = 08/26/2003 00:07:48 EDT
Server.Users.Active = 0
Server.Users.Active15Min = 0
Server.Users.Active1Min = 0
Server.Users.Active30Min = 0
Server.Users.Active3Min = 0
Server.Users.Active5Min = 0
Server.Users.Peak = 4
Server.Users.Peak.Time = 08/26/2003 00:22:50 EDT
Server.Version.Notes = Release 6.0HF301
Server.Version.Notes.BuildNumber = 190
Server.Version.OS = SunOS 5.9 Generic_112233-07
Server.WorkThreads = 40
Stats.Time.Current = 08/26/2003 00:45:09 EDT
571 statistics found

```

Show Stat, Partition 4

```
> show stat
Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 3
Database.Database.BufferPool.MM.Writes = 1
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 98.3
Database.DbCache.CurrentEntries = 650
Database.DbCache.HighWaterMark = 1167
Database.DbCache.Hits = 243645
Database.DbCache.InitialDbOpens = 255270
Database.DbCache.Lookups = 255237
Database.DbCache.MaxEntries = 5400
Database.DbCache.OvercrowdingRejections = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 114
Database.FreeHandleStack.FreeHandleStackHits = 5368463
Database.FreeHandleStack.HandleAllocations = 5377367
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0
Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0
Database.NAMELookupCacheCacheSize = 14,726,480
Database.NAMELookupCacheHashSize = 1,236,854
Database.NAMELookupCacheHits = 65,714
Database.NAMELookupCacheLookups = 375,977
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 284,748
Database.NAMELookupCacheNoHitHits = 25,515
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,770,848
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 82
Database.NAMELookupTotal = 376005
Database.NAMELookupTotalLookupTime = 2,654.31
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 465,664
Database.NSFPool.Peak = 54,525,952
Database.NSFPool.Used = 41,560,192
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfullHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
```

Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.SignatureCache.Hits = 1
Database.NSF.SignatureCache.Tries = 2
Database.RM.Sys.Logged = Disabled
Disk.Fixed = 12
Disk.Remote = 0
Disk./export/raid_module1/bkpfiles1.Free = 29,983,330,304
Disk./export/raid_module1/bkpfiles1.Size = 214,682,567,680
Disk./export/raid_module1/bkpfiles1.Type = ufs
Disk./export/raid_module1/lotus.Free = 3,814,465,536
Disk./export/raid_module1/lotus.Size = 10,572,787,712
Disk./export/raid_module1/lotus.Type = ufs
Disk./export/raid_module1/mailfiles1.Free = 27,244,971,008
Disk./export/raid_module1/mailfiles1.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles1.Type = ufs
Disk./export/raid_module1/mailfiles2.Free = 18,339,544,064
Disk./export/raid_module1/mailfiles2.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles2.Type = ufs
Disk./export/raid_module1/mailfiles3.Free = 23,772,646,400
Disk./export/raid_module1/mailfiles3.Size = 53,929,271,296
Disk./export/raid_module1/mailfiles3.Type = ufs
Disk./export/raid_module1/mailfiles4.Free = 22,894,756,864
Disk./export/raid_module1/mailfiles4.Size = 52,872,077,312
Disk./export/raid_module1/mailfiles4.Type = ufs
Disk./export/raid_module1/mailfiles6.Free = 26,606,476,288
Disk./export/raid_module1/mailfiles6.Size = 53,898,805,248
Disk./export/raid_module1/mailfiles6.Type = ufs
Disk./export/raid_module1/mailfiles7.Free = 22,298,596,352
Disk./export/raid_module1/mailfiles7.Size = 42,280,717,312
Disk./export/raid_module1/mailfiles7.Type = ufs
Disk./export/raid_module2/mailfiles1.Free = 19,068,722,176
Disk./export/raid_module2/mailfiles1.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles1.Type = ufs
Disk./export/raid_module2/mailfiles2.Free = 18,808,074,240
Disk./export/raid_module2/mailfiles2.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles2.Type = ufs
Disk./export/raid_module2/mailfiles3.Free = 17,233,542,144
Disk./export/raid_module2/mailfiles3.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles3.Type = ufs
Disk./export/raid_module2/mailfiles4.Free = 17,064,598,528
Disk./export/raid_module2/mailfiles4.Size = 42,297,658,368
Disk./export/raid_module2/mailfiles4.Type = ufs
Disk./Free = 3,964,137,472
Disk./Size = 10,326,728,704
Disk./Type = ufs
Domino.Cache.Database.HitRate = 32.0384461777652
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 11.0018477418345
Domino.Cache.Design.HitRate = 88.9966851495188
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 100.000396870675
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256

```

Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session.Count = 0
Domino.Cache.Session.MaxSize = 1,000
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User.Count = 0
Domino.Cache.User.DisplaceRate = 0
Domino.Cache.User.HitRate = 100.00045650594
Domino.Cache.User.MaxSize = 2,500
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0
Domino.Command.DeleteDocuments = 0
Domino.Command.EditDocument = 404081
Domino.Command.GetOrbCookie = 0
Domino.Command.MoveToFolder = 0
Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0
Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 602862
Domino.Command.OpenElement = 12000
Domino.Command.OpenFileResource = 0
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 1095277
Domino.Command.Unknown = 0
Domino.Config.ActiveThreads.Max = 60
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI =
/export/raid_module1/lotus/notesdata4.6gbl/domino/cgi-bin
Domino.Config.Directory.HTML =
/export/raid_module1/lotus/notesdata4.6gbl/domino/html
Domino.Config.Directory.Icons =
/export/raid_module1/lotus/notesdata4.6gbl/domino/icons
Domino.Config.Directory.JavaRoot =
/export/raid_module1/lotus/notesdata4.6gbl/domino/java
Domino.Config.DNSLookup = 0

```

Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName = budice4
Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile =
/export/raid_module1/lotus/notesdata4.6gbl/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 1,087,047
Domino.Requests.Per1Day.PeakTime = 08/26/2003 00:40:53 EDT
Domino.Requests.Per1Day.Total = 1,087,047
Domino.Requests.Per1Hour.Peak = 113,687
Domino.Requests.Per1Hour.PeakTime = 08/25/2003 18:12:43 EDT
Domino.Requests.Per1Hour.Total = 112,319
Domino.Requests.Per1Minute.Peak = 2,677
Domino.Requests.Per1Minute.PeakTime = 08/25/2003 17:14:39 EDT
Domino.Requests.Per1Minute.Total = 1,955
Domino.Requests.Per5Minute.Peak = 11,424
Domino.Requests.Per5Minute.PeakTime = 08/25/2003 13:49:52 EDT
Domino.Requests.Per5Minute.Total = 9,371
Domino.Requests.Total = 1,095,179
Domino.ThreadPool.average = 105589
Domino.ThreadPool.max = 458752
Domino.Threads.Active.Peak = 60
Http.Accept.ConnectionsAccepted = 1095238
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 1120303
Http.Accept.PollTimeouts = 25064
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 7
Http.MaxConnections = 2020
Http.Workers = 60
Http.Worker.Total.BytesRead = 529,039,028
Http.Worker.Total.BytesWritten = 22,790,713,727
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0

Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 1077478
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 1095231
Http.Worker.Total.Notes.RequestTime = 337,451,007
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.RequestsProcessed = 1095231
Http.Worker.Total.TotalRequestTime = 337,451,007
Mail.AverageDeliverTime = 62
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 47
Mail.CurrentByteDeliveryRate = 10988
Mail.CurrentByteTransferRate = 0
Mail.CurrentMessageDeliveryRate = 0
Mail.CurrentMessageTransferRate = 0
Mail.DBCacheEntries = 2403
Mail.DBCacheHits = 89348
Mail.DBCacheReads = 95411
MAIL.Dead = 0
Mail.Delivered = 85948
Mail.DeliveredSize.100KB_to_1MB = 4184
Mail.DeliveredSize.10KB_to_100KB = 34527
Mail.DeliveredSize.1KB_to_10KB = 47035
Mail.DeliveredSize.1MB_to_10MB = 202
Mail.Deliveries = 95282
Mail.DeliveryThreads.Active = 1
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = SUN
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 0
Mail.Mailbox.Accesses = 25317
Mail.Mailbox.AccessWarnings = 26
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 4
Mail.Mailbox.Opens = 248
Mail.MaximumDeliverTime = 1351
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9767
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 462527
Mail.PeakByteTransferRate = 877075
Mail.PeakMessageDeliveryRate = 13
Mail.PeakMessageDeliveryTime = 08/25/2003 19:36:59 EDT
Mail.PeakMessagesDelivered = 782
Mail.PeakMessagesTransferred = 374
Mail.PeakMessageTransferRate = 6
Mail.PeakMessageTransferTime = 08/25/2003 14:00:06 EDT
Mail.PeakTotalBytesDelivered = 27751648
Mail.PeakTotalBytesTransferred = 52624519

Mail.TotalKBDelivered = 4,077,799
Mail.TotalKBTransferred = 2,143,131
Mail.TotalKBTransferred.NRPC = 2,143,131
Mail.TotalPending = 102
Mail.TotalRouted = 142760
Mail.TotalRouted.NRPC = 142760
Mail.Transferred = 43807
Mail.TransferredSize.100KB_to_1MB = 2192
Mail.TransferredSize.10KB_to_100KB = 17737
Mail.TransferredSize.1KB_to_10KB = 23770
Mail.TransferredSize.1MB_to_10MB = 108
Mail.Transferred.NRPC = 43807
Mail.TransferThreads.Active = 0
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 230
Mail.WaitingForDeliveryRetry = 1
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 688
Mem.Allocated = 1302937650
Mem.Allocated.Process = -829520172
Mem.Allocated.Shared = 2132457822
Mem.Availability = Plentiful
Mem.PhysicalRAM = 2147483647
Monitor.Last.ROUTER.Failure = 13,208
Monitor.Last.ROUTER.FailureText = Router: Unable to obtain Internet
host and domain names
Monitor.ROUTER.Failure = 1
NET.GroupCache.Hits = 968
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,186
NET.Log.budice4/sun.PeakUnwrittenEntries = 3
NET.Log.budice4/sun.UnwrittenEntries = 2
NET.TCPIP.BytesReceived = 2,075,617,086
NET.TCPIP.BytesSent = 1,789,109,910
NET.TCPIP.Sessions.Established.Incoming = 272
NET.TCPIP.Sessions.Established.Outgoing = 226
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 6
NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0
Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.11.AssignedName = ssd8
Platform.LogicalDisk.11.PctUtil = 0
Platform.LogicalDisk.11.PctUtil.Avg = 0.1
Platform.LogicalDisk.11.PctUtil.Peak = 3.3
Platform.LogicalDisk.11.ServiceTimeinmsecs = 0
Platform.LogicalDisk.11.ServiceTimeinmsecs.Avg = 2
Platform.LogicalDisk.11.ServiceTimeinmsecs.Peak = 32.9

Platform.LogicalDisk.12.AssignedName = sd19
Platform.LogicalDisk.12.PctUtil = 0
Platform.LogicalDisk.12.PctUtil.Avg = 0.8
Platform.LogicalDisk.12.PctUtil.Peak = 3.5
Platform.LogicalDisk.12.ServiceTimeinmsecs = 0
Platform.LogicalDisk.12.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.12.ServiceTimeinmsecs.Peak = 6.6
Platform.LogicalDisk.13.AssignedName = sd65
Platform.LogicalDisk.13.PctUtil = 0.6
Platform.LogicalDisk.13.PctUtil.Avg = 0.9
Platform.LogicalDisk.13.PctUtil.Peak = 3.6
Platform.LogicalDisk.13.ServiceTimeinmsecs = 0
Platform.LogicalDisk.13.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.13.ServiceTimeinmsecs.Peak = 3.5
Platform.LogicalDisk.14.AssignedName = sd35
Platform.LogicalDisk.14.PctUtil = 0
Platform.LogicalDisk.14.PctUtil.Avg = 0
Platform.LogicalDisk.14.PctUtil.Peak = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.14.ServiceTimeinmsecs.Peak = 0.1
Platform.LogicalDisk.15.AssignedName = sd50
Platform.LogicalDisk.15.PctUtil = 0
Platform.LogicalDisk.15.PctUtil.Avg = 0.9
Platform.LogicalDisk.15.PctUtil.Peak = 3.6
Platform.LogicalDisk.15.ServiceTimeinmsecs = 0
Platform.LogicalDisk.15.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.15.ServiceTimeinmsecs.Peak = 4.9
Platform.LogicalDisk.16.AssignedName = sd6
Platform.LogicalDisk.16.PctUtil = 0
Platform.LogicalDisk.16.PctUtil.Avg = 0
Platform.LogicalDisk.16.PctUtil.Peak = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.16.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.1.AssignedName = ssd1
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0
Platform.LogicalDisk.1.PctUtil.Peak = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.2.AssignedName = ssd2
Platform.LogicalDisk.2.PctUtil = 0
Platform.LogicalDisk.2.PctUtil.Avg = 0
Platform.LogicalDisk.2.PctUtil.Peak = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.3.AssignedName = ssd3
Platform.LogicalDisk.3.PctUtil = 0
Platform.LogicalDisk.3.PctUtil.Avg = 0
Platform.LogicalDisk.3.PctUtil.Peak = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 0

Platform.LogicalDisk.4.AssignedName = ssd4
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0
Platform.LogicalDisk.4.PctUtil.Peak = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.5.AssignedName = ssd5
Platform.LogicalDisk.5.PctUtil = 0
Platform.LogicalDisk.5.PctUtil.Avg = 0
Platform.LogicalDisk.5.PctUtil.Peak = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.7.AssignedName = ssd6
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0
Platform.LogicalDisk.7.PctUtil.Peak = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.8.AssignedName = ssd7
Platform.LogicalDisk.8.PctUtil = 0
Platform.LogicalDisk.8.PctUtil.Avg = 0
Platform.LogicalDisk.8.PctUtil.Peak = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.9.AssignedName = ssd9
Platform.LogicalDisk.9.PctUtil = 0
Platform.LogicalDisk.9.PctUtil.Avg = 0
Platform.LogicalDisk.9.PctUtil.Peak = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.TotalNumofDisks = 16
Platform.LogicalDisk..10.AssignedName = ssd1
Platform.LogicalDisk..10.PctUtil = 0
Platform.LogicalDisk..10.PctUtil.Avg = 0
Platform.LogicalDisk..10.PctUtil.Peak = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..10.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk..6.AssignedName = ssd1
Platform.LogicalDisk..6.PctUtil = 0
Platform.LogicalDisk..6.PctUtil.Avg = 0
Platform.LogicalDisk..6.PctUtil.Peak = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..6.ServiceTimeinmsecs.Peak = 0
Platform.Memory.RAM.AvailMBytes = 2,021.6
Platform.Memory.RAM.AvailMBytes.Avg = 3,965.7
Platform.Memory.RAM.AvailMBytes.Min = 2,008.4
Platform.Memory.RAM.AvailMBytes.Peak = 11,086.2
Platform.Memory.RAM.PctUtil = 93.8
Platform.Memory.RAM.TotalMBytes = 32768

Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.1.AdapterName = eri0
Platform.Network.1.BytesRecvdPerSec = 11.9
Platform.Network.1.BytesSentPerSec = 35.3
Platform.Network.1.CurrBandwidthMbitsPerSec = 100
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = 0
Platform.Network.1.TotalBytesPerSec = 47.2
Platform.Network.2.AdapterName = ge0
Platform.Network.2.BytesRecvdPerSec = 209,228.1
Platform.Network.2.BytesSentPerSec = 2,835,663.9
Platform.Network.2.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = 2.4
Platform.Network.2.TotalBytesPerSec = 3,044,892
Platform.Network.TotalNumofAdapters = 2
Platform.Network.Total.BytesRecvdPerSec = 209,240
Platform.Network.Total.BytesSentPerSec = 2,835,699.1
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,100
Platform.Network.Total.NetworkBytesPerSec = 3,044,939.2
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 2.2
Platform.PagingFile.Total.PctUtil = 27.9
Platform.PagingFile.Total.PctUtil.Avg = 24.7
Platform.PagingFile.Total.PctUtil.Peak = 27.9
Platform.Process.ActiveDomino.TotalCpuUtil = 1.8
Platform.Process.ActiveNumOfDominoProc = 4
Platform.Process.event.1.PctCpuUtil = 0
Platform.Process.event.1.ProcessID = 1252
Platform.Process.http.1.PctCpuUtil = 1.5
Platform.Process.http.1.ProcessID = 1255
Platform.Process.router.1.PctCpuUtil = 0.2
Platform.Process.router.1.ProcessID = 1254
Platform.Process.server.1.PctCpuUtil = 0.1
Platform.Process.server.1.ProcessID = 1250
Platform.System.ContextSwitchesPerSec = 8,611.1
Platform.System.ContextSwitchesPerSec.Avg = 9,333.8
Platform.System.ContextSwitchesPerSec.Min = 3,551.5
Platform.System.ContextSwitchesPerSec.Peak = 13,591.1
Platform.System.CPUQueueLen = 12.2
Platform.System.CPUQueueLen.Avg = 10.5
Platform.System.CPUQueueLen.Peak = 35.9
Platform.System.PctCombinedCpuUtil = 88.7
Platform.System.PctCombinedCpuUtil.Avg = 80.5
Platform.System.PctCombinedCpuUtil.Peak = 100
Platform.System.PctTotalPrivilegedCpuUtil = 6.5
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 6.5
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 9.7
Platform.System.PctTotalUserCpuUtil = 82.3
Platform.System.PctTotalUserCpuUtil.Avg = 73.9
Platform.System.PctTotalUserCpuUtil.Peak = 92.2
Platform.Time.LastSample = 08/26/2003 00:45:02 EDT
Platform.Time.SampleRateInMins = 1
Server.Administrators = admin

```
Server.Administrators.Access = admin
Server.AvailabilityIndex = 100
Server.AvailabilityThreshold = 0
Server.BootID = 6030917
Server.BusyTimeQuery.ReceivedCount = 0
Server.CPU.Count = 8
Server.ElapsedTime = 11:58:03
Server.ExpansionFactor = 1
Server.MailBoxes = 4
Server.Monitor.Start = 08/25/2003 12:46:11 EDT
Server.Name = CN=budice4/O=sun
Server.OpenRequest.MaxUsers = 0
Server.OpenRequest.Restricted = 0
Server.Path.Configfile =
/export/raid_module1/lotus/notesdata4.6gbl/notes.ini
Server.Path.Data = /export/raid_module1/lotus/notesdata4.6gbl
Server.Path.Executable = /opt/lotus.6gbl/notes/60000/sunspa/
Server.Ports = TCPIP
Server.PoweredBy = Notes
Server.Sessions.Dropped = 3
Server.SharedMail = 0
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:41:14 EDT]
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:41:12 EDT]
Server.Task = Router: Searching for mail to transfer: [08/26/2003
00:39:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:27 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:41 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:42:32 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:19 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:50 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:42:51 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:56 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:25 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:13 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:12 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:04 EDT]
```

```
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:53 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:41:52 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:42:27 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:07 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:08 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:13 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:08 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:50 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:44:10 EDT]
Server.Task = Router: Searching for mail to deliver: [08/26/2003
00:43:34 EDT]
Server.Task = HTTP Server: Listen for connect requests on TCP
Port:80: [08/26/2003 00:44:12 EDT]
Server.Task = Router: Idle: [08/26/2003 00:44:13 EDT]
Server.Task = Event Monitor: Idle: [08/26/2003 00:44:13 EDT]
Server.Tasks = 105
Server.Task.DB = Database Server: Idle: [08/26/2003 00:44:13 EDT]
Server.Time.Start = 08/25/2003 12:46:11 EDT
Server.Title = Fourth Domino Server
Server.Trans.PerMinute = 0
Server.Trans.PerMinute.Peak = 1406
Server.Trans.PerMinute.Peak.Time = 08/25/2003 19:36:52 EDT
Server.Trans.Total = 132779
Server.Users = 0
Server.Users.1MinPeak = 1
Server.Users.1MinPeakTime = 08/25/2003 13:26:35 EDT
Server.Users.5MinPeak = 1
Server.Users.5MinPeakTime = 08/25/2003 13:26:35 EDT
Server.Users.Active = 0
Server.Users.Active15Min = 0
Server.Users.Active1Min = 0
Server.Users.Active30Min = 0
Server.Users.Active3Min = 0
Server.Users.Active5Min = 0
Server.Users.Peak = 3
Server.Users.Peak.Time = 08/25/2003 18:08:20 EDT
Server.Version.Notes = Release 6.0HF301
Server.Version.Notes.BuildNumber = 190
Server.Version.OS = SunOS 5.9 Generic_112233-07
Server.WorkThreads = 40
Stats.Time.Current = 08/26/2003 00:45:12 EDT
Stats.Time.Start = 08/25/2003 12:45:09 EDT
572 statistics found
```