



**NotesBench R6iNotes Disclosure Report
for SunFire T2000, Ultra SPARC T1, 1.2GHz
on Solaris 10 with Lotus® Domino 7.0
March 2006**

Section 1: Executive Summary

Sun Microsystems has completed a Notesbench benchmark using the R6iNotes workload on the Sun Fire T2000 Server, 8 core 1.2GHz UltraSPARC T1 processor. The test was executed at the Sun's Engineering Performance Lab - Burlington, MA in November 2005.

The Server Under Test (SUT) was configured with one eight core, 1.2 GHz UltraSPARC T1 processor, 32 Gigabytes (GB) of memory, two HW RAID Fibre Channel SS3510 storage devices, one with twelve 73 GB, 15Krpm disks and other with twelve 146 GB, 10Krpm disks configured as RAID1 volumes and two 10/100/1000 Mbps Ethernet onboard ports.

The UltraSPARC T1 processor with CoolThreads technology offers up to eight processing cores with four threads per core with SPARC V9 implementation.

The Operating System on the SUT was Sun Solaris 10 and the Messaging server Domino release 7.0 was configured with 4 partitions.

In addition to the T2000 UltraSPARC T1 system under test, the benchmark configuration included 3 child driver systems running 38 notebnch clients and one parent driver for the NotesBench R6iNotes workload. All driver systems were connected to the SUT via the TCP/IP network. The detailed System setup and configurations are provided in Appendix A.

The R6iNotes workload simulated 19,000 active users sending, deleting and receiving e-mails (built with the dwa7.ntf template) via standard HTTP browser. The mail sent by each user is delivered to mail database of the other users on the System Under Test. The results below demonstrates an outstanding achievement of SunFire T2000 UltraSPARC T1 in price/performance with 19000 active NotesBench R6iNotes users at 400 ms Average Response time.

The NotesBench R6iNotes describes the Web Access mail workload as: Every 15 minutes each user reads five messages, deletes two messages, and every ninety minutes it sends 1 new mail message (average message and attachment size is 97KB) and calendar invitation to 3 recipients.

R6iNotes Web Access combines the simplicity and universality of a Web browser with the power of an enterprise-class, full-featured application giving Web browser users access to e-mail, calendar, group scheduling, to-do list, invitation and appointments. NotesBench offers an objective way to evaluate the performance of different Mail Servers Under Test using different platforms running Lotus Domino.

The benchmark results are summarized below:

| NotesBench Workload | Users Supported | NotesMark | Average Response Time | Price per User | Price per NotesMark |
|---------------------|-----------------|-------------------------------|-----------------------|----------------|---------------------|
| R6iNotes | 19000 | 16061 transactions per minute | 400 ms | \$3.94 | \$4.50 |

Section 2: Benchmarking Objectives

The objective of this benchmark was to provide evidence that Sun's system and operating environment technology are the best choice for organizations looking for a scalable and high performance platform on which to deploy R6iNotes Domino services.

Section 3: Test Methodologies

The test environment for the NotesBench R6iNotes workload consists of four hardware components: the *server under test (SUT)*, one or more *child drivers* to generate load on the SUT by simulating the activity of R6iNotes Web Access mail users, one *parent driver* to control the progress of the test, and a network through which the various systems communicate.

The server under test was a SunFire T2000 equipped with 1 Niagara 1.2 GHz eight core processor with Solaris 10 OS. Lotus Domino 7.0 server was configured with four partitions.

Two Sun Fire V440 with 4x1.28GHz UltraSPARC III processors on each with 16GB of memory and one V490 with 4x1.2GHz UltraSPARC IV processors with 32GB of memory were configured as child drivers. A total of 38 user accounts were used to simulate 19000 R6iNotes users, each account corresponding to 500 R6iNotes users. One of the Sun UltraSPARC III Sun Fire V440 systems hosted an additional account to run the NotesBench parent driver for overall benchmark control.

The systems were connected by a TCP/IP network running over Ethernet and tied together by one Cisco switch. The switch has been configured as an independent subnet for this experiment. Three driver machines were connected to the switch via a 10/100/1000Mbit/sec on board Fast Ethernet interface. The SUT was connected to the switch via onboard 1Gigabit/sec Fast Ethernet interface.

Each test run began with a number of preparatory steps such as setting up configuration files, initializing mail data bases, starting the servers, and so on. The NotesBench test then began by starting the child drivers' user accounts one by one over a ramp-up period of nearly 4 hours. Once all the simulated users were active, the peak load was maintained for over six hours. NotesBench then shuts down the child driver accounts one at a time over a ramp-down period of about an hour. The server was then shut down and logs, configuration files, and other products of the test were collected and archived.

During the test, the SUT's "headroom" was monitored by running standard Unix system monitoring tools: *iostat* and *mpstat*. The outputs of these utilities were post-processed to extract relevant data points. The data points obtained were then plotted.

The name and address book (NAB) contained 40,000 test users in 4 Domino partitions, which were all part of the same Domino domain. All child drivers used the server-resident NAB for name lookups. Each partition was configured with four mail{n}.boxes for mail routing.

The server system had two twelve-drive SS3510 disk arrays, each one was configured with two RAID1 LUNs. Total 4 RAID1 arrays were used for Mail database and Domino files. One of the arrays had five disk partitions, four of which was used to store portion of the mail files which were built with Domino dwa7.ntf template. The other partition had Domino executables/binaries, names.nsf, log.nsf, all other .nsf, .ntf and notesdata files. Hence all the Domino executables and the data files were redundantly protected. The other RAID array were used to store the remaining mail files. One of SUT's internal disks were configured with two disk partitions, one of which were used by the OS, another one was used for OS-level performance statistics collection tools and custom scripts.

Database activity logging was not enabled during the benchmark run and all Domino tasks were disabled except for Router and HTTP.

During the steady state period of the run, the *show stat mail* command was used every hour for each partition on the Server to verify that at least 90 percent of the mail generated during the test was delivered to the local mail databases. In fact, during the test period, the SUT Domino Server delivered more than 99 percent of the mail generated to the local mail databases. *show stat database* were used every hour during run for each partition. *show stat* command was used at the end of the run for each partition.

To ensure that the results were reproducible, the tests were repeated. The test results showed a very small variation in throughput.

The following NOTES.INI parameters were modified for all the server partitions for this benchmark. All Domino user tasks were disabled except Router and HTTP.

Server Notes.ini Modifications

Debug_Outfile=/tmp/sut#.txt

NSF_BUFFER_POOL_SIZE_MB=1800

ServerTasks=Router,HTTP

TCP_TCPIPAddress=0,20.1.20.xx:1352

Section 4: Data

The server under test supported 19000 NotesBench R6iNotes users, achieving a 16061 NotesMark rating of transactions per minute with an average response time of 400 milliseconds per transaction. The test ran for a total of 12 hours, with the steady state lasting for over 6 hours. NotesBench reported no errors.

NotesNum Output for R6iNotes Test:


Min Start Time = 11/14/2005 18:11:14 Max Stop Time = 11/15/2005 05:33:49

Total Test Errors = 0

Total Test Time = 40920 sec


Test Run: Users = 19000 NotesMark = 16061 Response Time = 400 msec (11/14/2005 22:32:00 to 11/15/2005 04:37:00)

During the test, the standard Unix mpstat utility program measured user Total CPU utilization. Samples were taken at 90 Sec. intervals during the ramp-up, steady state, and ramp-down periods. As the following graph shows, the CPU had ~80% utilized by the User.



Disk responsiveness was also measured at 90 Sec. intervals throughout the test, using the standard Unix utility *iostat*. The following graph shows the average time per I/O operation for the 4 RAID volumes. Under peak load, the disk subsystem averaged about 15 milliseconds to service each I/O request.

The service times were sampled and plotted for four RAID volumes.



Section 5: Analysis

Like any benchmark based on synthetic workloads, NotesBench is more suitable for comparing the "capacities" of different servers relative to each other than for choosing a server for a particular real world situation. The load on a real world server tends to have higher peaks and lower valleys than the load produced by a benchmark executed under tightly controlled conditions. Many industry experts recommend sizing a server to handle peak loads of three to four times the value suggested by a simple average.

One must also determine how closely the benchmark's workload matches the server's intended use. The NotesBench R6iNotes workload simulates users employing a standard browser for sending and receiving e-mails. Each simulated user repeats a cycle of activity lasting roughly fifteen minutes, with extra activity on every sixth cycle (roughly once every ninety minutes):

- Read five messages and mark them as read
- Delete two messages
- Every ninety minutes, creates a mail message and a calendar invitation and sends it to three recipients found in the server's Domino Directory (NAB)

Section 6: Conclusions

This result demonstrates that a single SunFire T2000, 8 core 1.2GHz UltraSPARC T1 processor system can serve even a large organization by supporting 19000 R6iNotes mail users.


Moreover, SUN's Sun Fire T2000 based on UltraSPARC T1 processors, is a highly scalable solution. Many of the same components (CPU, I/O interfaces etc.) are shared by other servers in the Sun Fire(TM) product line. All of them run the robust and scalable Solaris Operating environment and the same Domino executable.

Section 7: Statement by Auditor

The copy of the original report, which was signed by Daryl K. Thompson, auditor for KMDS Technical Associates, Inc., is available upon request.

Appendix A: Overall Test Setup

The schematic diagram shows the components of the server under test, the parent and child driver systems, and their network interconnections.



Appendix B: System Configurations

| | System Under Test | Clients |
|------------------------------|---|--|
| Model | Sun Fire T2000 | Sun Fire V440, Sun Fire V490 |
| CPUs | 1 UltraSPARC T1 chip with 8 Cores | 4 UltraSPARC-III, 4 UltraSPARC-IV |
| CPU clock rate | 1200MHz | 1280MHz, 1200MHz |
| Main memory | 32 GB | 16 GB, 32GB |
| O/S and program disks | 2x73GB | 2 × 73GB, 2x73GB |
| Data disks | 12 x 73GB 12x146GB | n/a |
| Network adapters | 1 onboard 10/100/1000 Mbit/Sec. Fast Ethernet interface | 1 onboard 10/100/1000 Mbit/Sec Fast Ethernet interface |
| Adapter speed | 1 Gb/s | 1Gb/s |
| Operating system | Solaris 10 | Solaris 10 |
| Lotus software | Domino 7.0 | Domino 7.0, Notebench 7.0 |

Two hardware RAID controller storages each managed a set of 12 disks, which were configured as 4 RAID1 volumes with 2x204GB and 2x102GB each of fully redundant capacity. The RAID volumes contained all mail files, and all Domino data files.

The benchmark run was executed on a Mail server with 1 internal disk of 73 GB on the SFT2000, 1.2GHz, 1 UltraSPARC T1 chip with 8 cores.

Appendix C: Operating System Parameters

The SUT ran Solaris 10 HW2 without patches. In the future, Sun or Lotus may recommend applying various patches to such a configuration. All Solaris patches are available from the SunSolve OnlineSM Web site, <http://sunsolve.sun.com/>.

The following non-default parameter settings were added to the */etc/system* configuration file. All the settings were specific to this benchmark and may or may not be appropriate for real world servers:

```
set msgsys:msginfo_msgtql=1024
```

```
set segmap_percent=64
```

```
set autoup=345600
```

```
set tune_t_fsflushr=345600
```

```
set ip:ip_queue_fanout=1
```

```
set ipge:ipge_taskq_disable=0
```

```
set ip:ip_queue_bind = 0
```

```
set ipge:ipge_tx_ring_size=8192
```

```
set ipge:ipge_srv_fifo_depth=8192
```

```
set ipge:ipge_bcopy_thresh=1520
```

```
set ipge:ipge_reclaim_pending=64
```

```
set ipge:ipge_dvma_thresh=383
```

Appendix D: Notes Parameters (notes.ini)

The following are the complete contents of the *notes.ini* configuration files for four servers.

Notes.ini. from Domino Partition 1 :

```
[Notes]
Directory=/export/lotus/notesdata1
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/70000/sunspa
Debug_Outfile=/tmp/sut1.txt
FaultRecovery_Build=Release 7.0
DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0
DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail7.ntf
Preferences=32
ServerTasks=Router,HTTP
;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
TCPIP_TCPIPAddress=0,128.128.128.1:1352
TCPIP=TCP, 0, 15, 0
nsf_buffer_pool_size_MB=1800
nsf_dbcache_maxentries=5000
nsf_dbucache_max_entries=5000
inotes_wa_profilecachesize=5000
DominoAsynchronizeAgents=1
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1
MailType=0
$$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=1
```

LOG_SESSIONS=1
KeyFilename=/export/lotus/notesdata1/server.id
CertifierIDFile=/export/lotus/notesdata1/cert.id
MailServer=CN=budice1/O=ont7
NAMELOOKUP_TRUST_DIRCAT=0
FirstServerInDomain=1
ServerKeyFileName=server.id
Domain=ont7
Admin=CN=admin/O=ont7
TemplateSetup=700006
Setup=700007
ServerSetup=700003
MailCompactDisabled=1
CleanSetup=1
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
ServerName=budice1/ont7
ServerNameNative=04540454627564696365312F6F6E7437
DB2_DBS_PER_SCHEMA=10
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
ServerController=0
MTEabled=0
CLEANUP_EVENTS4_MESSAGES_VIEW=0
CLEANUP_EVENTS4_STATS_VIEW=0
WebAdminSetup=709
DominoConfigLevel=1
EventSetup=700011
DELETE_DUPLICATE_PUID_NOTES=0
DDMSetup=700010
CRASH_REMOVE_DATA=0
CRASH_MSGSIZE_MB=5
CRASH_NSDSIZE_MB=2
CRASH_LOGFILE_KB=10240
FILE_RETENTION_DAYS=365
FAULT_ANALYZER_ENABLED=0
FaultRecovery=0
CleanupTimeout=600
CONSOLE_LOG_ENABLED=1
JrnEnbld=0

Notes.ini from Domino Partition 2:

[Notes]
Directory=/export/lotus/notesdata2
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/70000/sunspa
Debug_Outfile=/tmp/sut2.txt
TCPIP_TCPIPAddress=0.128.128.2:1352
FaultRecovery_Build=Release 7.0

DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0
DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail7.ntf
Preferences=32
ServerTasks=Router,HTTP
;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
TCPIP=TCP, 0, 15, 0
DominoAsynchronizeAgents=1
nsf_buffer_pool_size_MB=1800
nsf_dbcache_maxentries=5000
nsf_dbucache_maxentris=5000
inotes_wa_profilecachesize=5000
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1
MailType=0
\$\$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=0
LOG_SESSIONS=1
ExistingServerName=CN=budice1/O=ont7
KeyFilename=/export/lotus/notesdata2/server.id
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
ServerKeyFileName=server.id
MailCompactDisabled=1
MailServer=CN=budice2/O=ont7
Domain=ont7
Admin=CN=admin/O=ont7
TemplateSetup=700006
Setup=700007
ServerSetup=700003
NAMELOOKUP_TRUST_DIRCAT=0
CleanSetup=1
CLEANUP_EVENTS4_MESSAGES_VIEW=0
CLEANUP_EVENTS4_STATS_VIEW=0
DB2_DBS_PER_SCHEMA=10
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
CRASH_REMOVE_DATA=0
CRASH_MSGSIZE_MB=5
CRASH_NSDSIZE_MB=2
CRASH_LOGFILE_KB=10240
FILE_RETENTION_DAYS=365
FAULT_ANALYZER_ENABLED=0

ServerName=budice2/ont7
ServerNameNative=04550455627564696365322F6F6E7437
ServerController=0
MTEnabled=0
WebAdminSetup=709
DominoConfigLevel=1
EventSetup=700011
DELETE_DUPLICATE_PUID_NOTES=0
DDMSetup=700010
FaultRecovery=0
CleanupTimeout=600
CONSOLE_LOG_ENABLED=1
JrnlEnbl=0

Notes.ini from Domino partition 3:

[Notes]
Directory=/export/lotus/notesdata3
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/70000/sunspa
Debug_Outfile=/tmp/sut3.txt
TCPIP_TCPIPAddress=0,128.128.128.3:1352
FaultRecovery_Build=Release 7.0
DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0
DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail7.ntf
Preferences=32
ServerTasks=Router,HTTP
;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
TCPIP=TCP, 0, 15, 0
DominoAsynchronizeAgents=1
nsf_buffer_pool_size_MB=1800
nsf_dbcache_maxentries=5000
nsf_dbucache_maxentries=5000
inotes_wa_profilecachesize=5000
MailCompactDisabled=1
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1
MailType=0
\$\$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=0
LOG_SESSIONS=1
ExistingServerName=CN=budice1/O=ont7
KeyFilename=/export/lotus/notesdata3/server.id
ServerKeyFileName=server.id
MailServer=CN=budice3/O=ont7

Domain=ont7
Admin=CN=admin/O=ont7
TemplateSetup=700006
Setup=700007
ServerSetup=700003
NAMELOOKUP_TRUST_DIRCAT=0
CleanSetup=1
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
CLEANUP_EVENTS4_MESSAGES_VIEW=0
CLEANUP_EVENTS4_STATS_VIEW=0
DB2_DBS_PER_SCHEMA=10
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
CRASH_REMOVE_DATA=0
CRASH_MSGSIZE_MB=5
CRASH_NSDSIZE_MB=2
CRASH_LOGFILE_KB=10240
FILE_RETENTION_DAYS=365
FAULT_ANALYZER_ENABLED=0
ServerName=budice3/ont7
ServerNameNative=04560456627564696365332F6F6E7437
ServerController=0
MTEnabled=0
WebAdminSetup=709
DominoConfigLevel=1
EventSetup=700011
DELETE_DUPLICATE_PUID_NOTES=0
DDMSetup=700010
FaultRecovery=0
CleanupTimeout=600
CONSOLE_LOG_ENABLED=1
JrnlEnbld=0

Notes.ini from Domino partition 4

[Notes]
Directory=/export/lotus/notesdata4
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/70000/sunspa
Debug_Outfile=/tmp/sut4.txt
TCPIP_TCPIPAddress=0,128.128.128.4:1352
FaultRecovery_Build=Release 7.0
DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0
DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail7.ntf
Preferences=32
ServerTasks=Router,HTTP

;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
TCPIP=TCP, 0, 15, 0
DominoAsynchronizeAgents=1
nsf_buffer_pool_size_MB=1800
nsf_dbcache_entries=5000
nsf_dbucache_entries=5000
inotes_wa_profilecachesize=5000
MailCompactDisabled=1
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1
MailType=0
\$\$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=0
LOG_SESSIONS=1
ExistingServerName=CN=budice1/O=ont7
KeyFilename=/export/lotus/notesdata4/server.id
ServerKeyFileName=server.id
MailServer=CN=budice4/O=ont7
Domain=ont7
Admin=CN=admin/O=ont7
TemplateSetup=700006
Setup=700007
ServerSetup=700003
NAMELOOKUP_TRUST_DIRCAT=0
CleanSetup=1
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
CLEANUP_EVENTS4_MESSAGES_VIEW=0
CLEANUP_EVENTS4_STATS_VIEW=0
DB2_DBS_PER_SCHEMA=10
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
CRASH_REMOVE_DATA=0
CRASH_MSGSIZE_MB=5
CRASH_NSDSIZE_MB=2
CRASH_LOGFILE_KB=10240
FILE_RETENTION_DAYS=365
FAULT_ANALYZER_ENABLED=0
ServerName=budice4/ont7
ServerNameNative=04570457627564696365342F6F6E7437
ServerController=0
MTEEnabled=0
WebAdminSetup=709
DominoConfigLevel=1
EventSetup=700011
DELETE_DUPLICATE_PUID_NOTES=0

DDMSetup=700010
FaultRecovery=0
CleanupTimeout=600
CONSOLE_LOG_ENABLED=1
JrnIEnblD=0

Notes.ini of child1

[Notes]

ResultsDirectory=/export/home/results
Debug_Outfile=/export/home/results/res_schell_1
Debug_File_Perm=0666
Domain=ont7
UseServerNAB=1
NthIteration=6
NormalMessageSize=10000
NumMessageRecipients=3
MessageLineSize=100
NumMailNotesPerUser=100
MailTemplate=budice1!!dwa7.ntf
MaxDocToDelete=10000
NodeName=sc1
MailServer=CN=budice1/O=ont7
ThreadStagger=3
;NABentries=7800
;NABentries=8300
;NABentries=12400
;NABentries=7800
;NABentries=5200
HTTPHost=budice1.east.sun.com
WebDebugOn=0
WebAuthenticationOff=1
WebPreferencesOff=0
Directory=/export/home/child1
KitType=1
InstallType=1
Timezone=5
DST=1
\$\$HasLANPort=1
WWWDSPPREFETCH_OBJECT=1
WWWDSPPREFETCH_OBJECT=1
EnableJavaApplets=1
EnablePlugins=1
Preferences=2147486833
AltNameLanguage=en
ContentLanguage=en-US
WeekStart=1
ViewWeekStart=2
NavWeekStart=2
XLATE_CSID=52
SPELL_LANG=1033
Region=en-US
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail50.ntf
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
TCPIP=TCP, 0, 15, 0

LAN0=NETBIOS, 0, 15, 0
VINES=VINES, 0, 15, 0
SPX=NWSPX, 0, 15, 0
COM1=XPC,1,15,0,
COM2=XPC,2,15,0,
COM3=XPC,3,15,0,
COM4=XPC,4,15,0,
COM5=XPC,5,15,0,
;Ports=TCPIP,LAN0,COM1
Ports=TCPIP
DisabledPorts=VINES,SPX,COM2,COM3,COM4,COM5
KeyFilename=childont.id
CertificateExpChecked=childont.id 10/25/2005
MailFile=mail\admin.nsf
TemplateSetup=55
Setup=59
Location=budice1,A6E,CN=childont/O=ont7
;Location=budice1,992,CN=Child7/O=V40Z
;\$IEVersionMajor=5
ECLSetup=3
;\$headlineClientId=21B0E7B0:037D545D-8825687A:0007187C
AdminLastServer=budice1/ont7
FileDlgDirectory=/export/purple/lotus/notesdata
AdminSetup=501
CertifierIDFile=/export/purple/lotus/notesdata/cert.id
NewUserServer=CN=budice1/O=ont7
FaultRecovery_Build=Release 7.0
CONSOLE_LOG_ENABLED=1
DSTLAW=4,1,1,10,-1,1
MailType=0
UPDATE_TIMER=01/22/2003 18:17:21

Notes.ini of Parent

[Notes]
ResultsDirectory=/export/home/results
Debug_Outfile=/export/home/results/parent.txt
Debug_File_Perm=0666
Domain=ont7
UseServerNAB=1
NthIteration=6
NormalMessageSize=10000
NumMessageRecipients=3
NumMailNotesPerUser=100
MaxDocToDelete=10000
NodeName=Parent
Runtime=660
ChildStagger=5
NumClients1=500
NumClients2=500
NumClients3=500
NumClients4=500
NumClients5=500
NumClients6=500
NumClients7=500
NumClients8=500
NumClients9=500
NumClients10=500

NumClients11=500
NumClients12=500
NumClients13=500
NumClients14=500
NumClients15=500
NumClients16=500
NumClients17=500
NumClients18=500
NumClients19=500
NumClients20=500
NumClients21=500
NumClients22=500
NumClients23=500
NumClients24=500
NumClients25=500
NumClients26=500
NumClients27=500
NumClients28=500
NumClients29=500
NumClients30=500
NumClients31=500
NumClients32=500
NumClients33=500
NumClients34=500
NumClients35=500
NumClients36=500
NumClients37=500
NumClients38=500
NumClients39=500
NumClients40=500
Directory=/export/home/parent
KitType=1
InstallType=1
Timezone=5
DST=1
\$\$HasLANPort=1
WWWDSPP_SYNC_BROWSERCACHE=1
WWWDSPP_PREFETCH_OBJECT=1
EnableJavaApplets=1
EnablePlugins=1
Preferences=2147486833
AltNameLanguage=en
ContentLanguage=en-US
WeekStart=1
ViewWeekStart=2
NavWeekStart=2
XLATE_CSID=52
SPELL_LANG=1033
Region=en-US
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=iNotes60.ntf
;DefaultMailTemplate=mail50.ntf
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
TCPIP=TCP, 0, 15, 0
LAN0=NETBIOS, 0, 15, 0
VINES=VINES, 0, 15, 0

SPX=NWSPX, 0, 15, 0
COM1=XPC,1,15,0,
COM2=XPC,2,15,0,
COM3=XPC,3,15,0,
COM4=XPC,4,15,0,
COM5=XPC,5,15,0,
;Ports=TCPIP,LAN0,COM1
Ports=TCPIP
DisabledPorts=VINES,SPX,COM2,COM3,COM4,COM5
KeyFilename=childont.id
CertificateExpChecked=childont.id 10/25/2005
MailServer=CN=budice1/O=ont7
MailFile=mail\admin.nsf
TemplateSetup=55
Setup=59
;Location=budice1,992,CN=child6/O=sun6
;Location=lin1,A42,CN=child7/O=v40z1
Location=budice1,A6E,CN=childont/O=ont7
;\$IEVersionMajor=5
ECLSetup=3
;\$headlineClientId=21B0E7B0:037D545D-8825687A:0007187C
AdminLastServer=budice1/ont7
;AdminLastServer=lin1/v40z1
FileDlgDirectory=/export/purple/lotus/notesdata
AdminSetup=501
CertifierIDFile=/export/purple/lotus/notesdata/cert.id
NewUserServer=CN=budice1/O=ont7
FaultRecovery_Build=Release 7.0
CONSOLE_LOG_ENABLED=1
DSTLAW=4,1,1,10,-1,1
MailType=0

Appendix E: Network Configuration Files

The network used Solaris' native TCP/IP capability. System name services were supplied by each machine's local */etc/hosts* file; here is the SUT's version:

```
#
# Internet host table
#
127.0.0.1      localhost
129.148.93.131 wgs93-131    loghost
129.148.93.114 wgs93-114
129.148.93.115 wgs93-115
129.148.93.116 wgs93-116
#Private Network
128.128.128.1  budice1 budice1.east.sun.com budice1.sun.com
128.128.128.2  budice2 budice2.east.sun.com budice2.sun.com
128.128.128.3  budice3 budice3.east.sun.com budice3.sun.com
128.128.128.4  budice4 budice4.east.sun.com budice4.sun.com
128.128.128.5  schell
128.128.128.6  firebrick
128.128.128.7  pils
```

Appendix F: Guidelines for Information Usage

This report is for use by Sun Microsystems' staff, customers, and resellers. It may be freely copied and distributed provided the entire report remains intact.

Appendix G: Pricing

T2000 1.2GHz,UltraSPARC T1 R6iNotes Pricing

| Product No. | Description | Qty | List Price | Discounted Price | Extended Net Price |
|--------------------|---|-----|-------------|------------------|--------------------|
| T20-1088-32GA2C | Sun Fire T2000 Server, 8 core 1.2GHz UltraSPARC T1 processor, 32GB DDR2 memory (16*2GB DIMMS), 2*73GB 2.5" 10K rpm SAS hard disk drives, 1 DVD-RO/CD-RW slimline drive, 2(N+1) power supplies, 4 onboard 10/100/1000 ethernet ports, 1 serial port, 3 PCI-E slots, 2 PCI-X slots, Solaris 10 and Java Enterprise System software preinstalled(Standard Configuration) | 1 | \$26,995.00 | \$25,574.00 | \$25,574.00 |
| X311L | Localized Power Cord Kit North American/Asian | 2 | N/C | N/C | N/C |
| SG-XPCIE2FC-QF4 | Sun Storage Tek PCI-E Enterprise 4Gb FC host bus adapter, Dual channel includes standard and low profile brackets, low profile form factor | 1 | \$2,530.00 | \$2,305.00 | \$2,305.00 |
| XTA3510R01A1V876 | Sun StorEdge 3510 FC Array Rack Ready, 876GB (12x73GB 15k RPM disks) w/1 FC RAID controller, 1GB cache, and 2 AC power supplies. Includes Sun StorEdge Configuration Service software | 1 | \$27,995.00 | \$20,692.00 | \$20,692.00 |
| XTA3510R01A1R1752 | Sun StorEdge 3510 Fibre Channel Array, Rack Ready, 1752-GB (12x146-Gbyte 10K RPM disks) w/1 FC-AL HW RAID controller, 1GB std cache, 2 AC power supplies, 4SFPs, and Sun StorEdge Configuration Service | 1 | \$30,495.00 | \$22,540.00 | \$22,540.00 |
| X311L | Localized Power Cord Kit North American/Asian | 4 | N/C | N/C | N/C |
| X9732A | 2M LC to LC FC Optical Cable | 2 | \$65.00 | \$47.00 | \$94.00 |
| | Wyse WY-150 Amber 80 132-COLUMN 141N 2 Serial, 1 Parallel WO/KEYBOARD | 1 | \$180.00 | - | \$180.00 |
| | Domino R7 Messaging Server per Processor | 3 | \$1,145.00 | - | \$3,435.00 |
| Total Price | | | | | \$74,820.00 |

The prices quoted above were obtained from MTM Technologies, Peabody, Mass. They are available to any buyer purchasing a single system of this configuration. Someone purchasing this system from a different reseller might be quoted different prices. In the United States, Sun can set list prices but cannot dictate prices to its resellers.

Appendix H: Vendor-Defined Information

The UltraSPARC T1 processor with Cool Threads technology is the highest-throughput and most eco-responsible processor. It's a breakthrough discovery for reducing data center energy consumption, while dramatically increasing throughput. Its 32 simultaneous processing threads, drawing about as much power as a light bulb, gives the best performance per watt of any processor available.

CoolThreads Technology is a breakthrough Discovery that sets the new standard of the shared Enterprise. Until now, two threads per core or two cores per processor was the best one could get for mainstream, commercial computing. Now, the UltraSPARC T1, with its onboard memroy subsystem, changes everything. The UltraSPARC T1 processor offers up to eight processing cores with four threads per core. It's like a rack of servers on one chip. With upto 32 simultaneous threads in one incredibly low-power, low-heat processor, it gains the high-volume throughput while saving millions on power and cooling costs.

The key features are describes as: The UltraSPARC T1 processor with CoolThreads technology offers up to eight 4-way multithreaded cores, Typical processing power consumption of 72 watts, Delivering 32 simultaneous threads on SPARC v9 implementation.

The UltraSPARC T1 is designed to run the key applications: Web and application tier workloads, multithreaded workloads, Java application servers and Java Virtual machines, Consolidated web servers, Infrastructures services (portal, directory, identity), Enterprise applications (ERP, CRM, SCM business logic).

Appendix I: Domino “Show Statistics” Output

Show Stat, Partition 1

show stat

Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 16
Database.Database.BufferPool.MM.Writes = 8782
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 96.04
Database.DbCache.CurrentEntries = 1374
Database.DbCache.DatabaseLinkEntries = 0
Database.DbCache.HighWaterMark = 1376
Database.DbCache.Hits = 102553
Database.DbCache.InitialDbOpens = 113183
Database.DbCache.Lookups = 532502
Database.DbCache.MaxBucketLength = 4
Database.DbCache.MaxEntries = 5000
Database.DbCache.NumBuckets = 5003
Database.DbCache.NumBucketsUsed = 1209
Database.DbCache.OvercrowdingRejections = 0
Database.DbCache.Size = 16259

Database.DbOpen.FoundInDbCacheExpanded = 12348
Database.DbOpen.FoundInDbCacheUnexpanded = 90205
Database.DbOpen.FoundInDBQ.Expanded = 382321
Database.DbOpen.FoundInDBQ.Unexpanded = 8911977
Database.DbOpen.FoundInDBQ.WithRLock = 8912045
Database.DbOpen.FoundInDBQ.WithWLock = 382321
Database.DbOpen.FoundLinkInDbCache = 0
Database.DbOpen.InitialDbOpens = 113183
Database.DbOpen.NameExpansionsNeeded = 403541
Database.DBUCache.Added = 2428481
Database.DBUCache.AgedOut = 1383
Database.DBUCache.Hits = 2423477
Database.DBUCache.MaxEntries = 5000
Database.DBUCache.SecsInCache.Ave = 68
Database.DBUCache.SecsInCache.Max = 716
Database.DBUCache.SecsInCache.Min = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 102
Database.FreeHandleStack.FreeHandleStackHits = 9970438
Database.FreeHandleStack.HandleAllocations = 10008757
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0
Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0
Database.NAMELookupCacheCacheSize = 8,076,224
Database.NAMELookupCacheHashSize = 1,235,554
Database.NAMELookupCacheHits = 44,707

Database.NAMELookupCacheLookups = 1,375,231
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 1,312,490
Database.NAMELookupCacheNoHitHits = 18,034
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,768,416
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 86
Database.NAMELookupTotal = 1092825
Database.NAMELookupTotalLookupTime = 17,602.863
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 489,440
Database.NSFPool.Peak = 156,237,824
Database.NSFPool.Used = 115,606,368
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfullHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.Replicate.SCR.DbOutOfSync = 0
Database.NSF.Replicate.SCR.DeferredEvent = 0
Database.NSF.Replicate.SCR.FolderUpdates = 0
Database.NSF.Replicate.SCR.HeaderUpdates = 0
Database.NSF.Replicate.SCR.NoteUpdates = 0
Database.NSF.Replicate.SCR.SCRMxQueuedMemory = 0
Database.NSF.Replicate.SCR.SCRPastConserveMem = 0

Database.NSF.Replicate.SCR.SCRPastMaxMem = 0
Database.NSF.Replicate.SCR.SCRSrcSameDb = 0
Database.NSF.Replicate.SCR.SCRSrvDbMatch = 0
Database.NSF.Replicate.SCR.SCRSrvDbOpens = 0
Database.NSF.Replicate.SCR.SCRSrvDbUseLRU = 0
Database.NSF.Replicate.SCR.SCRSrvTotalOps = 0
Database.NSF.Replicate.SCR.UnreadUpdates = 0
Database.NSF.Replicate.UnreadMarks.ChunkLookups = 0
Database.NSF.Replicate.UnreadMarks.ChunksScanned = 0
Database.NSF.Replicate.UnreadMarks.ChunksSkimmed = 0
Database.NSF.Replicate.UnreadMarks.DroppedFutureEntries = 0
Database.NSF.Replicate.UnreadMarks.DroppedOldEntries = 0
Database.NSF.Replicate.UnreadMarks.FullReplications = 0
Database.NSF.Replicate.UnreadMarks.LocalMaxChunks = 16
Database.NSF.Replicate.UnreadMarks.LocalUnreadOperations = 498482
Database.NSF.Replicate.UnreadMarks.MessagesReceived = 0
Database.NSF.Replicate.UnreadMarks.MessagesSent = 0
Database.NSF.Replicate.UnreadMarks.OperationsReceived = 0
Database.NSF.Replicate.UnreadMarks.OperationsSent = 0
Database.NSF.Replicate.UnreadMarks.UsersActive = 3617
Database.NSF.Replicate.UnreadMarks.UsersActiveMax = 5000
Database.NSF.SignatureCache.Hits = 36500
Database.NSF.SignatureCache.Tries = 87500
Database.NSF.UNKS.MemorySaved = -159211098
Database.NSF.UNKS.MemoryUsed = 131072
Database.NSF.UNKS.Shared = 7049253
Database.NSF.UNKS.Total = 7049645
Database.RM.Sys.Logged = Disabled
Disk.Fixed = 0
Disk.Remote = 0
Disk./etc/svc/volatile.Free = 20,634,615,808

Disk./etc/svc/volatile.Size = 20,635,664,384
Disk./etc/svc/volatile.Type = tmpfs
Disk./export/bkpfiles1.Free = 0
Disk./export/bkpfiles1.Size = 72,019,732,480
Disk./export/bkpfiles1.Type = ufs
Disk./export/bkpfiles2.Free = 0
Disk./export/bkpfiles2.Size = 158,578,405,376
Disk./export/bkpfiles2.Type = ufs
Disk./export/bkpfiles3.Free = 195,155,968
Disk./export/bkpfiles3.Size = 72,019,732,480
Disk./export/bkpfiles3.Type = ufs
Disk./export/bkpfiles4.Free = 174,680,064
Disk./export/bkpfiles4.Size = 72,019,732,480
Disk./export/bkpfiles4.Type = ufs
Disk./export/bkpfiles5.Free = 48,760,131,584
Disk./export/bkpfiles5.Size = 86,686,724,096
Disk./export/bkpfiles5.Type = ufs
Disk./export/home.Free = 19,307,994,112
Disk./export/home.Size = 46,901,593,088
Disk./export/home.Type = ufs
Disk./export/inotesmail/mailfiles1.Free = 28,708,175,872
Disk./export/inotesmail/mailfiles1.Size = 86,686,724,096
Disk./export/inotesmail/mailfiles1.Type = ufs
Disk./export/inotesmail/mailfiles2.Free = 34,021,900,288
Disk./export/inotesmail/mailfiles2.Size = 115,234,009,088
Disk./export/inotesmail/mailfiles2.Type = ufs
Disk./export/inotesmail/mailfiles3.Free = 108,915,503,104
Disk./export/inotesmail/mailfiles3.Size = 158,578,405,376
Disk./export/inotesmail/mailfiles3.Type = ufs
Disk./export/inotesmail/mailfiles4.Free = 38,414,548,992
Disk./export/inotesmail/mailfiles4.Size = 86,686,724,096

Disk./export/inotesmail/mailfiles4.Type = ufs
Disk./export/lotus.Free = 72,794,083,328
Disk./export/lotus.Size = 85,629,497,344
Disk./export/lotus.Type = ufs
Disk./export/nrpcmail/mailfiles1.Free = 41,458,941,952
Disk./export/nrpcmail/mailfiles1.Size = 107,896,304,640
Disk./export/nrpcmail/mailfiles1.Type = ufs
Disk./export/nrpcmail/mailfiles2.Free = 35,429,771,264
Disk./export/nrpcmail/mailfiles2.Size = 107,863,643,136
Disk./export/nrpcmail/mailfiles2.Type = ufs
Disk./export/nrpcmail/mailfiles3.Free = 28,610,185,216
Disk./export/nrpcmail/mailfiles3.Size = 107,896,304,640
Disk./export/nrpcmail/mailfiles3.Type = ufs
Disk./export/nrpcmail/mailfiles4.Free = 32,312,071,168
Disk./export/nrpcmail/mailfiles4.Size = 107,863,643,136
Disk./export/nrpcmail/mailfiles4.Type = ufs
Disk./tmp.Free = 20,634,615,808
Disk./tmp.Size = 30,369,841,152
Disk./tmp.Type = tmpfs
Disk./var/run.Free = 20,634,615,808
Disk./var/run.Size = 20,634,656,768
Disk./var/run.Type = tmpfs
Disk./Free = 2,724,203,520
Disk./Size = 21,151,261,696
Disk./Type = ufs
Domino.Cache.Command.Count = 0
Domino.Cache.Command.DisplaceRate = 0
Domino.Cache.Command.HitRate = 0
Domino.Cache.Command.MaxSize = 128
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 14.1887374596205

Domino.Cache.Design.HitRate = 85.8094826085465
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 99.9988636927574
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.NNotesID.Count = 0
Domino.Cache.NNotesID.MaxSize = 5,000
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session Cache.Count = 0
Domino.Cache.Session Cache.MaxSize = 1,000
Domino.Cache.Shimmer Profile Cache.Count = 0
Domino.Cache.Shimmer Profile Cache.MaxSize = 100
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User Cache.Count = 0
Domino.Cache.User Cache.DisplaceRate = 0
Domino.Cache.User Cache.HitRate = 99.999963443732
Domino.Cache.User Cache.MaxSize = 5,000
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0
Domino.Command.DeleteDocuments = 0
Domino.Command.EditDocument = 996670
Domino.Command.GetOrbCookie = 0
Domino.Command.MoveToFolder = 0
Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0

Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 1422293
Domino.Command.OpenElement = 0
Domino.Command.OpenFileResource = 5
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.OpenWebService = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 2618339
Domino.Command.Unknown = 0
Domino.Command.WSDL = 0
Domino.Config.ActiveThreads.Max = 60
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI = /export/lotus/notesdata1/domino/cgi-bin
Domino.Config.Directory.HTML = /export/lotus/notesdata1/domino/html

Domino.Config.Directory.Icons = /export/lotus/notesdata1/domino/icons
Domino.Config.Directory.JavaRoot = /export/lotus/notesdata1/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName = budice1
Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile = /export/lotus/notesdata1/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 2,595,341
Domino.Requests.Per1Day.PeakTime = 11/15/2005 05:07:56 EST
Domino.Requests.Per1Day.Total = 2,595,341
Domino.Requests.Per1Hour.Peak = 277,331

Domino.Requests.Per1Hour.PeakTime = 11/15/2005 00:41:11 EST
Domino.Requests.Per1Hour.Total = 243,440
Domino.Requests.Per1Minute.Peak = 5,045
Domino.Requests.Per1Minute.PeakTime = 11/15/2005 00:40:21 EST
Domino.Requests.Per1Minute.Total = 2,339
Domino.Requests.Per5Minute.Peak = 24,109
Domino.Requests.Per5Minute.PeakTime = 11/15/2005 00:56:51 EST
Domino.Requests.Per5Minute.Total = 12,600
Domino.Requests.Total = 2,605,027
Domino.ThreadPool.average = 65536
Domino.ThreadPool.max = 393216
Domino.Threads.Active.Peak = 59
EVENT.EventDispatcher.Queue.Entries = 0
EVENT.EventDispatcher.Queue.MaxEntries = 8
EVENT.EventDispatcher.Queue.TotalEntries = 97,140
EVENT.EVENTLOG.Queue.Entries = 0
EVENT.EVENTLOG.Queue.MaxEntries = 8
EVENT.EVENTLOG.Queue.TotalEntries = 97,114
EVENT.Log.Queue.Entries = 0
EVENT.Log.Queue.MaxEntries = 1
EVENT.Log.Queue.TotalEntries = 1
EVENT.MaxEventPoolSize = 10,485,760
EVENT.PROBEMGR.Queue.Entries = 0
EVENT.PROBEMGR.Queue.MaxEntries = 9
EVENT.PROBEMGR.Queue.TotalEntries = 97,140
FT.Index.Bytes.PerHour = 0
FT.Index.Count = 2
FT.Index.Documents.Added = 0
FT.Index.Documents.Deleted = 0
FT.Index.Documents.Updated = 0
FT.Index.Total.Bytes = 0

FT.Index.Total.TimeMS = 10
Http.Accept.ConnectionsAccepted = 2735187
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 2741973
Http.Accept.PollTimeouts = 6785
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 4
Http.JavaCache.Enabled = 1
Http.JavaCache.Entries.Current = 0
Http.JavaCache.Entries.Maximum = 1000
Http.JavaCache.Prune.Run.Interval = 10
Http.JavaCache.Prune.Run.Next = 11/15/2005 05:15:50 EST
Http.JavaCache.Prune.Time.Locked.Avg = 0
Http.JavaCache.Prune.Time.Locked.Max = 0
Http.JavaCache.Prune.Time.Locked.Min = 0
Http.JavaCache.Prune.Time.Total.Avg = 0
Http.JavaCache.Prune.Time.Total.Max = 0
Http.JavaCache.Prune.Time.Total.Min = 0
Http.JavaCache.Size.Current = 0
Http.JavaCache.Size.Maximum = 4000000
Http.JavaCache.Total.Adds = 0
Http.JavaCache.Total.Adds.Missed = 0
Http.JavaCache.Total.Errors = 0
Http.JavaCache.Total.Hits = 0
Http.JavaCache.Total.Misses = 0
Http.MaxConnections = 2020
Http.PeakConnections = 442
Http.Workers = 60
Http.Worker.Total.BytesRead = 1,348,635,599

Http.Worker.Total.BytesWritten = 40,873,828,875
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.DomWS.Requests = 0
Http.Worker.Total.DomWS.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 111
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 2735183
Http.Worker.Total.Notes.RequestTime = 691,920,428
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.QuickPlace.Requests = 0
Http.Worker.Total.QuickPlace.RequestTime = 0
Http.Worker.Total.RequestsProcessed = 2735183
Http.Worker.Total.TotalRequestTime = 691,920,428
Mail.AverageDeliverTime = 3
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 48
Mail.CurrentByteDeliveryRate = 420180
Mail.CurrentByteTransferRate = 532905
Mail.CurrentMessageDeliveryRate = 3
Mail.CurrentMessageTransferRate = 1
Mail.DBCacheAged = 5164
Mail.DBCacheEntries = 4852
Mail.DBCacheForcedOut = 0
Mail.DBCacheHighWaterMark = 4928

Mail.DBCacheHits = 199275
Mail.DBCacheMaxEntries = 5400
Mail.DBCacheReads = 209367
MAIL.Dead = 0
Mail.Delivered = 182409
Mail.DeliveredSize.100KB_to_1MB = 8642
Mail.DeliveredSize.10KB_to_100KB = 73126
Mail.DeliveredSize.1KB_to_10KB = 100222
Mail.DeliveredSize.1MB_to_10MB = 419
Mail.Deliveries = 209348
Mail.DeliveryThreads.Active = 0
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = ONT7
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 0
Mail.Mailbox.Accesses = 63774
Mail.Mailbox.AccessWarnings = 73
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 4
Mail.Mailbox.Opens = 23371
Mail.MaximumDeliverTime = 284
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9768
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 176573
Mail.PeakByteTransferRate = 263802
Mail.PeakMessageDeliveryRate = 7
Mail.PeakMessageDeliveryTime = 11/14/2005 21:13:37 EST

Mail.PeakMessagesDelivered = 433
Mail.PeakMessagesTransferred = 244
Mail.PeakMessageTransferRate = 4
Mail.PeakMessageTransferTime = 11/14/2005 21:13:37 EST
Mail.PeakTotalBytesDelivered = 10594398
Mail.PeakTotalBytesTransferred = 15828144
Mail.TotalKBDelivered = 8,542,525
Mail.TotalKBTransferred = 4,807,310
Mail.TotalKBTransferred.NRPC = 4,807,310
Mail.TotalPending = 7
Mail.TotalRouted = 325922
Mail.TotalRouted.NRPC = 325922
Mail.Transferred = 110856
Mail.TransferredSize.100KB_to_1MB = 5347
Mail.TransferredSize.10KB_to_100KB = 44801
Mail.TransferredSize.1KB_to_10KB = 60494
Mail.TransferredSize.1MB_to_10MB = 214
Mail.Transferred.NRPC = 110856
Mail.TransferThreads.Active = 0
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 6
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 18
Mem.Allocated = -1721033254
Mem.Allocated.Process = 210341016
Mem.Allocated.Shared = -1931374270
Mem.Availability = Plentiful

Mem.bpool.allocation.failures.34A = 613109
Mem.MaxAddressableMemory_MB = 4095
Mem.MaxSharedMemory_MB = 4095
Mem.PhysicalRAM = 34,351,349,760
Mem.PhysicalRAM_MB = 32760
Mem.Reallocs.Down = 3314043
Mem.Reallocs.Same = 890325
Mem.Reallocs.Up = 11825729
Monitor.Last.Server.Warning(High) = 6042
Monitor.Last.Server.Warning(High)Text = Warning: Debug parameters could impact operation or performance.
Monitor.Server.Warning(High) = 1
NET.GroupCache.Hits = 28,750
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,178
NET.Log.budice1/ont7.PeakUnwrittenEntries = 10
NET.Log.budice1/ont7.UnwrittenEntries = 2
NET.Sessions.DeferredClosed.Current = 0
NET.Sessions.DeferredClosed.Peak = 0
NET.TCPIP.BytesReceived = 4,021,714,332
NET.TCPIP.BytesSent = 4,082,072,732
NET.TCPIP.Sessions.Established.Incoming = 23441
NET.TCPIP.Sessions.Established.Outgoing = 24940
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 126
NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0

Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.1.AssignedName = sd0
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0.2
Platform.LogicalDisk.1.PctUtil.Peak = 2.1
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 2.2
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 12.9
Platform.LogicalDisk.2.AssignedName = ssd7
Platform.LogicalDisk.2.PctUtil = 3
Platform.LogicalDisk.2.PctUtil.Avg = 0.6
Platform.LogicalDisk.2.PctUtil.Peak = 3.6
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 3.7
Platform.LogicalDisk.3.AssignedName = ssd2
Platform.LogicalDisk.3.PctUtil = 1.4
Platform.LogicalDisk.3.PctUtil.Avg = 0.3
Platform.LogicalDisk.3.PctUtil.Peak = 3.5
Platform.LogicalDisk.3.ServiceTimeinmsecs = 0.2
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 2.7
Platform.LogicalDisk.4.AssignedName = ssd8
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0.6
Platform.LogicalDisk.4.PctUtil.Peak = 3.6
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 3.7
Platform.LogicalDisk.5.AssignedName = ssd3
Platform.LogicalDisk.5.PctUtil = 0

Platform.LogicalDisk.5.PctUtil.Avg = 0.4
Platform.LogicalDisk.5.PctUtil.Peak = 3.5
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 2.4
Platform.LogicalDisk.6.AssignedName = sd1
Platform.LogicalDisk.6.PctUtil = 0
Platform.LogicalDisk.6.PctUtil.Avg = 0
Platform.LogicalDisk.6.PctUtil.Peak = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.7.AssignedName = sd3
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0
Platform.LogicalDisk.7.PctUtil.Peak = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.8.AssignedName = sd4
Platform.LogicalDisk.8.PctUtil = 0
Platform.LogicalDisk.8.PctUtil.Avg = 0
Platform.LogicalDisk.8.PctUtil.Peak = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.TotalNumofDisks = 8
Platform.Memory.RAM.AvailMBytes = 4,989.3
Platform.Memory.RAM.AvailMBytes.Avg = 6,246.9
Platform.Memory.RAM.AvailMBytes.Min = 4,479.6
Platform.Memory.RAM.AvailMBytes.Peak = 13,516

Platform.Memory.RAM.PctUtil = 84.8
Platform.Memory.RAM.TotalMBytes = 32768
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.10.AdapterName = ipge2
Platform.Network.10.BytesRecvdPerSec = 0
Platform.Network.10.BytesSentPerSec = 0
Platform.Network.10.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.10.PctCollisionRate = 0
Platform.Network.10.PctUtilBandwidth = Not Available
Platform.Network.10.TotalBytesPerSec = 0
Platform.Network.1.AdapterName = ipdrop
Platform.Network.1.BytesRecvdPerSec = Not Available
Platform.Network.1.BytesSentPerSec = Not Available
Platform.Network.1.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = Not Available
Platform.Network.1.TotalBytesPerSec = Not Available
Platform.Network.2.AdapterName = ipsec_stat
Platform.Network.2.BytesRecvdPerSec = Not Available
Platform.Network.2.BytesSentPerSec = Not Available
Platform.Network.2.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = Not Available
Platform.Network.2.TotalBytesPerSec = Not Available
Platform.Network.3.AdapterName = tcpstat
Platform.Network.3.BytesRecvdPerSec = Not Available
Platform.Network.3.BytesSentPerSec = Not Available
Platform.Network.3.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.3.PctCollisionRate = 0

Platform.Network.3.PctUtilBandwidth = Not Available
Platform.Network.3.TotalBytesPerSec = Not Available
Platform.Network.4.AdapterName = ipstat
Platform.Network.4.BytesRecvdPerSec = Not Available
Platform.Network.4.BytesSentPerSec = Not Available
Platform.Network.4.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.4.PctCollisionRate = 0
Platform.Network.4.PctUtilBandwidth = Not Available
Platform.Network.4.TotalBytesPerSec = Not Available
Platform.Network.5.AdapterName = ip6stat
Platform.Network.5.BytesRecvdPerSec = Not Available
Platform.Network.5.BytesSentPerSec = Not Available
Platform.Network.5.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.5.PctCollisionRate = 0
Platform.Network.5.PctUtilBandwidth = Not Available
Platform.Network.5.TotalBytesPerSec = Not Available
Platform.Network.6.AdapterName = ah_stat
Platform.Network.6.BytesRecvdPerSec = Not Available
Platform.Network.6.BytesSentPerSec = Not Available
Platform.Network.6.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.6.PctCollisionRate = 0
Platform.Network.6.PctUtilBandwidth = Not Available
Platform.Network.6.TotalBytesPerSec = Not Available
Platform.Network.7.AdapterName = esp_stat
Platform.Network.7.BytesRecvdPerSec = Not Available
Platform.Network.7.BytesSentPerSec = Not Available
Platform.Network.7.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.7.PctCollisionRate = 0
Platform.Network.7.PctUtilBandwidth = Not Available
Platform.Network.7.TotalBytesPerSec = Not Available
Platform.Network.8.AdapterName = ipge0

Platform.Network.8.BytesRecvdPerSec = 630.3
Platform.Network.8.BytesSentPerSec = 957.6
Platform.Network.8.CurrBandwidthMbitsPerSec = 10
Platform.Network.8.PctCollisionRate = 0
Platform.Network.8.PctUtilBandwidth = 0.1
Platform.Network.8.TotalBytesPerSec = 1,588
Platform.Network.9.AdapterName = ipge1
Platform.Network.9.BytesRecvdPerSec = 252,383.4
Platform.Network.9.BytesSentPerSec = 2,458,917.1
Platform.Network.9.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.9.PctCollisionRate = 0
Platform.Network.9.PctUtilBandwidth = 2.2
Platform.Network.9.TotalBytesPerSec = 2,711,300.4
Platform.Network.TotalNumofAdapters = 10
Platform.Network.Total.BytesRecvdPerSec = 253,013.7
Platform.Network.Total.BytesSentPerSec = 2,459,874.7
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,010
Platform.Network.Total.NetworkBytesPerSec = 2,712,888.4
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 2.1
Platform.PagingFile.Total.PctUtil = 34.9
Platform.PagingFile.Total.PctUtil.Avg = 28.9
Platform.PagingFile.Total.PctUtil.Peak = 35
Platform.Process.ActiveDomino.TotalCpuUtil = 6.6
Platform.Process.ActiveNumOfDominoProc = 5
Platform.Process.dwsaddin.1.PctCpuUtil = 0
Platform.Process.dwsaddin.1.ProcessID = 10409
Platform.Process.event.1.PctCpuUtil = 0.1
Platform.Process.event.1.ProcessID = 6127
Platform.Process.http.1.PctCpuUtil = 5.1
Platform.Process.http.1.ProcessID = 9910

Platform.Process.router.1.PctCpuUtil = 1
Platform.Process.router.1.ProcessID = 9898
Platform.Process.server.1.PctCpuUtil = 0.4
Platform.Process.server.1.ProcessID = 3816
Platform.System.ContextSwitchesPerSec = 10,858.9
Platform.System.ContextSwitchesPerSec.Avg = 13,827.3
Platform.System.ContextSwitchesPerSec.Min = 4,668.4
Platform.System.ContextSwitchesPerSec.Peak = 16,700
Platform.System.CPUQueueLen = 0
Platform.System.CPUQueueLen.Avg = 4.6
Platform.System.CPUQueueLen.Peak = 37.5
Platform.System.PctCombinedCpuUtil = 35.4
Platform.System.PctCombinedCpuUtil.Avg = 68.3
Platform.System.PctCombinedCpuUtil.Peak = 96.5
Platform.System.PctTotalPrivilegedCpuUtil = 3.1
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 6.2
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 16.2
Platform.System.PctTotalUserCpuUtil = 32.2
Platform.System.PctTotalUserCpuUtil.Avg = 62.1
Platform.System.PctTotalUserCpuUtil.Peak = 85.8
Platform.Time.LastSample = 11/15/2005 05:11:12 EST
Platform.Time.SampleRateInMins = 1
Server.Administrators = CN=admin/O=ont7
Server.Administrators.Access = CN=admin/O=ont7
Server.AvailabilityIndex = 100
Server.AvailabilityThreshold = 0
Server.BootID = 8173041
Server.ConcurrentTasks = 0
Server.ConcurrentTasks.Max = 5
Server.ConcurrentTasks.Waiting = 0
Server.CPU.Count = 32

Server.Users.Active5Min = 0
Server.Users.Peak = 63
Server.Users.Peak.Time = 11/14/2005 19:56:36 EST
Server.Version.Notes = Release 7.0
Server.Version.Notes.BuildNumber = 259
Server.Version.OS = SunOS 5.10 Generic_118822-23
Server.WorkThreads = 40
Stats.Time.Current = 11/15/2005 05:12:16 EST
Stats.Time.Start = 11/14/2005 17:42:10 EST
710 statistics found

Show Stat, Partition 2

show stat

Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 16
Database.Database.BufferPool.MM.Writes = 17404
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 96.05
Database.DbCache.CurrentEntries = 1260
Database.DbCache.DatabaseLinkEntries = 0
Database.DbCache.HighWaterMark = 1260
Database.DbCache.Hits = 105271
Database.DbCache.InitialDbOpens = 116132
Database.DbCache.Lookups = 524603
Database.DbCache.MaxBucketLength = 3
Database.DbCache.MaxEntries = 5000
Database.DbCache.NumBuckets = 5003

Database.DbCache.NumBucketsUsed = 1110
Database.DbCache.OvercrowdingRejections = 0
Database.DbCache.Size = 16259
Database.DbOpen.FoundInDbCacheExpanded = 12895
Database.DbOpen.FoundInDbCacheUnexpanded = 92376
Database.DbOpen.FoundInDBQ.Expanded = 370585
Database.DbOpen.FoundInDBQ.Unexpanded = 8853078
Database.DbOpen.FoundInDBQ.WithRLock = 8853130
Database.DbOpen.FoundInDBQ.WithWLock = 370585
Database.DbOpen.FoundLinkInDbCache = 0
Database.DbOpen.InitialDbOpens = 116132
Database.DbOpen.NameExpansionsNeeded = 392698
Database.DBUCache.Added = 2412329
Database.DBUCache.AgedOut = 1267
Database.DBUCache.Hits = 2407330
Database.DBUCache.MaxEntries = 9000
Database.DBUCache.SecsInCache.Ave = 68
Database.DBUCache.SecsInCache.Max = 710
Database.DBUCache.SecsInCache.Min = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 102
Database.FreeHandleStack.FreeHandleStackHits = 9901538
Database.FreeHandleStack.HandleAllocations = 9939688
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0
Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0

Database.NAMELookupCacheCacheSize = 8,078,584
Database.NAMELookupCacheHashSize = 1,235,554
Database.NAMELookupCacheHits = 39,070
Database.NAMELookupCacheLookups = 1,376,102
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 1,316,992
Database.NAMELookupCacheNoHitHits = 20,040
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,768,416
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 99
Database.NAMELookupTotal = 1092688
Database.NAMELookupTotalLookupTime = 18,158.731
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 489,024
Database.NSFPool.Peak = 156,237,824
Database.NSFPool.Used = 116,796,416
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfullHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.Replicate.SCR.DbOutOfSync = 0
Database.NSF.Replicate.SCR.DeferredEvent = 0
Database.NSF.Replicate.SCR.FolderUpdates = 0
Database.NSF.Replicate.SCR.HeaderUpdates = 0

Database.NSF.Replicate.SCR.NoteUpdates = 0
Database.NSF.Replicate.SCR.SCRMaxQueuedMemory = 0
Database.NSF.Replicate.SCR.SCRPastConserveMem = 0
Database.NSF.Replicate.SCR.SCRPastMaxMem = 0
Database.NSF.Replicate.SCR.SCRSrcSameDb = 0
Database.NSF.Replicate.SCR.SCRSrvDbMatch = 0
Database.NSF.Replicate.SCR.SCRSrvDbOpens = 0
Database.NSF.Replicate.SCR.SCRSrvDbUseLRU = 0
Database.NSF.Replicate.SCR.SCRSrvTotalOps = 0
Database.NSF.Replicate.SCR.UnreadUpdates = 0
Database.NSF.Replicate.UnreadMarks.ChunkLookups = 0
Database.NSF.Replicate.UnreadMarks.ChunksScanned = 0
Database.NSF.Replicate.UnreadMarks.ChunksSkimmed = 0
Database.NSF.Replicate.UnreadMarks.DroppedFutureEntries = 0
Database.NSF.Replicate.UnreadMarks.DroppedOldEntries = 0
Database.NSF.Replicate.UnreadMarks.FullReplications = 0
Database.NSF.Replicate.UnreadMarks.LocalMaxChunks = 12
Database.NSF.Replicate.UnreadMarks.LocalUnreadOperations = 495162
Database.NSF.Replicate.UnreadMarks.MessagesReceived = 0
Database.NSF.Replicate.UnreadMarks.MessagesSent = 0
Database.NSF.Replicate.UnreadMarks.OperationsReceived = 0
Database.NSF.Replicate.UnreadMarks.OperationsSent = 0
Database.NSF.Replicate.UnreadMarks.UsersActive = 3735
Database.NSF.Replicate.UnreadMarks.UsersActiveMax = 5000
Database.NSF.SignatureCache.Hits = 39999
Database.NSF.SignatureCache.Tries = 95000
Database.NSF.UNKS.MemorySaved = -154279513
Database.NSF.UNKS.MemoryUsed = 131072
Database.NSF.UNKS.Shared = 7051750
Database.NSF.UNKS.Total = 7052140
Database.RM.Sys.Logged = Disabled

Disk.Fixed = 0
Disk.Remote = 0
Disk./etc/svc/volatile.Free = 20,634,091,520
Disk./etc/svc/volatile.Size = 20,635,140,096
Disk./etc/svc/volatile.Type = tmpfs
Disk./export/bkpfiles1.Free = 0
Disk./export/bkpfiles1.Size = 72,019,732,480
Disk./export/bkpfiles1.Type = ufs
Disk./export/bkpfiles2.Free = 0
Disk./export/bkpfiles2.Size = 158,578,405,376
Disk./export/bkpfiles2.Type = ufs
Disk./export/bkpfiles3.Free = 195,155,968
Disk./export/bkpfiles3.Size = 72,019,732,480
Disk./export/bkpfiles3.Type = ufs
Disk./export/bkpfiles4.Free = 174,680,064
Disk./export/bkpfiles4.Size = 72,019,732,480
Disk./export/bkpfiles4.Type = ufs
Disk./export/bkpfiles5.Free = 48,760,131,584
Disk./export/bkpfiles5.Size = 86,686,724,096
Disk./export/bkpfiles5.Type = ufs
Disk./export/home.Free = 19,307,985,920
Disk./export/home.Size = 46,901,593,088
Disk./export/home.Type = ufs
Disk./export/inotesmail/mailfiles1.Free = 28,631,105,536
Disk./export/inotesmail/mailfiles1.Size = 86,686,724,096
Disk./export/inotesmail/mailfiles1.Type = ufs
Disk./export/inotesmail/mailfiles2.Free = 33,960,288,256
Disk./export/inotesmail/mailfiles2.Size = 115,234,009,088
Disk./export/inotesmail/mailfiles2.Type = ufs
Disk./export/inotesmail/mailfiles3.Free = 108,841,054,208
Disk./export/inotesmail/mailfiles3.Size = 158,578,405,376

Disk./export/inotesmail/mailfiles3.Type = ufs
Disk./export/inotesmail/mailfiles4.Free = 38,325,944,320
Disk./export/inotesmail/mailfiles4.Size = 86,686,724,096
Disk./export/inotesmail/mailfiles4.Type = ufs
Disk./export/lotus.Free = 72,802,881,536
Disk./export/lotus.Size = 85,629,497,344
Disk./export/lotus.Type = ufs
Disk./export/nrpcmail/mailfiles1.Free = 41,362,989,056
Disk./export/nrpcmail/mailfiles1.Size = 107,896,304,640
Disk./export/nrpcmail/mailfiles1.Type = ufs
Disk./export/nrpcmail/mailfiles2.Free = 35,307,587,584
Disk./export/nrpcmail/mailfiles2.Size = 107,863,643,136
Disk./export/nrpcmail/mailfiles2.Type = ufs
Disk./export/nrpcmail/mailfiles3.Free = 28,503,222,272
Disk./export/nrpcmail/mailfiles3.Size = 107,896,304,640
Disk./export/nrpcmail/mailfiles3.Type = ufs
Disk./export/nrpcmail/mailfiles4.Free = 32,187,028,480
Disk./export/nrpcmail/mailfiles4.Size = 107,863,643,136
Disk./export/nrpcmail/mailfiles4.Type = ufs
Disk./tmp.Free = 20,634,091,520
Disk./tmp.Size = 30,369,611,776
Disk./tmp.Type = tmpfs
Disk./var/run.Free = 20,634,091,520
Disk./var/run.Size = 20,634,132,480
Disk./var/run.Type = tmpfs
Disk./Free = 2,724,200,448
Disk./Size = 21,151,261,696
Disk./Type = ufs
Domino.Cache.Command.Count = 0
Domino.Cache.Command.DisplaceRate = 0
Domino.Cache.Command.HitRate = 0

Domino.Cache.Command.MaxSize = 128
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 14.1646163638904
Domino.Cache.Design.HitRate = 85.8337684639198
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 99.9989494626151
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.NNotesID.Count = 0
Domino.Cache.NNotesID.MaxSize = 5,000
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session Cache.Count = 0
Domino.Cache.Session Cache.MaxSize = 1,000
Domino.Cache.Shimmer Profile Cache.Count = 0
Domino.Cache.Shimmer Profile Cache.MaxSize = 100
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User Cache.Count = 0
Domino.Cache.User Cache.DisplaceRate = 0
Domino.Cache.User Cache.HitRate = 99.9999632269796
Domino.Cache.User Cache.MaxSize = 5,000
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0
Domino.Command.DeleteDocuments = 0
Domino.Command.EditDocument = 990998
Domino.Command.GetOrbCookie = 0
Domino.Command.MoveToFolder = 0

Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0
Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 1411456
Domino.Command.OpenElement = 0
Domino.Command.OpenFileResource = 5
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.OpenWebService = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 2600821
Domino.Command.Unknown = 0
Domino.Command.WSDL = 0
Domino.Config.ActiveThreads.Max = 60
Domino.Config.ActiveThreads.Min = 20

Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI = /export/lotus/notesdata2/domino/cgi-bin
Domino.Config.Directory.HTML = /export/lotus/notesdata2/domino/html
Domino.Config.Directory.Icons = /export/lotus/notesdata2/domino/icons
Domino.Config.Directory.JavaRoot = /export/lotus/notesdata2/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName = budice2
Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile = /export/lotus/notesdata2/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 2,575,957

Domino.Requests.Per1Day.PeakTime = 11/15/2005 05:08:03 EST
Domino.Requests.Per1Day.Total = 2,575,957
Domino.Requests.Per1Hour.Peak = 277,343
Domino.Requests.Per1Hour.PeakTime = 11/14/2005 23:28:58 EST
Domino.Requests.Per1Hour.Total = 245,964
Domino.Requests.Per1Minute.Peak = 5,241
Domino.Requests.Per1Minute.PeakTime = 11/15/2005 03:25:53 EST
Domino.Requests.Per1Minute.Total = 2,602
Domino.Requests.Per5Minute.Peak = 23,839
Domino.Requests.Per5Minute.PeakTime = 11/15/2005 03:26:33 EST
Domino.Requests.Per5Minute.Total = 13,349
Domino.Requests.Total = 2,585,685
Domino.ThreadPool.average = 65536
Domino.ThreadPool.max = 393216
Domino.Threads.Active.Peak = 57
EVENT.EventDispatcher.Queue.Entries = 0
EVENT.EventDispatcher.Queue.MaxEntries = 8
EVENT.EventDispatcher.Queue.TotalEntries = 96,415
EVENT.EVENTLOG.Queue.Entries = 0
EVENT.EVENTLOG.Queue.MaxEntries = 8
EVENT.EVENTLOG.Queue.TotalEntries = 96,387
EVENT.MaxEventPoolSize = 10,485,760
EVENT.PROBEMGR.Queue.Entries = 0
EVENT.PROBEMGR.Queue.MaxEntries = 8
EVENT.PROBEMGR.Queue.TotalEntries = 96,415
FT.Index.Bytes.PerHour = 0
FT.Index.Count = 2
FT.Index.Documents.Added = 0
FT.Index.Documents.Deleted = 0
FT.Index.Documents.Updated = 0
FT.Index.Total.Bytes = 0

FT.Index.Total.TimeMS = 4
Http.Accept.ConnectionsAccepted = 2719195
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 2727448
Http.Accept.PollTimeouts = 8252
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 3
Http.JavaCache.Enabled = 1
Http.JavaCache.Entries.Current = 0
Http.JavaCache.Entries.Maximum = 1000
Http.JavaCache.Prune.Run.Interval = 10
Http.JavaCache.Prune.Run.Next = 11/15/2005 05:16:18 EST
Http.JavaCache.Prune.Time.Locked.Avg = 0
Http.JavaCache.Prune.Time.Locked.Max = 0
Http.JavaCache.Prune.Time.Locked.Min = 0
Http.JavaCache.Prune.Time.Total.Avg = 0
Http.JavaCache.Prune.Time.Total.Max = 0
Http.JavaCache.Prune.Time.Total.Min = 0
Http.JavaCache.Size.Current = 0
Http.JavaCache.Size.Maximum = 4000000
Http.JavaCache.Total.Adds = 0
Http.JavaCache.Total.Adds.Missed = 0
Http.JavaCache.Total.Errors = 0
Http.JavaCache.Total.Hits = 0
Http.JavaCache.Total.Misses = 0
Http.MaxConnections = 2020
Http.PeakConnections = 391
Http.Workers = 60
Http.Worker.Total.BytesRead = 1,342,270,686

Http.Worker.Total.BytesWritten = 40,684,004,928
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.DomWS.Requests = 0
Http.Worker.Total.DomWS.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 179
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 2719192
Http.Worker.Total.Notes.RequestTime = 680,747,620
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.QuickPlace.Requests = 0
Http.Worker.Total.QuickPlace.RequestTime = 0
Http.Worker.Total.RequestsProcessed = 2719192
Http.Worker.Total.TotalRequestTime = 680,747,620
Mail.AverageDeliverTime = 3
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 46
Mail.CurrentByteDeliveryRate = 76448
Mail.CurrentByteTransferRate = 44358
Mail.CurrentMessageDeliveryRate = 2
Mail.CurrentMessageTransferRate = 1
Mail.DBCacheAged = 5151
Mail.DBCacheEntries = 4861
Mail.DBCacheForcedOut = 0
Mail.DBCacheHighWaterMark = 4926

Mail.DBCacheHits = 184105
Mail.DBCacheMaxEntries = 5400
Mail.DBCacheReads = 194180
MAIL.Dead = 0
Mail.Delivered = 181612
Mail.DeliveredSize.100KB_to_1MB = 8640
Mail.DeliveredSize.10KB_to_100KB = 73653
Mail.DeliveredSize.1KB_to_10KB = 98940
Mail.DeliveredSize.1MB_to_10MB = 379
Mail.Deliveries = 194280
Mail.DeliveryThreads.Active = 0
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = ONT7
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 3
Mail.Mailbox.Accesses = 63368
Mail.Mailbox.AccessWarnings = 122
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 6
Mail.Mailbox.Opens = 23277
Mail.MaximumDeliverTime = 391
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9768
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 357198
Mail.PeakByteTransferRate = 100881
Mail.PeakMessageDeliveryRate = 7
Mail.PeakMessageDeliveryTime = 11/15/2005 02:25:39 EST

Mail.PeakMessagesDelivered = 429
Mail.PeakMessagesTransferred = 244
Mail.PeakMessageTransferRate = 4
Mail.PeakMessageTransferTime = 11/14/2005 22:22:17 EST
Mail.PeakTotalBytesDelivered = 21789112
Mail.PeakTotalBytesTransferred = 6052872
Mail.TotalKBDelivered = 8,181,525
Mail.TotalKBTransferred = 5,188,317
Mail.TotalKBTransferred.NRPC = 5,188,317
Mail.TotalPending = 6
Mail.TotalRouted = 324308
Mail.TotalRouted.NRPC = 324308
Mail.Transferred = 110248
Mail.TransferredSize.100KB_to_1MB = 5292
Mail.TransferredSize.10KB_to_100KB = 44292
Mail.TransferredSize.1KB_to_10KB = 60410
Mail.TransferredSize.1MB_to_10MB = 254
Mail.Transferred.NRPC = 110248
Mail.TransferThreads.Active = 0
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 6
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 18
Mem.Allocated = -1644864678
Mem.Allocated.Process = 285555368
Mem.Allocated.Shared = -1930420046
Mem.Availability = Plentiful

Mem.bpool.allocation.failures.34A = 629231
Mem.MaxAddressableMemory_MB = 4095
Mem.MaxSharedMemory_MB = 4095
Mem.PhysicalRAM = 34,351,349,760
Mem.PhysicalRAM_MB = 32760
Mem.Reallocs.Down = 3316051
Mem.Reallocs.Same = 887752
Mem.Reallocs.Up = 11714848
Monitor.Last.Server.Warning(High) = 6042
Monitor.Last.Server.Warning(High)Text = Warning: Debug parameters could impact operation or performance.
Monitor.Server.Warning(High) = 1
NET.GroupCache.Hits = 29,159
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,178
NET.Log.budice2/ont7.PeakUnwrittenEntries = 9
NET.Log.budice2/ont7.UnwrittenEntries = 2
NET.Sessions.DeferredClosed.Current = 0
NET.Sessions.DeferredClosed.Peak = 0
NET.TCPIP.BytesReceived = 3,871,840,452
NET.TCPIP.BytesSent = 4,292,413,302
NET.TCPIP.Sessions.Established.Incoming = 23347
NET.TCPIP.Sessions.Established.Outgoing = 24682
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 126
NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0

Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.1.AssignedName = sd0
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0.2
Platform.LogicalDisk.1.PctUtil.Peak = 2.2
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 2.2
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 12.9
Platform.LogicalDisk.2.AssignedName = ssd7
Platform.LogicalDisk.2.PctUtil = 2.4
Platform.LogicalDisk.2.PctUtil.Avg = 0.6
Platform.LogicalDisk.2.PctUtil.Peak = 3.5
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 3.8
Platform.LogicalDisk.3.AssignedName = ssd2
Platform.LogicalDisk.3.PctUtil = 0
Platform.LogicalDisk.3.PctUtil.Avg = 0.4
Platform.LogicalDisk.3.PctUtil.Peak = 3.6
Platform.LogicalDisk.3.ServiceTimeinmsecs = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 3.3
Platform.LogicalDisk.4.AssignedName = ssd8
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0.5
Platform.LogicalDisk.4.PctUtil.Peak = 3.5
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 3.5
Platform.LogicalDisk.5.AssignedName = ssd3
Platform.LogicalDisk.5.PctUtil = 0.5

Platform.LogicalDisk.5.PctUtil.Avg = 0.5
Platform.LogicalDisk.5.PctUtil.Peak = 3.5
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 2.7
Platform.LogicalDisk.6.AssignedName = sd1
Platform.LogicalDisk.6.PctUtil = 0
Platform.LogicalDisk.6.PctUtil.Avg = 0
Platform.LogicalDisk.6.PctUtil.Peak = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.7.AssignedName = sd3
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0
Platform.LogicalDisk.7.PctUtil.Peak = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.8.AssignedName = sd4
Platform.LogicalDisk.8.PctUtil = 0
Platform.LogicalDisk.8.PctUtil.Avg = 0
Platform.LogicalDisk.8.PctUtil.Peak = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.TotalNumofDisks = 8
Platform.Memory.RAM.AvailMBytes = 4,937.3
Platform.Memory.RAM.AvailMBytes.Avg = 6,241.8
Platform.Memory.RAM.AvailMBytes.Min = 4,473.7
Platform.Memory.RAM.AvailMBytes.Peak = 13,394.6

Platform.Memory.RAM.PctUtil = 84.9
Platform.Memory.RAM.TotalMBytes = 32768
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.10.AdapterName = ipge2
Platform.Network.10.BytesRecvdPerSec = 0
Platform.Network.10.BytesSentPerSec = 0
Platform.Network.10.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.10.PctCollisionRate = 0
Platform.Network.10.PctUtilBandwidth = Not Available
Platform.Network.10.TotalBytesPerSec = 0
Platform.Network.1.AdapterName = ipdrop
Platform.Network.1.BytesRecvdPerSec = Not Available
Platform.Network.1.BytesSentPerSec = Not Available
Platform.Network.1.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = Not Available
Platform.Network.1.TotalBytesPerSec = Not Available
Platform.Network.2.AdapterName = ipsec_stat
Platform.Network.2.BytesRecvdPerSec = Not Available
Platform.Network.2.BytesSentPerSec = Not Available
Platform.Network.2.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = Not Available
Platform.Network.2.TotalBytesPerSec = Not Available
Platform.Network.3.AdapterName = tcpstat
Platform.Network.3.BytesRecvdPerSec = Not Available
Platform.Network.3.BytesSentPerSec = Not Available
Platform.Network.3.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.3.PctCollisionRate = 0

Platform.Network.3.PctUtilBandwidth = Not Available
Platform.Network.3.TotalBytesPerSec = Not Available
Platform.Network.4.AdapterName = ipstat
Platform.Network.4.BytesRecvdPerSec = Not Available
Platform.Network.4.BytesSentPerSec = Not Available
Platform.Network.4.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.4.PctCollisionRate = 0
Platform.Network.4.PctUtilBandwidth = Not Available
Platform.Network.4.TotalBytesPerSec = Not Available
Platform.Network.5.AdapterName = ip6stat
Platform.Network.5.BytesRecvdPerSec = Not Available
Platform.Network.5.BytesSentPerSec = Not Available
Platform.Network.5.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.5.PctCollisionRate = 0
Platform.Network.5.PctUtilBandwidth = Not Available
Platform.Network.5.TotalBytesPerSec = Not Available
Platform.Network.6.AdapterName = ah_stat
Platform.Network.6.BytesRecvdPerSec = Not Available
Platform.Network.6.BytesSentPerSec = Not Available
Platform.Network.6.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.6.PctCollisionRate = 0
Platform.Network.6.PctUtilBandwidth = Not Available
Platform.Network.6.TotalBytesPerSec = Not Available
Platform.Network.7.AdapterName = esp_stat
Platform.Network.7.BytesRecvdPerSec = Not Available
Platform.Network.7.BytesSentPerSec = Not Available
Platform.Network.7.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.7.PctCollisionRate = 0
Platform.Network.7.PctUtilBandwidth = Not Available
Platform.Network.7.TotalBytesPerSec = Not Available
Platform.Network.8.AdapterName = ipge0

Platform.Network.8.BytesRecvdPerSec = 585.5
Platform.Network.8.BytesSentPerSec = 961.2
Platform.Network.8.CurrBandwidthMbitsPerSec = 10
Platform.Network.8.PctCollisionRate = 0
Platform.Network.8.PctUtilBandwidth = 0.1
Platform.Network.8.TotalBytesPerSec = 1,546.7
Platform.Network.9.AdapterName = ipge1
Platform.Network.9.BytesRecvdPerSec = 762,975.7
Platform.Network.9.BytesSentPerSec = 2,454,722.3
Platform.Network.9.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.9.PctCollisionRate = 0
Platform.Network.9.PctUtilBandwidth = 2.6
Platform.Network.9.TotalBytesPerSec = 3,217,698
Platform.Network.TotalNumofAdapters = 10
Platform.Network.Total.BytesRecvdPerSec = 763,561.2
Platform.Network.Total.BytesSentPerSec = 2,455,683.5
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,010
Platform.Network.Total.NetworkBytesPerSec = 3,219,244.7
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 2.5
Platform.PagingFile.Total.PctUtil = 34.9
Platform.PagingFile.Total.PctUtil.Avg = 29.1
Platform.PagingFile.Total.PctUtil.Peak = 35
Platform.Process.ActiveDomino.TotalCpuUtil = 6.7
Platform.Process.ActiveNumOfDominoProc = 5
Platform.Process.dwsaddin.1.PctCpuUtil = 0
Platform.Process.dwsaddin.1.ProcessID = 11928
Platform.Process.event.1.PctCpuUtil = 0.1
Platform.Process.event.1.ProcessID = 7455
Platform.Process.http.1.PctCpuUtil = 5.2
Platform.Process.http.1.ProcessID = 11268

Platform.Process.router.1.PctCpuUtil = 1
Platform.Process.router.1.ProcessID = 11255
Platform.Process.server.1.PctCpuUtil = 0.4
Platform.Process.server.1.ProcessID = 3913
Platform.System.ContextSwitchesPerSec = 11,575.8
Platform.System.ContextSwitchesPerSec.Avg = 13,833.2
Platform.System.ContextSwitchesPerSec.Min = 4,642.4
Platform.System.ContextSwitchesPerSec.Peak = 16,727.5
Platform.System.CPUQueueLen = 0
Platform.System.CPUQueueLen.Avg = 4.6
Platform.System.CPUQueueLen.Peak = 40.9
Platform.System.PctCombinedCpuUtil = 35.1
Platform.System.PctCombinedCpuUtil.Avg = 68.4
Platform.System.PctCombinedCpuUtil.Peak = 96.3
Platform.System.PctTotalPrivilegedCpuUtil = 3.4
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 6.2
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 17.7
Platform.System.PctTotalUserCpuUtil = 31.7
Platform.System.PctTotalUserCpuUtil.Avg = 62.1
Platform.System.PctTotalUserCpuUtil.Peak = 83.2
Platform.Time.LastSample = 11/15/2005 05:12:12 EST
Platform.Time.SampleRateInMins = 1
Server.Administrators = CN=admin/O=ont7
Server.Administrators.Access = CN=admin/O=ont7
Server.AvailabilityIndex = 100
Server.AvailabilityThreshold = 0
Server.BootID = 8173346
Server.ConcurrentTasks = 0
Server.ConcurrentTasks.Max = 5
Server.ConcurrentTasks.Waiting = 0
Server.CPU.Count = 32

Server.Users.Active1Min = 0
Server.Users.Active30Min = 0
Server.Users.Active3Min = 0
Server.Users.Active5Min = 0
Server.Users.Peak = 63
Server.Users.Peak.Time = 11/14/2005 18:55:54 EST
Server.Version.Notes = Release 7.0
Server.Version.Notes.BuildNumber = 259
Server.Version.OS = SunOS 5.10 Generic_118822-23
Server.WorkThreads = 40
Stats.Time.Current = 11/15/2005 05:12:18 EST
Stats.Time.Start = 11/14/2005 17:42:13 EST
707 statistics found

Show Stat, Partition 3

show stat

Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 15
Database.Database.BufferPool.MM.Writes = 4456
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 96.13
Database.DbCache.CurrentEntries = 1475
Database.DbCache.DatabaseLinkEntries = 0
Database.DbCache.HighWaterMark = 1475
Database.DbCache.Hits = 108015
Database.DbCache.InitialDbOpens = 122894
Database.DbCache.Lookups = 512201
Database.DbCache.MaxBucketLength = 4

Database.DbCache.MaxEntries = 5000
Database.DbCache.NumBuckets = 5003
Database.DbCache.NumBucketsUsed = 1284
Database.DbCache.OvercrowdingRejections = 0
Database.DbCache.Size = 16259
Database.DbOpen.FoundInDbCacheExpanded = 24384
Database.DbOpen.FoundInDbCacheUnexpanded = 83631
Database.DbOpen.FoundInDBQ.Expanded = 354666
Database.DbOpen.FoundInDBQ.Unexpanded = 8076715
Database.DbOpen.FoundInDBQ.WithRLock = 8076758
Database.DbOpen.FoundInDBQ.WithWLock = 354666
Database.DbOpen.FoundLinkInDbCache = 0
Database.DbOpen.InitialDbOpens = 122894
Database.DbOpen.NameExpansionsNeeded = 392108
Database.DBUCache.Added = 2197591
Database.DBUCache.AgedOut = 1149
Database.DBUCache.Hits = 2193093
Database.DBUCache.MaxEntries = 9000
Database.DBUCache.SecsInCache.Ave = 68
Database.DBUCache.SecsInCache.Max = 716
Database.DBUCache.SecsInCache.Min = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 102
Database.FreeHandleStack.FreeHandleStackHits = 9069604
Database.FreeHandleStack.HandleAllocations = 9100527
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0

Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0
Database.NAMELookupCacheCacheSize = 8,063,284
Database.NAMELookupCacheHashSize = 1,235,554
Database.NAMELookupCacheHits = 39,929
Database.NAMELookupCacheLookups = 1,270,804
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 1,212,834
Database.NAMELookupCacheNoHitHits = 18,041
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,746,912
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 97
Database.NAMELookupTotal = 1012936
Database.NAMELookupTotalLookupTime = 17,801.903
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 509,792
Database.NSFPool.Peak = 147,849,216
Database.NSFPool.Used = 110,994,272
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfullHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.Replicate.SCR.DbOutOfSync = 0
Database.NSF.Replicate.SCR.DeferredEvent = 0

Database.NSF.Replicate.SCR.FolderUpdates = 0
Database.NSF.Replicate.SCR.HeaderUpdates = 0
Database.NSF.Replicate.SCR.NoteUpdates = 0
Database.NSF.Replicate.SCR.SCRMaxQueuedMemory = 0
Database.NSF.Replicate.SCR.SCRPastConserveMem = 0
Database.NSF.Replicate.SCR.SCRPastMaxMem = 0
Database.NSF.Replicate.SCR.SCRSrcSameDb = 0
Database.NSF.Replicate.SCR.SCRSrvDbMatch = 0
Database.NSF.Replicate.SCR.SCRSrvDbOpens = 0
Database.NSF.Replicate.SCR.SCRSrvDbUseLRU = 0
Database.NSF.Replicate.SCR.SCRSrvTotalOps = 0
Database.NSF.Replicate.SCR.UnreadUpdates = 0
Database.NSF.Replicate.UnreadMarks.ChunkLookups = 0
Database.NSF.Replicate.UnreadMarks.ChunksScanned = 0
Database.NSF.Replicate.UnreadMarks.ChunksSkimmed = 0
Database.NSF.Replicate.UnreadMarks.DroppedFutureEntries = 0
Database.NSF.Replicate.UnreadMarks.DroppedOldEntries = 0
Database.NSF.Replicate.UnreadMarks.FullReplications = 0
Database.NSF.Replicate.UnreadMarks.LocalMaxChunks = 12
Database.NSF.Replicate.UnreadMarks.LocalUnreadOperations = 450877
Database.NSF.Replicate.UnreadMarks.MessagesReceived = 0
Database.NSF.Replicate.UnreadMarks.MessagesSent = 0
Database.NSF.Replicate.UnreadMarks.OperationsReceived = 0
Database.NSF.Replicate.UnreadMarks.OperationsSent = 0
Database.NSF.Replicate.UnreadMarks.UsersActive = 3352
Database.NSF.Replicate.UnreadMarks.UsersActiveMax = 4500
Database.NSF.SignatureCache.Hits = 36000
Database.NSF.SignatureCache.Tries = 85500
Database.NSF.UNKS.MemorySaved = -62707157
Database.NSF.UNKS.MemoryUsed = 131072
Database.NSF.UNKS.Shared = 6811000

Database.NSF.UNKS.Total = 6811390
Database.RM.Sys.Logged = Disabled
Disk.Fixed = 0
Disk.Remote = 0
Disk./etc/svc/volatile.Free = 20,642,283,520
Disk./etc/svc/volatile.Size = 20,643,332,096
Disk./etc/svc/volatile.Type = tmpfs
Disk./export/bkpfiles1.Free = 0
Disk./export/bkpfiles1.Size = 72,019,732,480
Disk./export/bkpfiles1.Type = ufs
Disk./export/bkpfiles2.Free = 0
Disk./export/bkpfiles2.Size = 158,578,405,376
Disk./export/bkpfiles2.Type = ufs
Disk./export/bkpfiles3.Free = 195,155,968
Disk./export/bkpfiles3.Size = 72,019,732,480
Disk./export/bkpfiles3.Type = ufs
Disk./export/bkpfiles4.Free = 174,680,064
Disk./export/bkpfiles4.Size = 72,019,732,480
Disk./export/bkpfiles4.Type = ufs
Disk./export/bkpfiles5.Free = 48,760,131,584
Disk./export/bkpfiles5.Size = 86,686,724,096
Disk./export/bkpfiles5.Type = ufs
Disk./export/home.Free = 19,308,035,072
Disk./export/home.Size = 46,901,593,088
Disk./export/home.Type = ufs
Disk./export/inotesmail/mailfiles1.Free = 29,056,827,392
Disk./export/inotesmail/mailfiles1.Size = 86,686,724,096
Disk./export/inotesmail/mailfiles1.Type = ufs
Disk./export/inotesmail/mailfiles2.Free = 34,274,091,008
Disk./export/inotesmail/mailfiles2.Size = 115,234,009,088
Disk./export/inotesmail/mailfiles2.Type = ufs

Disk./export/inotesmail/mailfiles3.Free = 109,240,332,288
Disk./export/inotesmail/mailfiles3.Size = 158,578,405,376
Disk./export/inotesmail/mailfiles3.Type = ufs
Disk./export/inotesmail/mailfiles4.Free = 38,717,849,600
Disk./export/inotesmail/mailfiles4.Size = 86,686,724,096
Disk./export/inotesmail/mailfiles4.Type = ufs
Disk./export/lotus.Free = 72,814,874,624
Disk./export/lotus.Size = 85,629,497,344
Disk./export/lotus.Type = ufs
Disk./export/nrpcmail/mailfiles1.Free = 41,825,173,504
Disk./export/nrpcmail/mailfiles1.Size = 107,896,304,640
Disk./export/nrpcmail/mailfiles1.Type = ufs
Disk./export/nrpcmail/mailfiles2.Free = 35,854,755,840
Disk./export/nrpcmail/mailfiles2.Size = 107,863,643,136
Disk./export/nrpcmail/mailfiles2.Type = ufs
Disk./export/nrpcmail/mailfiles3.Free = 29,034,366,976
Disk./export/nrpcmail/mailfiles3.Size = 107,896,304,640
Disk./export/nrpcmail/mailfiles3.Type = ufs
Disk./export/nrpcmail/mailfiles4.Free = 32,707,662,848
Disk./export/nrpcmail/mailfiles4.Size = 107,863,643,136
Disk./export/nrpcmail/mailfiles4.Type = ufs
Disk./tmp.Free = 20,642,283,520
Disk./tmp.Size = 30,376,280,064
Disk./tmp.Type = tmpfs
Disk./var/run.Free = 20,642,283,520
Disk./var/run.Size = 20,642,324,480
Disk./var/run.Type = tmpfs
Disk./Free = 2,724,209,664
Disk./Size = 21,151,261,696
Disk./Type = ufs
Domino.Cache.Command.Count = 0

Domino.Cache.Command.DisplaceRate = 0
Domino.Cache.Command.HitRate = 0
Domino.Cache.Command.MaxSize = 128
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 14.1025986941234
Domino.Cache.Design.HitRate = 85.8956265282724
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 99.9987443460336
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.NNotesID.Count = 0
Domino.Cache.NNotesID.MaxSize = 5,000
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session Cache.Count = 0
Domino.Cache.Session Cache.MaxSize = 1,000
Domino.Cache.Shimmer Profile Cache.Count = 0
Domino.Cache.Shimmer Profile Cache.MaxSize = 100
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User Cache.Count = 0
Domino.Cache.User Cache.DisplaceRate = 0
Domino.Cache.User Cache.HitRate = 99.9999596284852
Domino.Cache.User Cache.MaxSize = 5,000
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0
Domino.Command.DeleteDocuments = 0
Domino.Command.EditDocument = 902247

Domino.Command.GetOrbCookie = 0
Domino.Command.MoveToFolder = 0
Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0
Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 1286132
Domino.Command.OpenElement = 0
Domino.Command.OpenFileResource = 5
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.OpenWebService = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 2369228
Domino.Command.Unknown = 0
Domino.Command.WSDL = 0

Domino.Config.ActiveThreads.Max = 60
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI = /export/lotus/notesdata3/domino/cgi-bin
Domino.Config.Directory.HTML = /export/lotus/notesdata3/domino/html
Domino.Config.Directory.Icons = /export/lotus/notesdata3/domino/icons
Domino.Config.Directory.JavaRoot = /export/lotus/notesdata3/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName = budice3
Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile = /export/lotus/notesdata3/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30

Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 2,347,202
Domino.Requests.Per1Day.PeakTime = 11/15/2005 05:08:01 EST
Domino.Requests.Per1Day.Total = 2,347,202
Domino.Requests.Per1Hour.Peak = 249,404
Domino.Requests.Per1Hour.PeakTime = 11/15/2005 01:04:51 EST
Domino.Requests.Per1Hour.Total = 221,355
Domino.Requests.Per1Minute.Peak = 4,483
Domino.Requests.Per1Minute.PeakTime = 11/15/2005 02:25:11 EST
Domino.Requests.Per1Minute.Total = 2,083
Domino.Requests.Per5Minute.Peak = 21,435
Domino.Requests.Per5Minute.PeakTime = 11/15/2005 02:56:16 EST
Domino.Requests.Per5Minute.Total = 11,573
Domino.Requests.Total = 2,356,048
Domino.ThreadPool.average = 65536
Domino.ThreadPool.max = 393216
Domino.Threads.Active.Peak = 58
EVENT.EventDispatcher.Queue.Entries = 0
EVENT.EventDispatcher.Queue.MaxEntries = 8
EVENT.EventDispatcher.Queue.TotalEntries = 93,846
EVENT.EVENTLOG.Queue.Entries = 0
EVENT.EVENTLOG.Queue.MaxEntries = 8
EVENT.EVENTLOG.Queue.TotalEntries = 93,818
EVENT.MaxEventPoolSize = 10,485,760
EVENT.PROBEMGR.Queue.Entries = 0
EVENT.PROBEMGR.Queue.MaxEntries = 8
EVENT.PROBEMGR.Queue.TotalEntries = 93,846
FT.Index.Bytes.PerHour = 0
FT.Index.Count = 2
FT.Index.Documents.Added = 0
FT.Index.Documents.Deleted = 0

FT.Index.Documents.Updated = 0
FT.Index.Total.Bytes = 0
FT.Index.Total.TimeMS = 5
Http.Accept.ConnectionsAccepted = 2476709
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 2486469
Http.Accept.PollTimeouts = 9759
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 4
Http.JavaCache.Enabled = 1
Http.JavaCache.Entries.Current = 0
Http.JavaCache.Entries.Maximum = 1000
Http.JavaCache.Prune.Run.Interval = 10
Http.JavaCache.Prune.Run.Next = 11/15/2005 05:16:03 EST
Http.JavaCache.Prune.Time.Locked.Avg = 0
Http.JavaCache.Prune.Time.Locked.Max = 0
Http.JavaCache.Prune.Time.Locked.Min = 0
Http.JavaCache.Prune.Time.Total.Avg = 0
Http.JavaCache.Prune.Time.Total.Max = 0
Http.JavaCache.Prune.Time.Total.Min = 0
Http.JavaCache.Size.Current = 0
Http.JavaCache.Size.Maximum = 4000000
Http.JavaCache.Total.Adds = 0
Http.JavaCache.Total.Adds.Missed = 0
Http.JavaCache.Total.Errors = 0
Http.JavaCache.Total.Hits = 0
Http.JavaCache.Total.Misses = 0
Http.MaxConnections = 2020
Http.PeakConnections = 395

Http.Workers = 60
Http.Worker.Total.BytesRead = 1,222,939,733
Http.Worker.Total.BytesWritten = 36,973,441,163
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.DomWS.Requests = 0
Http.Worker.Total.DomWS.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 70
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 2476706
Http.Worker.Total.Notes.RequestTime = 611,335,202
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.QuickPlace.Requests = 0
Http.Worker.Total.QuickPlace.RequestTime = 0
Http.Worker.Total.RequestsProcessed = 2476706
Http.Worker.Total.TotalRequestTime = 611,335,202
Mail.AverageDeliverTime = 3
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 45
Mail.CurrentByteDeliveryRate = 400858
Mail.CurrentByteTransferRate = 207651
Mail.CurrentMessageDeliveryRate = 2
Mail.CurrentMessageTransferRate = 1
Mail.DBCacheAged = 5308
Mail.DBCacheEntries = 4866

Mail.DBCacheForcedOut = 0
Mail.DBCacheHighWaterMark = 4921
Mail.DBCacheHits = 194439
Mail.DBCacheMaxEntries = 5400
Mail.DBCacheReads = 204691
MAIL.Dead = 0
Mail.Delivered = 180995
Mail.DeliveredSize.100KB_to_1MB = 8591
Mail.DeliveredSize.10KB_to_100KB = 73241
Mail.DeliveredSize.1KB_to_10KB = 98776
Mail.DeliveredSize.1MB_to_10MB = 387
Mail.Deliveries = 204672
Mail.DeliveryThreads.Active = 0
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = ONT7
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 0
Mail.Mailbox.Accesses = 57704
Mail.Mailbox.AccessWarnings = 52
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 4
Mail.Mailbox.Opens = 23972
Mail.MaximumDeliverTime = 234
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9768
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 364456
Mail.PeakByteTransferRate = 98992

Mail.PeakMessageDeliveryRate = 7
Mail.PeakMessageDeliveryTime = 11/15/2005 00:06:12 EST
Mail.PeakMessagesDelivered = 436
Mail.PeakMessagesTransferred = 242
Mail.PeakMessageTransferRate = 4
Mail.PeakMessageTransferTime = 11/15/2005 02:14:18 EST
Mail.PeakTotalBytesDelivered = 22231858
Mail.PeakTotalBytesTransferred = 5939557
Mail.TotalKBDelivered = 8,224,974
Mail.TotalKBTransferred = 4,833,213
Mail.TotalKBTransferred.NRPC = 4,833,213
Mail.TotalPending = 3
Mail.TotalRouted = 311366
Mail.TotalRouted.NRPC = 311366
Mail.Transferred = 100681
Mail.TransferredSize.100KB_to_1MB = 4821
Mail.TransferredSize.10KB_to_100KB = 40603
Mail.TransferredSize.1KB_to_10KB = 55015
Mail.TransferredSize.1MB_to_10MB = 242
Mail.Transferred.NRPC = 100681
Mail.TransferThreads.Active = 0
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 8
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 24
Mem.Allocated = -1732621668
Mem.Allocated.Process = 215632480

Mem.Allocated.Shared = -1948254148
Mem.Availability = Plentiful
Mem.bpool.allocation.failures.34A = 583113
Mem.MaxAddressableMemory_MB = 4095
Mem.MaxSharedMemory_MB = 4095
Mem.PhysicalRAM = 34,351,349,760
Mem.PhysicalRAM_MB = 32760
Mem.Reallocs.Down = 3048225
Mem.Reallocs.Same = 809046
Mem.Reallocs.Up = 10790557
Monitor.Last.Server.Warning(High) = 6042
Monitor.Last.Server.Warning(High)Text = Warning: Debug parameters could impact operation or performance.
Monitor.Server.Warning(High) = 1
NET.GroupCache.Hits = 29,346
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,178
NET.Log.budice3/ont7.PeakUnwrittenEntries = 10
NET.Log.budice3/ont7.UnwrittenEntries = 2
NET.Sessions.DeferredClosed.Current = 0
NET.Sessions.DeferredClosed.Peak = 0
NET.TCPIP.BytesReceived = 4,022,477,536
NET.TCPIP.BytesSent = 3,959,712,254
NET.TCPIP.Sessions.Established.Incoming = 24041
NET.TCPIP.Sessions.Established.Outgoing = 22698
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 127

NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0
Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.1.AssignedName = sd0
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0.2
Platform.LogicalDisk.1.PctUtil.Peak = 2.2
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 2.1
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 10.5
Platform.LogicalDisk.2.AssignedName = ssd7
Platform.LogicalDisk.2.PctUtil = 2.2
Platform.LogicalDisk.2.PctUtil.Avg = 0.5
Platform.LogicalDisk.2.PctUtil.Peak = 3.6
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 3.7
Platform.LogicalDisk.3.AssignedName = ssd2
Platform.LogicalDisk.3.PctUtil = 2.1
Platform.LogicalDisk.3.PctUtil.Avg = 0.4
Platform.LogicalDisk.3.PctUtil.Peak = 3.6
Platform.LogicalDisk.3.ServiceTimeinmsecs = 0.2
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 3.3
Platform.LogicalDisk.4.AssignedName = ssd8
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0.5
Platform.LogicalDisk.4.PctUtil.Peak = 3.5
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 3.5

Platform.LogicalDisk.5.AssignedName = ssd3
Platform.LogicalDisk.5.PctUtil = 2.1
Platform.LogicalDisk.5.PctUtil.Avg = 0.4
Platform.LogicalDisk.5.PctUtil.Peak = 3.5
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 2.6
Platform.LogicalDisk.6.AssignedName = sd1
Platform.LogicalDisk.6.PctUtil = 0
Platform.LogicalDisk.6.PctUtil.Avg = 0
Platform.LogicalDisk.6.PctUtil.Peak = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.7.AssignedName = sd3
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0
Platform.LogicalDisk.7.PctUtil.Peak = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.8.AssignedName = sd4
Platform.LogicalDisk.8.PctUtil = 0
Platform.LogicalDisk.8.PctUtil.Avg = 0
Platform.LogicalDisk.8.PctUtil.Peak = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.TotalNumofDisks = 8
Platform.Memory.RAM.AvailMBytes = 4,931.7
Platform.Memory.RAM.AvailMBytes.Avg = 6,242.2

Platform.Memory.RAM.AvailMBytes.Min = 4,476.6
Platform.Memory.RAM.AvailMBytes.Peak = 13,502
Platform.Memory.RAM.PctUtil = 84.9
Platform.Memory.RAM.TotalMBytes = 32768
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.10.AdapterName = ipge2
Platform.Network.10.BytesRecvdPerSec = 0
Platform.Network.10.BytesSentPerSec = 0
Platform.Network.10.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.10.PctCollisionRate = 0
Platform.Network.10.PctUtilBandwidth = Not Available
Platform.Network.10.TotalBytesPerSec = 0
Platform.Network.1.AdapterName = ipdrop
Platform.Network.1.BytesRecvdPerSec = Not Available
Platform.Network.1.BytesSentPerSec = Not Available
Platform.Network.1.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = Not Available
Platform.Network.1.TotalBytesPerSec = Not Available
Platform.Network.2.AdapterName = ipsec_stat
Platform.Network.2.BytesRecvdPerSec = Not Available
Platform.Network.2.BytesSentPerSec = Not Available
Platform.Network.2.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = Not Available
Platform.Network.2.TotalBytesPerSec = Not Available
Platform.Network.3.AdapterName = tcpstat
Platform.Network.3.BytesRecvdPerSec = Not Available
Platform.Network.3.BytesSentPerSec = Not Available

Platform.Network.3.CurrBandwidthMbitsPerSec = Not Available

Platform.Network.3.PctCollisionRate = 0

Platform.Network.3.PctUtilBandwidth = Not Available

Platform.Network.3.TotalBytesPerSec = Not Available

Platform.Network.4.AdapterName = ipstat

Platform.Network.4.BytesRecvdPerSec = Not Available

Platform.Network.4.BytesSentPerSec = Not Available

Platform.Network.4.CurrBandwidthMbitsPerSec = Not Available

Platform.Network.4.PctCollisionRate = 0

Platform.Network.4.PctUtilBandwidth = Not Available

Platform.Network.4.TotalBytesPerSec = Not Available

Platform.Network.5.AdapterName = ip6stat

Platform.Network.5.BytesRecvdPerSec = Not Available

Platform.Network.5.BytesSentPerSec = Not Available

Platform.Network.5.CurrBandwidthMbitsPerSec = Not Available

Platform.Network.5.PctCollisionRate = 0

Platform.Network.5.PctUtilBandwidth = Not Available

Platform.Network.5.TotalBytesPerSec = Not Available

Platform.Network.6.AdapterName = ah_stat

Platform.Network.6.BytesRecvdPerSec = Not Available

Platform.Network.6.BytesSentPerSec = Not Available

Platform.Network.6.CurrBandwidthMbitsPerSec = Not Available

Platform.Network.6.PctCollisionRate = 0

Platform.Network.6.PctUtilBandwidth = Not Available

Platform.Network.6.TotalBytesPerSec = Not Available

Platform.Network.7.AdapterName = esp_stat

Platform.Network.7.BytesRecvdPerSec = Not Available

Platform.Network.7.BytesSentPerSec = Not Available

Platform.Network.7.CurrBandwidthMbitsPerSec = Not Available

Platform.Network.7.PctCollisionRate = 0

Platform.Network.7.PctUtilBandwidth = Not Available

Platform.Network.7.TotalBytesPerSec = Not Available
Platform.Network.8.AdapterName = ipge0
Platform.Network.8.BytesRecvdPerSec = 601.7
Platform.Network.8.BytesSentPerSec = 1,738.6
Platform.Network.8.CurrBandwidthMbitsPerSec = 10
Platform.Network.8.PctCollisionRate = 0
Platform.Network.8.PctUtilBandwidth = 0.2
Platform.Network.8.TotalBytesPerSec = 2,340.2
Platform.Network.9.AdapterName = ipge1
Platform.Network.9.BytesRecvdPerSec = 591,923
Platform.Network.9.BytesSentPerSec = 2,430,771.7
Platform.Network.9.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.9.PctCollisionRate = 0
Platform.Network.9.PctUtilBandwidth = 2.4
Platform.Network.9.TotalBytesPerSec = 3,022,694.7
Platform.Network.Total.NumofAdapters = 10
Platform.Network.Total.BytesRecvdPerSec = 592,524.7
Platform.Network.Total.BytesSentPerSec = 2,432,510.3
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,010
Platform.Network.Total.NetworkBytesPerSec = 3,025,035
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 2.4
Platform.PagingFile.Total.PctUtil = 34.9
Platform.PagingFile.Total.PctUtil.Avg = 29
Platform.PagingFile.Total.PctUtil.Peak = 35
Platform.Process.ActiveDomino.TotalCpuUtil = 6
Platform.Process.ActiveNumOfDominoProc = 5
Platform.Process.dwsaddin.1.PctCpuUtil = 0
Platform.Process.dwsaddin.1.ProcessID = 11486
Platform.Process.event.1.PctCpuUtil = 0.1
Platform.Process.event.1.ProcessID = 7780

Platform.Process.http.1.PctCpuUtil = 4.5
Platform.Process.http.1.ProcessID = 11002
Platform.Process.router.1.PctCpuUtil = 1
Platform.Process.router.1.ProcessID = 10989
Platform.Process.server.1.PctCpuUtil = 0.4
Platform.Process.server.1.ProcessID = 4181
Platform.System.ContextSwitchesPerSec = 11,477.1
Platform.System.ContextSwitchesPerSec.Avg = 13,829.8
Platform.System.ContextSwitchesPerSec.Min = 4,635.8
Platform.System.ContextSwitchesPerSec.Peak = 16,959.5
Platform.System.CPUQueueLen = 0
Platform.System.CPUQueueLen.Avg = 4.6
Platform.System.CPUQueueLen.Peak = 44.7
Platform.System.PctCombinedCpuUtil = 35.4
Platform.System.PctCombinedCpuUtil.Avg = 68.3
Platform.System.PctCombinedCpuUtil.Peak = 99.6
Platform.System.PctTotalPrivilegedCpuUtil = 3.3
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 6.2
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 18.2
Platform.System.PctTotalUserCpuUtil = 32.1
Platform.System.PctTotalUserCpuUtil.Avg = 62.1
Platform.System.PctTotalUserCpuUtil.Peak = 85.8
Platform.Time.LastSample = 11/15/2005 05:12:19 EST
Platform.Time.SampleRateInMins = 1
Server.Administrators = CN=admin/O=ont7
Server.Administrators.Access = CN=admin/O=ont7
Server.AvailabilityIndex = 100
Server.AvailabilityThreshold = 0
Server.BootID = 8173545
Server.ConcurrentTasks = 0
Server.ConcurrentTasks.Max = 4

Server.Users.Active30Min = 0
Server.Users.Active3Min = 0
Server.Users.Active5Min = 0
Server.Users.Peak = 63
Server.Users.Peak.Time = 11/14/2005 19:01:38 EST
Server.Version.Notes = Release 7.0
Server.Version.Notes.BuildNumber = 259
Server.Version.OS = SunOS 5.10 Generic_118822-23
Server.WorkThreads = 40
Stats.Time.Current = 11/15/2005 05:12:21 EST
Stats.Time.Start = 11/14/2005 17:42:15 EST
707 statistics found

Show Stat, Partition 4

show stat

Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 14
Database.Database.BufferPool.MM.Writes = 4453
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 96.15
Database.DbCache.CurrentEntries = 1380
Database.DbCache.DatabaseLinkEntries = 0
Database.DbCache.HighWaterMark = 1380
Database.DbCache.Hits = 109066
Database.DbCache.InitialDbOpens = 124197
Database.DbCache.Lookups = 512160
Database.DbCache.MaxBucketLength = 4
Database.DbCache.MaxEntries = 5400

Database.DbCache.NumBuckets = 5407
Database.DbCache.NumBucketsUsed = 1233
Database.DbCache.OvercrowdingRejections = 0
Database.DbCache.Size = 17569
Database.DbOpen.FoundInDbCacheExpanded = 25019
Database.DbOpen.FoundInDbCacheUnexpanded = 84047
Database.DbOpen.FoundInDBQ.Expanded = 353918
Database.DbOpen.FoundInDBQ.Unexpanded = 8007624
Database.DbOpen.FoundInDBQ.WithRLock = 8007679
Database.DbOpen.FoundInDBQ.WithWLock = 353918
Database.DbOpen.FoundLinkInDbCache = 0
Database.DbOpen.InitialDbOpens = 124197
Database.DbOpen.NameExpansionsNeeded = 392144
Database.DBUCache.Added = 2178864
Database.DBUCache.AgedOut = 1043
Database.DBUCache.Hits = 2174363
Database.DBUCache.MaxEntries = 9000
Database.DBUCache.SecsInCache.Ave = 68
Database.DBUCache.SecsInCache.Max = 766
Database.DBUCache.SecsInCache.Min = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 102
Database.FreeHandleStack.FreeHandleStackHits = 8995650
11/15/2005 05:12:24 Router: Transferring mail to BUDICE2/ONT7 via Notes
Database.FreeHandleStack.HandleAllocations = 9027690
11/15/2005 05:12:24 Router: Transferring mail to BUDICE3/ONT7 via Notes
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0

Database.LDAP.NAMELookupFailures = 0
Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0
Database.NAMELookupCacheCacheSize = 8,075,120
Database.NAMELookupCacheHashSize = 1,235,554
Database.NAMELookupCacheHits = 44,514
Database.NAMELookupCacheLookups = 1,262,099
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 1,199,545
Database.NAMELookupCacheNoHitHits = 18,040
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,767,392
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 98
Database.NAMELookupTotal = 1006344
Database.NAMELookupTotalLookupTime = 17,645.45
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 496,800
Database.NSFPool.Peak = 147,849,216
Database.NSFPool.Used = 112,008,928
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfullHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.Replicate.SCR.DbOutOfSync = 0

Database.NSF.Replicate.SCR.DeferredEvent = 0
Database.NSF.Replicate.SCR.FolderUpdates = 0
Database.NSF.Replicate.SCR.HeaderUpdates = 0
Database.NSF.Replicate.SCR.NoteUpdates = 0
Database.NSF.Replicate.SCR.SCRMaxQueuedMemory = 0
Database.NSF.Replicate.SCR.SCRPastConserveMem = 0
Database.NSF.Replicate.SCR.SCRPastMaxMem = 0
Database.NSF.Replicate.SCR.SCRSrcSameDb = 0
Database.NSF.Replicate.SCR.SCRSrvDbMatch = 0
Database.NSF.Replicate.SCR.SCRSrvDbOpens = 0
Database.NSF.Replicate.SCR.SCRSrvDbUseLRU = 0
Database.NSF.Replicate.SCR.SCRSrvTotalOps = 0
Database.NSF.Replicate.SCR.UnreadUpdates = 0
Database.NSF.Replicate.UnreadMarks.ChunkLookups = 0
Database.NSF.Replicate.UnreadMarks.ChunksScanned = 0
Database.NSF.Replicate.UnreadMarks.ChunksSkimmed = 0
Database.NSF.Replicate.UnreadMarks.DroppedFutureEntries = 0
Database.NSF.Replicate.UnreadMarks.DroppedOldEntries = 0
Database.NSF.Replicate.UnreadMarks.FullReplications = 0
Database.NSF.Replicate.UnreadMarks.LocalMaxChunks = 12
Database.NSF.Replicate.UnreadMarks.LocalUnreadOperations = 447232
Database.NSF.Replicate.UnreadMarks.MessagesReceived = 0
Database.NSF.Replicate.UnreadMarks.MessagesSent = 0
Database.NSF.Replicate.UnreadMarks.OperationsReceived = 0
Database.NSF.Replicate.UnreadMarks.OperationsSent = 0
Database.NSF.Replicate.UnreadMarks.UsersActive = 3459
Database.NSF.Replicate.UnreadMarks.UsersActiveMax = 4500
Database.NSF.SignatureCache.Hits = 36000
Database.NSF.SignatureCache.Tries = 85500
Database.NSF.UNKS.MemorySaved = -57394429
Database.NSF.UNKS.MemoryUsed = 131072

Database.NSF.UNKS.Shared = 6825325
Database.NSF.UNKS.Total = 6825325
Database.RM.Sys.Logged = Disabled
Disk.Fixed = 0
Disk.Remote = 0
Disk./etc/svc/volatile.Free = 20,635,885,568
Disk./etc/svc/volatile.Size = 20,636,934,144
Disk./etc/svc/volatile.Type = tmpfs
Disk./export/bkpfiles1.Free = 0
Disk./export/bkpfiles1.Size = 72,019,732,480
Disk./export/bkpfiles1.Type = ufs
Disk./export/bkpfiles2.Free = 0
Disk./export/bkpfiles2.Size = 158,578,405,376
Disk./export/bkpfiles2.Type = ufs
Disk./export/bkpfiles3.Free = 195,155,968
Disk./export/bkpfiles3.Size = 72,019,732,480
Disk./export/bkpfiles3.Type = ufs
Disk./export/bkpfiles4.Free = 174,680,064
Disk./export/bkpfiles4.Size = 72,019,732,480
Disk./export/bkpfiles4.Type = ufs
Disk./export/bkpfiles5.Free = 48,760,131,584
Disk./export/bkpfiles5.Size = 86,686,724,096
Disk./export/bkpfiles5.Type = ufs
Disk./export/home.Free = 19,308,002,304
Disk./export/home.Size = 46,901,593,088
Disk./export/home.Type = ufs
Disk./export/inotesmail/mailfiles1.Free = 28,785,508,352
Disk./export/inotesmail/mailfiles1.Size = 86,686,724,096
Disk./export/inotesmail/mailfiles1.Type = ufs
Disk./export/inotesmail/mailfiles2.Free = 34,078,785,536
Disk./export/inotesmail/mailfiles2.Size = 115,234,009,088

Disk./export/inotesmail/mailfiles2.Type = ufs
Disk./export/inotesmail/mailfiles3.Free = 109,004,124,160
Disk./export/inotesmail/mailfiles3.Size = 158,578,405,376
Disk./export/inotesmail/mailfiles3.Type = ufs
Disk./export/inotesmail/mailfiles4.Free = 38,489,260,032
Disk./export/inotesmail/mailfiles4.Size = 86,686,724,096
Disk./export/inotesmail/mailfiles4.Type = ufs
Disk./export/lotus.Free = 72,810,385,408
Disk./export/lotus.Size = 85,629,497,344
Disk./export/lotus.Type = ufs
Disk./export/nrpcmail/mailfiles1.Free = 41,544,925,184
Disk./export/nrpcmail/mailfiles1.Size = 107,896,304,640
Disk./export/nrpcmail/mailfiles1.Type = ufs
Disk./export/nrpcmail/mailfiles2.Free = 35,535,947,776
Disk./export/nrpcmail/mailfiles2.Size = 107,863,643,136
Disk./export/nrpcmail/mailfiles2.Type = ufs
Disk./export/nrpcmail/mailfiles3.Free = 28,704,040,960
Disk./export/nrpcmail/mailfiles3.Size = 107,896,304,640
Disk./export/nrpcmail/mailfiles3.Type = ufs
Disk./export/nrpcmail/mailfiles4.Free = 32,402,248,704
Disk./export/nrpcmail/mailfiles4.Size = 107,863,643,136
Disk./export/nrpcmail/mailfiles4.Type = ufs
Disk./tmp.Free = 20,635,885,568
Disk./tmp.Size = 30,370,824,192
Disk./tmp.Type = tmpfs
Disk./var/run.Free = 20,635,885,568
Disk./var/run.Size = 20,635,926,528
Disk./var/run.Type = tmpfs
Disk./Free = 2,724,204,544
Disk./Size = 21,151,261,696
Disk./Type = ufs

Domino.Cache.Command.Count = 0
Domino.Cache.Command.DisplaceRate = 0
Domino.Cache.Command.HitRate = 0
Domino.Cache.Command.MaxSize = 128
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 14.0986500251724
Domino.Cache.Design.HitRate = 85.8991852551388
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 99.9994314368392
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.NNotesID.Count = 0
Domino.Cache.NNotesID.MaxSize = 5,000
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session Cache.Count = 0
Domino.Cache.Session Cache.MaxSize = 1,000
Domino.Cache.Shimmer Profile Cache.Count = 0
Domino.Cache.Shimmer Profile Cache.MaxSize = 100
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User Cache.Count = 0
Domino.Cache.User Cache.DisplaceRate = 0
Domino.Cache.User Cache.HitRate = 99.9999592995452
Domino.Cache.User Cache.MaxSize = 5,000
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
11/15/2005 05:12:24 Router: Transferred 1 messages to BUDICE2/ONT7 via Notes
Domino.Command.DeleteDocument = 0

11/15/2005 05:12:24 Router: Transferred 2 messages to BUDICE1/ONT7 via Notes

Domino.Command.DeleteDocuments = 0

11/15/2005 05:12:24 Router: Transferred 5 messages to BUDICE3/ONT7 via Notes

Domino.Command.EditDocument = 894351

Domino.Command.GetOrbCookie = 0

Domino.Command.MoveToFolder = 0

Domino.Command.Navigate = 0

Domino.Command.OpenAbout = 0

Domino.Command.OpenAgent = 0

Domino.Command.OpenCssResource = 0

Domino.Command.OpenDatabase = 0

Domino.Command.OpenDocument = 1275060

Domino.Command.OpenElement = 0

Domino.Command.OpenFileResource = 5

Domino.Command.OpenForm = 0

Domino.Command.OpenHelp = 0

Domino.Command.OpenIcon = 0

Domino.Command.OpenImageResource = 0

Domino.Command.OpenJavascriptLib = 0

Domino.Command.OpenNavigator = 0

Domino.Command.OpenPreferences = 0

Domino.Command.OpenServer = 0

Domino.Command.OpenView = 0

Domino.Command.OpenWebService = 0

Domino.Command.ReadForm = 0

Domino.Command.Redirect = 0

Domino.Command.RemoveFromFolder = 0

Domino.Command.RequestCert = 0

Domino.Command.SaveDocument = 0

Domino.Command.SearchDomain = 0

Domino.Command.SearchSite = 0

Domino.Command.SearchView = 0
Domino.Command.Total = 2348845
Domino.Command.Unknown = 0
Domino.Command.WSDL = 0
Domino.Config.ActiveThreads.Max = 60
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI = /export/lotus/notesdata4/domino/cgi-bin
Domino.Config.Directory.HTML = /export/lotus/notesdata4/domino/html
Domino.Config.Directory.Icons = /export/lotus/notesdata4/domino/icons
Domino.Config.Directory.JavaRoot = /export/lotus/notesdata4/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName = budice4
Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile = /export/lotus/notesdata4/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin

Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 2,326,428
Domino.Requests.Per1Day.PeakTime = 11/15/2005 05:07:52 EST
Domino.Requests.Per1Day.Total = 2,326,428
Domino.Requests.Per1Hour.Peak = 249,889
Domino.Requests.Per1Hour.PeakTime = 11/14/2005 23:06:02 EST
Domino.Requests.Per1Hour.Total = 224,446
Domino.Requests.Per1Minute.Peak = 4,413
Domino.Requests.Per1Minute.PeakTime = 11/15/2005 00:51:12 EST
Domino.Requests.Per1Minute.Total = 2,228
Domino.Requests.Per5Minute.Peak = 21,282
Domino.Requests.Per5Minute.PeakTime = 11/14/2005 22:21:32 EST
Domino.Requests.Per5Minute.Total = 11,787
Domino.Requests.Total = 2,336,064
Domino.ThreadPool.average = 65536
Domino.ThreadPool.max = 393216
Domino.Threads.Active.Peak = 60
EVENT.EventDispatcher.Queue.Entries = 0
EVENT.EventDispatcher.Queue.MaxEntries = 8
EVENT.EventDispatcher.Queue.TotalEntries = 93,158
EVENT.EVENTLOG.Queue.Entries = 0
EVENT.EVENTLOG.Queue.MaxEntries = 8
EVENT.EVENTLOG.Queue.TotalEntries = 93,130
EVENT.MaxEventPoolSize = 10,485,760
EVENT.PROBEMGR.Queue.Entries = 0
EVENT.PROBEMGR.Queue.MaxEntries = 8
EVENT.PROBEMGR.Queue.TotalEntries = 93,158

FT.Index.Bytes.PerHour = 0
FT.Index.Count = 2
FT.Index.Documents.Added = 0
FT.Index.Documents.Deleted = 0
FT.Index.Documents.Updated = 0
FT.Index.Total.Bytes = 0
FT.Index.Total.TimeMS = 20
Http.Accept.ConnectionsAccepted = 2456109
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 2467463
Http.Accept.PollTimeouts = 11353
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 6
Http.JavaCache.Enabled = 1
Http.JavaCache.Entries.Current = 0
Http.JavaCache.Entries.Maximum = 1000
Http.JavaCache.Prune.Run.Interval = 10
Http.JavaCache.Prune.Run.Next = 11/15/2005 05:15:16 EST
Http.JavaCache.Prune.Time.Locked.Avg = 0
Http.JavaCache.Prune.Time.Locked.Max = 0
Http.JavaCache.Prune.Time.Locked.Min = 0
Http.JavaCache.Prune.Time.Total.Avg = 0
Http.JavaCache.Prune.Time.Total.Max = 0
Http.JavaCache.Prune.Time.Total.Min = 0
Http.JavaCache.Size.Current = 0
Http.JavaCache.Size.Maximum = 4000000
Http.JavaCache.Total.Adds = 0
Http.JavaCache.Total.Adds.Missed = 0
Http.JavaCache.Total.Errors = 0

Http.JavaCache.Total.Hits = 0
Http.JavaCache.Total.Misses = 0
Http.MaxConnections = 2020
Http.PeakConnections = 453
Http.Workers = 60
Http.Worker.Total.BytesRead = 1,212,024,899
Http.Worker.Total.BytesWritten = 36,723,087,081
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.DomWS.Requests = 0
Http.Worker.Total.DomWS.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 68
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 2456103
Http.Worker.Total.Notes.RequestTime = 616,938,212
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.QuickPlace.Requests = 0
Http.Worker.Total.QuickPlace.RequestTime = 0
Http.Worker.Total.RequestsProcessed = 2456103
Http.Worker.Total.TotalRequestTime = 616,938,212
Mail.AverageDeliverTime = 3
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 44
Mail.CurrentByteDeliveryRate = 224630
Mail.CurrentByteTransferRate = 33387

Mail.CurrentMessageDeliveryRate = 2
Mail.CurrentMessageTransferRate = 1
Mail.DBCacheAged = 5199
Mail.DBCacheEntries = 4837
Mail.DBCacheForcedOut = 0
Mail.DBCacheHighWaterMark = 4929
Mail.DBCacheHits = 195308
Mail.DBCacheMaxEntries = 5400
Mail.DBCacheReads = 205433
MAIL.Dead = 0
Mail.Delivered = 181893
Mail.DeliveredSize.100KB_to_1MB = 8813
Mail.DeliveredSize.10KB_to_100KB = 73322
Mail.DeliveredSize.1KB_to_10KB = 99366
Mail.DeliveredSize.1MB_to_10MB = 392
Mail.Deliveries = 205465
Mail.DeliveryThreads.Active = 0
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = ONT7
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 0
Mail.Mailbox.Accesses = 57190
Mail.Mailbox.AccessWarnings = 57
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 4
Mail.Mailbox.Opens = 23888
Mail.MaximumDeliverTime = 230
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9768
Mail.MinimumDeliverTime = 1

Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 152867
Mail.PeakByteTransferRate = 445963
Mail.PeakMessageDeliveryRate = 6
Mail.PeakMessageDeliveryTime = 11/14/2005 22:34:04 EST
Mail.PeakMessagesDelivered = 370
Mail.PeakMessagesTransferred = 244
Mail.PeakMessageTransferRate = 4
Mail.PeakMessageTransferTime = 11/15/2005 00:51:13 EST
Mail.PeakTotalBytesDelivered = 9172034
Mail.PeakTotalBytesTransferred = 26757833
Mail.TotalKBDelivered = 8,320,695
Mail.TotalKBTransferred = 4,480,258
Mail.TotalKBTransferred.NRPC = 4,480,258
Mail.TotalPending = 3
Mail.TotalRouted = 310234
Mail.TotalRouted.NRPC = 310234
Mail.Transferred = 99144
Mail.TransferredSize.100KB_to_1MB = 4645
Mail.TransferredSize.10KB_to_100KB = 40060
Mail.TransferredSize.1KB_to_10KB = 54228
Mail.TransferredSize.1MB_to_10MB = 211
Mail.Transferred.NRPC = 99144
Mail.TransferThreads.Active = 0
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 6
MAIL.WaitingForDIR = 0

MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 18
Mem.Allocated = -1666417456
Mem.Allocated.Process = 281275888
Mem.Allocated.Shared = -1947627822
Mem.Availability = Plentiful
Mem.bpool.allocation.failures.34A = 569554
Mem.MaxAddressableMemory_MB = 4095
Mem.MaxSharedMemory_MB = 4095
Mem.PhysicalRAM = 34,351,349,760
Mem.PhysicalRAM_MB = 32760
Mem.Reallocs.Down = 3022445
Mem.Reallocs.Same = 803146
Mem.Reallocs.Up = 10713943
Monitor.Last.Server.Warning(High) = 6042
Monitor.Last.Server.Warning(High)Text = Warning: Debug parameters could impact operation or performance.
Monitor.Server.Warning(High) = 1
NET.GroupCache.Hits = 29,281
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,178
NET.Log.budice4/ont7.PeakUnwrittenEntries = 8
NET.Log.budice4/ont7.UnwrittenEntries = 3
NET.Sessions.DeferredClosed.Current = 0
NET.Sessions.DeferredClosed.Peak = 0
NET.TCPIP.BytesReceived = 4,090,888,246
NET.TCPIP.BytesSent = 3,756,740,060
NET.TCPIP.Sessions.Established.Incoming = 23958
NET.TCPIP.Sessions.Established.Outgoing = 22433

NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 127
NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0
Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.1.AssignedName = sd0
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0.2
Platform.LogicalDisk.1.PctUtil.Peak = 2.1
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 2.2
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 10.5
Platform.LogicalDisk.2.AssignedName = ssd7
Platform.LogicalDisk.2.PctUtil = 2.2
Platform.LogicalDisk.2.PctUtil.Avg = 0.6
Platform.LogicalDisk.2.PctUtil.Peak = 3.6
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 3.7
Platform.LogicalDisk.3.AssignedName = ssd2
Platform.LogicalDisk.3.PctUtil = 0
Platform.LogicalDisk.3.PctUtil.Avg = 0.3
Platform.LogicalDisk.3.PctUtil.Peak = 3.5
Platform.LogicalDisk.3.ServiceTimeinmsecs = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 2.7
Platform.LogicalDisk.4.AssignedName = ssd8
Platform.LogicalDisk.4.PctUtil = 3.5
Platform.LogicalDisk.4.PctUtil.Avg = 0.6

Platform.LogicalDisk.4.PctUtil.Peak = 3.6
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 3.5
Platform.LogicalDisk.5.AssignedName = ssd3
Platform.LogicalDisk.5.PctUtil = 0
Platform.LogicalDisk.5.PctUtil.Avg = 0.4
Platform.LogicalDisk.5.PctUtil.Peak = 3.3
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 2.8
Platform.LogicalDisk.6.AssignedName = sd1
Platform.LogicalDisk.6.PctUtil = 0
Platform.LogicalDisk.6.PctUtil.Avg = 0
Platform.LogicalDisk.6.PctUtil.Peak = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.7.AssignedName = sd3
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0
Platform.LogicalDisk.7.PctUtil.Peak = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.8.AssignedName = sd4
Platform.LogicalDisk.8.PctUtil = 0
Platform.LogicalDisk.8.PctUtil.Avg = 0
Platform.LogicalDisk.8.PctUtil.Peak = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs = 0
Platform.LogicalDisk.8.ServiceTimeinmsecs.Avg = 0

Platform.LogicalDisk.8.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.TotalNumofDisks = 8
Platform.Memory.RAM.AvailMBytes = 4,946.2
Platform.Memory.RAM.AvailMBytes.Avg = 6,244.7
Platform.Memory.RAM.AvailMBytes.Min = 4,479.4
Platform.Memory.RAM.AvailMBytes.Peak = 13,426.3
Platform.Memory.RAM.PctUtil = 84.9
Platform.Memory.RAM.TotalMBytes = 32768
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.10.AdapterName = ipge2
Platform.Network.10.BytesRecvdPerSec = 0
Platform.Network.10.BytesSentPerSec = 0
Platform.Network.10.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.10.PctCollisionRate = 0
Platform.Network.10.PctUtilBandwidth = Not Available
Platform.Network.10.TotalBytesPerSec = 0
Platform.Network.1.AdapterName = ipdrop
Platform.Network.1.BytesRecvdPerSec = Not Available
Platform.Network.1.BytesSentPerSec = Not Available
Platform.Network.1.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = Not Available
Platform.Network.1.TotalBytesPerSec = Not Available
Platform.Network.2.AdapterName = ipsec_stat
Platform.Network.2.BytesRecvdPerSec = Not Available
Platform.Network.2.BytesSentPerSec = Not Available
Platform.Network.2.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = Not Available

Platform.Network.2.TotalBytesPerSec = Not Available
Platform.Network.3.AdapterName = tcpstat
Platform.Network.3.BytesRecvdPerSec = Not Available
Platform.Network.3.BytesSentPerSec = Not Available
Platform.Network.3.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.3.PctCollisionRate = 0
Platform.Network.3.PctUtilBandwidth = Not Available
Platform.Network.3.TotalBytesPerSec = Not Available
Platform.Network.4.AdapterName = ipstat
Platform.Network.4.BytesRecvdPerSec = Not Available
Platform.Network.4.BytesSentPerSec = Not Available
Platform.Network.4.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.4.PctCollisionRate = 0
Platform.Network.4.PctUtilBandwidth = Not Available
Platform.Network.4.TotalBytesPerSec = Not Available
Platform.Network.5.AdapterName = ip6stat
Platform.Network.5.BytesRecvdPerSec = Not Available
Platform.Network.5.BytesSentPerSec = Not Available
Platform.Network.5.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.5.PctCollisionRate = 0
Platform.Network.5.PctUtilBandwidth = Not Available
Platform.Network.5.TotalBytesPerSec = Not Available
Platform.Network.6.AdapterName = ah_stat
Platform.Network.6.BytesRecvdPerSec = Not Available
Platform.Network.6.BytesSentPerSec = Not Available
Platform.Network.6.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.6.PctCollisionRate = 0
Platform.Network.6.PctUtilBandwidth = Not Available
Platform.Network.6.TotalBytesPerSec = Not Available
Platform.Network.7.AdapterName = esp_stat
Platform.Network.7.BytesRecvdPerSec = Not Available

Platform.Network.7.BytesSentPerSec = Not Available
Platform.Network.7.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.7.PctCollisionRate = 0
Platform.Network.7.PctUtilBandwidth = Not Available
Platform.Network.7.TotalBytesPerSec = Not Available
Platform.Network.8.AdapterName = ipge0
Platform.Network.8.BytesRecvdPerSec = 549.2
Platform.Network.8.BytesSentPerSec = 961.5
Platform.Network.8.CurrBandwidthMbitsPerSec = 10
Platform.Network.8.PctCollisionRate = 0
Platform.Network.8.PctUtilBandwidth = 0.1
Platform.Network.8.TotalBytesPerSec = 1,510.7
Platform.Network.9.AdapterName = ipge1
Platform.Network.9.BytesRecvdPerSec = 760,816.6
Platform.Network.9.BytesSentPerSec = 2,416,098.8
Platform.Network.9.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.9.PctCollisionRate = 0
Platform.Network.9.PctUtilBandwidth = 2.5
Platform.Network.9.TotalBytesPerSec = 3,176,915.4
Platform.Network.TotalNumofAdapters = 10
Platform.Network.Total.BytesRecvdPerSec = 761,365.8
Platform.Network.Total.BytesSentPerSec = 2,417,060.3
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,010
Platform.Network.Total.NetworkBytesPerSec = 3,178,426.1
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 2.5
Platform.PagingFile.Total.PctUtil = 34.9
Platform.PagingFile.Total.PctUtil.Avg = 29
Platform.PagingFile.Total.PctUtil.Peak = 35
Platform.Process.ActiveDomino.TotalCpuUtil = 6
Platform.Process.ActiveNumOfDominoProc = 5

Platform.Process.dwsaddin.1.PctCpuUtil = 0
Platform.Process.dwsaddin.1.ProcessID = 9625
Platform.Process.event.1.PctCpuUtil = 0.1
Platform.Process.event.1.ProcessID = 7002
Platform.Process.http.1.PctCpuUtil = 4.5
Platform.Process.http.1.ProcessID = 9008
Platform.Process.router.1.PctCpuUtil = 1
Platform.Process.router.1.ProcessID = 8996
Platform.Process.server.1.PctCpuUtil = 0.4
Platform.Process.server.1.ProcessID = 4787
Platform.System.ContextSwitchesPerSec = 11,453.3
Platform.System.ContextSwitchesPerSec.Avg = 13,826
Platform.System.ContextSwitchesPerSec.Min = 4,630.6
Platform.System.ContextSwitchesPerSec.Peak = 16,786.6
Platform.System.CPUQueueLen = 0
Platform.System.CPUQueueLen.Avg = 4.6
Platform.System.CPUQueueLen.Peak = 38.8
Platform.System.PctCombinedCpuUtil = 34.6
Platform.System.PctCombinedCpuUtil.Avg = 68.3
Platform.System.PctCombinedCpuUtil.Peak = 94.5
Platform.System.PctTotalPrivilegedCpuUtil = 3.3
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 6.2
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 16.8
Platform.System.PctTotalUserCpuUtil = 31.2
Platform.System.PctTotalUserCpuUtil.Avg = 62.1
Platform.System.PctTotalUserCpuUtil.Peak = 84.3
Platform.Time.LastSample = 11/15/2005 05:12:05 EST
Platform.Time.SampleRateInMins = 1
Server.Administrators = CN=admin/O=ont7
Server.Administrators.Access = CN=admin/O=ont7
Server.AvailabilityIndex = 100

Server.Users.5MinPeakTime = 11/14/2005 19:34:02 EST

Server.Users.Active = 0

Server.Users.Active15Min = 0

Server.Users.Active1Min = 0

Server.Users.Active30Min = 0

Server.Users.Active3Min = 0

Server.Users.Active5Min = 0

Server.Users.Peak = 63

Server.Users.Peak.Time = 11/14/2005 19:53:40 EST

Server.Version.Notes = Release 7.0

Server.Version.Notes.BuildNumber = 259

Server.Version.OS = SunOS 5.10 Generic_118822-23

Server.WorkThreads = 40

Stats.Time.Current = 11/15/2005 05:12:24 EST

Stats.Time.Start = 11/14/2005 17:42:18 EST

707 statistics found