



**NotesBench R6iNotes Disclosure Report
for SunFire V890 1.5 GHz
Ultra SPARC IV+ on Solaris 10
with Lotus® Domino 6.5.2
August 2005**

© 2005 Sun Microsystems, Inc. All rights reserved.
1 Network Drive, Burlington, MA 01803-0903, USA.

Section 1: Executive Summary

Sun Microsystems has completed a Notesbench benchmark using the R6iNotes workload on the Sun Fire V890, 1.5GHz UltraSPARCIV+ processors. The test was executed at the Sun's Engineering Performance Lab - Burlington, MA [August 2005].

The Server Under Test (SUT) was configured with eight dual-threaded, 1.5 GHz UltraSPARC-IV+ processors, 64 Gigabytes (GB) of memory and four HW RAID SS3310 storage devices (each with twelve 73 GB, 15Krpm disks in RAID 0+1 configuration).

The Operating System on the SUT was Sun Solaris 10 HW1 and the Messaging server Domino release 6.5.2 was configured with 4 partitions.

The R6iNotes workload simulated 26,000 active users sending, deleting and receiving e-mails via standard HTTP browser. The mail sent by each user is delivered to mail database of the other users on the System Under Test. The results below demonstrates an outstanding SunFire UltraSPARCIV+ achievement in price/performance with 26000 active NotesBench R6iNotes users at subsecond response time with very large number of the users per processor.

The NotesBench R6iNotes describes the Web Access mail workload as: Every 15 minutes each user reads five messages, deletes two messages, and every ninety minutes it sends 1 new mail message (average message and attachment size is 97KB) and calendar invitation to 3 recipients.

The R6iNotes Web Access mail workload though similar to R6mail workload it creates significantly higher load on the server machine due to stateless nature of the HTTP protocol. R6iNotes Web Access combines the simplicity and universality of a Web browser with the power of an enterprise-class, full-featured application giving Web browser users access to e-mail, calendar, group scheduling, to-do list, invitation and appointments.

The benchmark results are summarized below:

NotesBench Workload	Users Supported	NotesMark	Average Response Time	Price per User	Price per NotesMark
R6iNotes	26000	21904 transactions per minute	586 ms	\$8.34	\$9.90

Section 2: Benchmarking Objectives

The objective of this benchmark was to provide evidence that Sun's system and operating environment technology are the best choice for organizations looking for a scalable and high performance platform on which to deploy R6iNotes Domino services.

Section 3: Test Methodologies

The test environment for the NotesBench R6iNotes workload consists of four hardware components: the *server under test (SUT)*, one or more *child drivers* to generate load on the SUT by simulating the activity of R6iNotes Web Access mail users, one *parent driver* to control the progress of the test, and a network through which the various systems communicate.

The server under test was a SunFire V890 equipped with 8 UltraSPARC IV+ 1.5 GHz processors with Solaris10 HW1 OS. Lotus Domino 6.5.2 server was configured with four partitions.

Four Sun Fire V440 with 4x1.28GHz UltraSPARC III processors on each with 16GB of memory were configured as child drivers. A total of 52 user accounts were used to simulate 26000 R6iNotes users, each account corresponding to 500 R6iNotes users. One of the Sun UltraSPARC III Sun Fire V440 systems hosted an additional account to run the NotesBench parent driver for overall benchmark control.

The systems were connected by a TCP/IP network running over Ethernet and tied together by one Cisco switch. The switch has been configured as an independent subnet for this experiment. Four client machines were connected to the switch via a 10/100/1000Mbit/sec Fast Ethernet interface. The SUT was connected to the switch via onboard 1Gigabit/sec Fast Ethernet interface.

Each test run began with a number of preparatory steps such as setting up configuration files, initializing mail data bases, starting the servers, and so on. The NotesBench test then began by starting the child drivers' user accounts one by one over a ramp-up period of over 6 hours. Once all the simulated users were active, the peak load was maintained for over six hours. NotesBench then shuts down the child driver accounts one at a time over a ramp-down period of about an hour. The server was then shut down and logs, configuration files, and other products of the test were collected and archived.

During the test, the SUT's "headroom" was monitored by running standard Unix system monitoring tools: *iostat* and *mpstat*. The outputs of these utilities were post-processed to extract relevant data points. The data points obtained were then plotted.

The name and address book (NAB) contained 56,000 test users in 4 Domino partitions, which were all part of the same Domino domain. All child drivers used the server-resident NAB for name lookups. Each partition was configured with four mail{n}.boxes for mail routing.

The server system had four twelve-drive SS3310 disk arrays, each one was configured with two RAID0+1 LUNs. Total 8 RAID0+1 arrays were used for Mail database and Domino files. One of the arrays had two disk partitions, one of which was used to store portion of the mail files. The other partition had Domino executables/binaries, names.nsf, log.nsf, all other .nsf, .ntf and notesdata files. Hence all the Domino executables and the data files were redundantly protected. The other 7 RAID arrays were used to store the remaining mail files. Two of SUT's internal disks were configured with two disk partitions, one of which were used by the OS, another one was used for OS-level performance statistics collection tools and custom scripts.

Database activity logging was not enabled during the benchmark run and all Domino tasks were disabled except for Router and HTTP.

During the steady state period of the run, the *show stat mail* command was used every hour for each partition on the Server to verify that at least 90 percent of the mail generated during the test was delivered to the local mail databases. In fact, during the test period, the SUT Domino Server delivered more than 99 percent of the mail generated to the local mail databases. *show stat database* were used every hour during run for each partition. *show stat* command was used at the end of the run for each partition.

To ensure that the results were reproducible, the tests were repeated. The test results showed a very small variation in throughput.

The following NOTES.INI parameters were modified for all the server partitions for this benchmark. All Domino user tasks were disabled except Router and HTTP.

Server Notes.ini Modifications

```
Debug_Outfile=/tmp/sut#.txt  
NSF_BUFFER_POOL_SIZE_MB=1800  
ServerTasks=Router,HTTP  
TCP TCPIPAddress=0,20.30.10.xx:1352
```

Section 4: Data

The server under test supported 26,000 NotesBench R6iNotes users, achieving a 21904 NotesMark rating of transactions per minute with an average response time of 586 milliseconds per transaction. The test ran for a total of 13 hours, with the steady state lasting for over 6 hours. NotesBench reported no errors.

NotesNum Output for R6iNotes Test:


Min Start Time = 08/18/2005 15:18:04 Max Stop Time = 08/19/2005 04:20:00

Total Test Errors = 0

Total Test Time = 46920 sec


Test Run: Users = 26000 NotesMark = 21904 Response Time = 586 msec (08/18/2005 20:57:00 to 08/19/2005 03:11:00)

During the test, the standard Unix mpstat utility program measured user Total CPU utilization. Samples were taken at 60 Sec. intervals during the ramp-up, steady state, and ramp-down periods. As the following graph shows, the CPU had ~95% utilized by the User.



Disk responsiveness was also measured at 60 Sec. intervals throughout the test, using the standard Unix utility *iostat*. The following graph shows the average time per I/O operation for the 4 RAID volumes. Under peak load, the disk subsystem averaged about ~5 milliseconds to service each I/O request.

The service times were sampled and plotted for four RAID volumes.



Section 5: Analysis

Like any benchmark based on synthetic workloads, NotesBench is more suitable for comparing the "capacities" of different servers relative to each other than for choosing a server for a particular real world situation. The load on a real world server tends to have higher peaks and lower valleys than the load produced by a benchmark executed under tightly controlled conditions. Many industry experts recommend sizing a server to handle peak loads of three to four times the value suggested by a simple average.

One must also determine how closely the benchmark's workload matches the server's intended use. The NotesBench R6iNotes workload simulates users employing a standard browser for sending and receiving e-mails. Each simulated user repeats a cycle of activity lasting roughly fifteen minutes, with extra activity on every sixth cycle (roughly once every ninety minutes):

- Read five messages and mark them as read
- Delete two messages
- Every ninety minutes, creates a mail message and a calendar invitation and sends it to three recipients found in the server's Domino Directory (NAB)

Section 6: Conclusions

This result demonstrates that a single SUN's SunFire V890, 1.5GHz UltraSPARCIV+ system can serve even a large organization by supporting 26,000 R6iNotes mail users.


Moreover, SUN's Sun Fire V890 based on UltraSPARC IV+ processors, is a highly scalable solution. Many of the same components (CPU, I/O interfaces etc.) are shared by other servers in the Sun Fire(TM) product line. All of them run the robust and scalable Solaris Operating environment and the same Domino executable.

Section 7: Statement by Auditor

The copy of the original report, which was signed by Daryl K. Thompson, auditor for KMDS Technical Associates, Inc., is available upon request.

Appendix A: Overall Test Setup

The schematic diagram shows the components of the server under test, the parent and child driver systems, and their network interconnections.



Appendix B: System Configurations

	System Under Test	Clients
Model	Sun Fire V890	Sun Fire V440
CPUs	8 UltraSPARC-IV+	4 UltraSPARC-III
CPU clock rate	1500MHz	1280MHz
Main memory	64 GB	16 GB
O/S and program disks	2x146GB	2 × 73GB
Data disks	48 x 73 GB	n/a
Network adapters	1 onboard Fast Ethernet interface	1 onboard Fast Ethernet interface
Adapter speed	1 Gb/s	1Gb/s
Operating system	Solaris 10 HW1	Solaris 9
Lotus software	Domino 6.5.2	Domino 6.5.2 , Notebench 6.5

Four hardware RAID controllers storage each managed a set of 12 disks, which were configured as 8 RAID 0+1 volumes with 204GB each of fully redundant capacity. The RAID volumes contained all mail files, and all Domino data files.

The benchmark run was executed with 2 internal disks of 73 GB size on the V890 UltraSPARCIV+ 1.5GHz Mail server.

Appendix C: Operating System Parameters

The SUT ran Solaris 10 HW1 without patches. In the future, Sun or Lotus may recommend applying various patches to such a configuration. All Solaris patches are available from the SunSolve OnlineSM Web site, <http://sunsolve.sun.com/>.

The following non-default parameter settings were added to the */etc/system* configuration file. All the settings were specific to this benchmark and may or may not be appropriate for real world servers:

```
set msgsys:msginfo_msgtql=1024
set ge:ge_intr_mode=1
set ge:ge_dmaburst_mode=1
set segmap_percent=64
set autoup=345600
set tune_t_fsflushr=345600
```

Appendix D: Notes Parameters (notes.ini)

The following are the complete contents of the *notes.ini* configuration files for four servers.

Notes.ini. from Domino Partition 1 :

[Notes]

```
Directory=/export/lotus/notesdata1
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/65020/sunspa
FaultRecovery_Build=Release 6.5.2
Debug_Outfile=/tmp/sut1.txt
DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0
DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail6.ntf
Preferences=32
ServerTasks=Router,HTTP
;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
TCPIP_TCPIPAddress=0,20.30.10.63:1352
TCPIP=TCP, 0, 15, 0
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1
MailType=0
;MailLogToEventsOnly=1
;$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=1
LOG_SESSIONS=0
NSF_BUFFER_POOL_SIZE_MB=1800
KeyFilename=/export/lotus/notesdata1/server.id
CertifierIDFile=/export/lotus/notesdata1/cert.id
MailServer=CN=budice1/O=sun7
NAMELOOKUP_TRUST_DIRCAT=0
ServerKeyFileName=server.id
Domain=sun7
Admin=CN=admin/O=sun7
TemplateSetup=600400
Setup=650200
ServerSetup=6010
CleanSetup=1
PhoneLog=2
```

Log=log.nsf, 1, 0, 7, 40000
ServerName=budice1/sun7
ServerNameNative=04590459627564696365312F73756E37
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
ServerController=0
MTEnabled=0
EventSetup=600
WebAdminSetup=608
DominoConfigLevel=1
CRASH_REMOVE_DATA=0
CRASH_LOGFILE_KB=10240
FILE_RETENTION_DAYS=365
FaultRecovery=0
CONSOLE_LOG_ENABLED=1
UPDATE_TIMER=04/20/2005 16:33:44
SERVER_SHOW_PERFORMANCE=1
\$\$HasLANPort=1
JrnlEnbl=0

Notes.ini from Domino Partition 2:

[Notes]Directory=/export/lotus/notesdata2
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/65020/sunspa
TCPIP_TCPIPAddress=0,20.30.10.64:1352
;DominoAsynchronizeAgents=1
NSF_BUFFER_POOL_SIZE_MB=1800
LOG_SESSIONS=0
Debug_Outfile=/tmp/sut2.txt
FaultRecovery_Build=Release 6.5.2
DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0
DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail6.ntf
Preferences=32
ServerTasks=Router,HTTP
;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
TCPIP=TCP, 0, 15, 0
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1
MailType=0
;MailLogToEventsOnly=1
\$\$HasLANPort=1

Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=0
LOG_SESSIONS=0
ExistingServerName=CN=budice1/O=sun7
KeyFilename=/export/lotus/notesdata2/budice2.id
ServerKeyFileName=budice2.id
MailServer=CN=budice2/O=sun7
Domain=SUN7
Admin=CN=admin/O=sun7
TemplateSetup=600400
Setup=650200
ServerSetup=6010
NAMELOOKUP_TRUST_DIRCAT=0
CleanSetup=1
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
CRASH_REMOVE_DATA=0
CRASH_LOGFILE_KB=10240
FILE_RETENTION_DAYS=365
ServerName=budice2/sun7
ServerNameNative=045A045A627564696365322F73756E37
ServerController=0
MTEnabled=0
EventSetup=600
WebAdminSetup=608
DominoConfigLevel=1
FaultRecovery=0
CONSOLE_LOG_ENABLED=1
UPDATE_TIMER=04/20/2005 16:49:20
SERVER_SHOW_PERFORMANCE=1
JnlEnbl=0

Notes.ini from Domino partition 3:

[Notes]

Directory=/export/lotus/notesdata3
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/65020/sunspa
TCPIP_TCPIPAddress=0,20.30.10.65:1352
;DominoAsynchronizeAgents=1
NSF_BUFFER_POOL_SIZE_MB=1800
LOG_SESSIONS=0
Debug_outfile=/tmp/sut3.txt
FaultRecovery_Build=Release 6.5.2
DSTLAW=4,1,1,10,-1,1
SHARED_MAIL=0

DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail6.ntf
Preferences=32
ServerTasks=Router,HTTP
;ServerTasksAt1=Catalog,Design
;ServerTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
TCPIP=TCP, 0, 15, 0
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5DST=1
MailType=0
;MailLogToEventsOnly=1
\$\$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=0
LOG_SESSIONS=0
ExistingServerName=budice1.east.sun.com
KeyFilename=/export/lotus/notesdata3/budice3.id
ServerKeyFileName=budice3.id
MailServer=CN=budice3/O=sun7
Domain=SUN7
Admin=CN=admin/O=sun7
NAMELOOKUP_TRUST_DIRCAT=0
TemplateSetup=600400
Setup=650200
ServerSetup=6010
CleanSetup=1
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
CRASH_REMOVE_DATA=0
CRASH_LOGFILE_KB=10240
FILE_RETENTION_DAYS=365
ServerController=0
ServerName=budice3/sun7
ServerNameNative=045B045B627564696365332F73756E37
MTEnabled=0
EventSetup=600
CONSOLE_LOG_ENABLED=1
SERVER_SHOW_PERFORMANCE=1
FaultRecovery=0
WebAdminSetup=608
DominoConfigLevel=1
UPDATE_TIMER=07/14/2005 14:37:02
JmlEnbld=0

Notes.ini from Domino partition 4

```
[Notes]
Directory=/export/lotus/notesdata4
KitType=2
UserName=
CompanyName=
NotesProgram=/opt/lotus/notes/65020/sunspa
TCPIP_TCPIPAddress=0,20.30.10.66:1352
;DominoAsynchronizeAgents=1
NSF_BUFFER_POOL_SIZE_MB=1800
LOG_SESSIONS=0
Debug_Outfile=/tmp/sut4.txt
FaultRecovery_Build=Release 6.5.2
SHARED_MAIL=0
DisableLDAPOnAdmin=1
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail6.ntf
Preferences=32
ServerTasks=Router,HTTP
;ServerTasksAt1=Catalog,Design
;erverTasksAt2=UpdAll
;ServerTasksAt3=Object Info -Full
;ServerTasksAt5=Statlog
TCPIP=TCP, 0, 15, 0
Serial1=XPC,1,15,0,
Serial2=XPC,2,15,0,
Timezone=5
DST=1
MailType=0
;MailLogToEventsOnly=1
$$HasLANPort=1
Ports=TCPIP
DisabledPorts=Serial1,Serial2
LOG_REPLICATION=0
LOG_SESSIONS=0
ExistingServerName=CN=budice1/O=sun7
KeyFilename=/export/lotus/notesdata4/budice4.id
ServerKeyFileName=budice4.id
MailServer=CN=budice4/O=sun7
Domain=sun7
Admin=CN=admin/O=sun7
TemplateSetup=600400
Setup=650200
ServerSetup=6010
NAMELOOKUP_TRUST_DIRCAT=0
CleanSetup=1
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
FormulaTimeout=120
NSF_QUOTA_METHOD=2
TRANSLOG_AutoFixup=1
TRANSLOG_UseAll=0
TRANSLOG_Style=0
TRANSLOG_Performance=2
TRANSLOG_Status=0
CRASH_REMOVE_DATA=0
```

CRASH_LOGFILE_KB=10240
FILE_RETENTION_DAYS=365
ServerName=budice4/sun7
ServerNameNative=045C045C627564696365342F73756E37
ServerController=0
MTEnabled=0
EventSetup=600
CONSOLE_LOG_ENABLED=1
SERVER_SHOW_PERFORMANCE=1
FaultRecovery=0
DSTLAW=4,1,1,10,-1,1
WebAdminSetup=608
DominoConfigLevel=1
UPDATE_TIMER=07/22/2005 11:26:48
JnlEnblD=0

Notes.ini of child1

[Notes]
ResultsDirectory=/export/home/results
Debug_Outfile=/export/home/results/res_schell_1
Debug_File_Perms=0666
Domain=sun7
UseServerNAB=1
NthIteration=6
NormalMessageSize=10000
NumMessageRecipients=3
MessageLineSize=100
NumMailNotesPerUser=100
MailTemplate=budice1!!iNotes6.ntf
MaxDocToDelete=10000
NodeName=sc1
MailServer=CN=budice1/O=sun7
ThreadStagger=3
;NABentries=7800
;NABentries=8300
;NABentries=12400
;NABentries=7800
;NABentries=5200
;
HTTPHost=budice1.east.sun.com
WebDebugOn=0
WebAuthenticationOff=1
WebPreferencesOff=0
Directory=/export/home/child1
KitType=1
InstallType=1
Timezone=5
DST=1
\$\$HasLANPort=1
WWWDSync_BROWSERCACHE=1
WWWDSync_PREFETCH_OBJECT=1
EnableJavaApplets=1
EnablePlugins=1
Preferences=2147486833
AltNameLanguage=en
ContentLanguage=en-US

WeekStart=1
ViewWeekStart=2
NavWeekStart=2
XLATE_CSID=52
SPELL_LANG=1033
Region=en-US
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=mail50.ntf
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
TCPIP=TCP, 0, 15, 0
LAN0=NETBIOS, 0, 15, 0
VINES=VINES, 0, 15, 0
SPX=NWSPX, 0, 15, 0
COM1=XPC,1,15,0,
COM2=XPC,2,15,0,
COM3=XPC,3,15,0,
COM4=XPC,4,15,0,
COM5=XPC,5,15,0,
;Ports=TCPIP,LAN0,COM1
Ports=TCPIP
DisabledPorts=VINES,SPX,COM2,COM3,COM4,COM5
KeyFilename=child9.id
CertificateExpChecked=child9.id 04/14/2005
MailFile=mail\admin.nsf
TemplateSetup=55
Setup=59
Location=budice1,A6E,CN=child9/O=sun7
;Location=budice1,992,CN=Child7/O=V40Z
;\$IEVersionMajor=5
ECLSetup=3
;\$headlineClientId=21B0E7B0:037D545D-8825687A:0007187C
AdminLastServer=budice1/sun7
FileDlgDirectory=/export/purple/lotus/notesdata
AdminSetup=501
CertifierIDFile=/export/purple/lotus/notesdata/cert.id
NewUserServer=CN=budice1/O=sun7
FaultRecovery_Build=Release 6.5.1
CONSOLE_LOG_ENABLED=1
DSTLAW=4,1,1,10,-1,1
MailType=0
UPDATE_TIMER=01/22/2003 18:17:21

Notes.ini of Parent:

[Notes]
ResultsDirectory=/export/home/results
Debug_Outfile=/export/home/results/parent.txt
Debug_File_Perms=0666
Domain=sun7
UseServerNAB=1
NthIteration=6
NormalMessageSize=10000
NumMessageRecipients=3
NumMailNotesPerUser=100
MaxDocToDelete=10000
#NB_IgnoreErrorsOnRollup=1

```

NodeName=Parent
Runtime=740
;Runtime=360
;Runtime=660
;Runtime=495
;Runtime=185
;Runtime=590
;Runtime=450
;Runtime=870
;Runtime=780
;Runtime=720
;Runtime=890
;ChildStagger=5, 1-6; 12, 7-12; 18, 13-15; 25, 16-19; 30, 20-26; 35, 27-30
;ChildStagger=2, 1-6; 8, 7-12; 15, 13-14; 30, 15-19; 30, 20-24
; use the following
;ChildStagger=2, 1-6; 5, 7-12; 10, 13-14; 15, 15-18; 20, 19-23; 25, 24-29; 35, 30-32

;ChildStagger=2, 1-6; 5, 7-12; 10, 13-14; 15, 15-18; 20, 19-23; 25, 24-29; 30, 30-35;
35, 36-40
;ChildStagger=4, 1-6; 8, 7-12; 12, 13-15; 16, 16-19; 20, 20-24; 25, 25-30; 30, 31-36;
35, 37-40
;ChildStagger=2, 1-6; 5, 7-12; 8, 13-14; 10, 15-18; 12, 19-23; 14, 24-29; 17, 30-32; 20, 33-36; 24, 37-40; 27,
41-46; 30, 47-50; 33, 51-55; 35, 56-60; 37, 61-64
ChildStagger=5
;NumClients1=100
;NumClients2=100
;NumClients3=100
;NumClients1=1
NumClients1=500
NumClients2=500
NumClients3=500
NumClients4=500
NumClients5=500
NumClients6=500
NumClients7=500
NumClients8=500
NumClients9=500
NumClients10=500
NumClients11=500
NumClients12=500
NumClients13=500
NumClients14=500
NumClients15=500
NumClients16=500
NumClients17=500
NumClients18=500
NumClients19=500
NumClients20=500
NumClients21=500
NumClients22=500
NumClients23=500
NumClients24=500
NumClients25=500
NumClients26=500
NumClients27=500
NumClients28=500
NumClients29=500
NumClients30=500

```

NumClients31=500
NumClients32=500
NumClients33=500
NumClients34=500
NumClients35=500
NumClients36=500
NumClients37=500
NumClients38=500
NumClients39=500
NumClients40=500
NumClients41=500
NumClients42=500
NumClients43=500
NumClients44=500
NumClients45=500
NumClients46=500
NumClients47=500
NumClients48=500
NumClients49=500
NumClients50=500
NumClients51=500
NumClients52=500
NumClients53=500
NumClients54=500
Directory=/export/home/parent
KitType=1
InstallType=1
Timezone=5
DST=1
\$\$HasLANPort=1
WWWDSync_BROWSERCACHE=1
WWWDSync_PREFETCH_OBJECT=1
EnableJavaApplets=1
EnablePlugins=1
Preferences=2147486833
AltNameLanguage=en
ContentLanguage=en-US
WeekStart=1
ViewWeekStart=2
NavWeekStart=2
XLATE_CSID=52
SPELL_LANG=1033
Region=en-US
Passthru_LogLevel=0
Console_LogLevel=2
DefaultMailTemplate=iNotes60.ntf
;DefaultMailTemplate=mail50.ntf
PhoneLog=2
Log=log.nsf, 1, 0, 7, 40000
TCPIP=TCP, 0, 15, 0
LAN0=NETBIOS, 0, 15, 0
VINES=VINES, 0, 15, 0
SPX=NWSPX, 0, 15, 0
COM1=XPC,1,15,0,
COM2=XPC,2,15,0,
COM3=XPC,3,15,0,
COM4=XPC,4,15,0,
COM5=XPC,5,15,0,

;Ports=TCPIP,LAN0,COM1
Ports=TCPIP
DisabledPorts=VINES,SPX,COM2,COM3,COM4,COM5
KeyFilename=child9.id
CertificateExpChecked=child9.id 02/07/2005
MailServer=CN=budice1/O=sun7
MailFile=mail\admin.nsf
TemplateSetup=55
Setup=59
;Location=budice1,992,CN=child6/O=sun6
;Location=lin1,A42,CN=child7/O=v40z1
Location=budice1,A6E,CN=child9/O=sun7
;\$IEVersionMajor=5
ECLSetup=3
;\$headlineClientId=21B0E7B0:037D545D-8825687A:0007187C
AdminLastServer=budice1/sun7
;AdminLastServer=lin1/v40z1
FileDlgDirectory=/export/purple/lotus/notesdata
AdminSetup=501
CertifierIDFile=/export/purple/lotus/notesdata/cert.id
NewUserServer=CN=budice1/O=sun7
FaultRecovery_Build=Release 6.5.1
CONSOLE_LOG_ENABLED=1
DSTLAW=4,1,1,10,-1,1
MailType=0

Appendix E: Network Configuration Files

The network used Solaris' native TCP/IP capability. System name services were supplied by each machine's local */etc/hosts* file; here is the SUT's version:

```
#
# Internet host table
#
127.0.0.1          localhost
10.8.9.77         notes890          loghost
10.8.4.10         complab1c
#10.8.9.10        complab1
#Public Addresses
10.8.9.77         notes890
10.8.9.67         notes880
10.8.9.68         nclient1
10.8.9.69         nclient2
10.8.9.70         nclient3
10.8.9.71         nclient4
10.8.9.72         nclient5
10.8.9.73         nclient6
#Private Addresses
20.30.10.63       budice1 budice1.sun.com budice1.east.sun.com
20.30.10.64       budice2 budice2.sun.com budice2.east.sun.com
20.30.10.65       budice3 budice3.sun.com budice3.east.sun.com
20.30.10.66       budice4 budice4.sun.com budice4.east.sun.com
20.30.10.67              schell
20.30.10.68              firebrick
20.30.10.69              pils
20.30.10.70              weizen
20.30.10.71              molson
20.30.10.72              coors
```

Appendix F: Guidelines for Information Usage

This report is for use by Sun Microsystems' staff, customers, and resellers. It may be freely copied and distributed provided the entire report remains intact.

Appendix G: Pricing

V890/1500 USIV+ R6iNotes Pricing

Product No.	Description	Qty	List Price	Discounted Price	Extended Net Price
A53-CLH8C264G TD	Sun Fire V890 Server, 8*1.5GHz UltraSPARC IV+ processors, 64GB of DRAM(64*1GB DIMMS), 6*146GB 10Krpm FC-AL hard disks, onboard 1Gb/sec Fast Ethernet interface, bundled with Solaris 10 HW1 Operating System.	1	\$162,995.00	\$130,396.00	\$130,396.00
X320A	Power Cord Sun Fire 3800-4810 server, Sun Fire V490 server, Sun Fire V890 server, Direct to wall, N.American	3	N/C	N/C	N/C
SG-XPCI2SCSI-LM320	Sun StorEdge PCI dual channel Ultra320 differential SCSI host bus adapter	4	\$510.00	\$357.00	\$1,428.00.
XTA3310R01A2V876	Sun StorEdge 3310 SCSI array Rack Ready, 876GB (12x73GB 15K RPM disks) w/2 Ultra160 SCSI RAID controllers, 512MB cache, and 2 AC power supplies, Includes Sun StorEdge Configuration Service software	4	\$23,495.00	\$16,446.50	\$65,786.00
X311L	Localized Power Cord Kit North American/Asian	4	N/C	N/C	N/C
X1138A	Cable, SCSI, VHDCI/VHDCI, 2m	8	\$95.00	\$80.75	\$646.00
Wyse WY-150 Amber 80 900983-07	Wyse WY-150 Amber 80 132-COLUMN 141N 2 SERIAL, 1 PARALLEL WO/KEYBOARD	1	\$180.00	\$180.00	\$180.00
D51NRLX-X	Domino R6 Messaging Server Per Processor	16	\$1,145.00		\$18,320.00
Total Price					\$216,756.00

The prices quoted above were obtained from Sun Microsystems Internal Sales. They are available to any buyer purchasing a single system of this configuration. Someone purchasing this system from a different reseller might be quoted different prices. In the United States, Sun can set list prices but cannot dictate prices to its resellers.

Appendix H: Vendor-Defined Information

None.

Appendix I: Domino “Show Statistics” Output

Show Stat, Partition 1

show stat

Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 30
Database.Database.BufferPool.MM.Writes = 2
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 95.55
Database.DbCache.CurrentEntries = 1595
Database.DbCache.HighWaterMark = 2482
Database.DbCache.Hits = 942593
Database.DbCache.InitialDbOpens = 965267
Database.DbCache.Lookups = 977744
Database.DbCache.MaxEntries = 5400
Database.DbCache.OvercrowdingRejections = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 114
Database.FreeHandleStack.FreeHandleStackHits = 16514236
Database.FreeHandleStack.HandleAllocations = 16534919
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0
Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0
Database.NAMELookupCacheCacheSize = 10,700,868
Database.NAMELookupCacheHashSize = 1,236,854
Database.NAMELookupCacheHits = 68,919
Database.NAMELookupCacheLookups = 1,547,266

Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 1,308,086
Database.NAMELookupCacheNoHitHits = 170,261
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,719,648
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 75
Database.NAMELookupTotal = 1547285
Database.NAMELookupTotalLookupTime = 1,829.521
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 341,280
Database.NSFPool.Peak = 158,334,976
Database.NSFPool.Used = 123,035,104
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfullHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.Replicate.UnreadMarks.ChunkLookups = 0
Database.NSF.Replicate.UnreadMarks.ChunksScanned = 0
Database.NSF.Replicate.UnreadMarks.ChunksSkimmed = 0
Database.NSF.Replicate.UnreadMarks.DroppedFutureEntries = 0
Database.NSF.Replicate.UnreadMarks.DroppedOldEntries = 0
Database.NSF.Replicate.UnreadMarks.FullReplications = 0
Database.NSF.Replicate.UnreadMarks.LocalMaxChunks = 0
Database.NSF.Replicate.UnreadMarks.LocalUnreadOperations = 0
Database.NSF.Replicate.UnreadMarks.MessagesReceived = 0
Database.NSF.Replicate.UnreadMarks.MessagesSent = 0
Database.NSF.Replicate.UnreadMarks.OperationsReceived = 0
Database.NSF.Replicate.UnreadMarks.OperationsSent = 0
Database.NSF.Replicate.UnreadMarks.UsersActive = 0
Database.NSF.Replicate.UnreadMarks.UsersActiveMax = 0
Database.NSF.SignatureCache.Hits = 18001
Database.NSF.SignatureCache.Tries = 42002
Database.RM.Sys.Logged = Disabled

Disk.Fixed = 0
Disk.Remote = 0
Disk./export/inotesmail/mailfiles4.Free = 131,869,275,136
Disk./export/inotesmail/mailfiles4.Size = 215,815,340,032
Disk./export/inotesmail/mailfiles4.Type = ufs
Disk./export/lotus.Free = 80,376,668,160
Disk./export/lotus.Size = 105,749,790,720
Disk./export/lotus.Type = ufs
Domino.Cache.Command.Count = 0
Domino.Cache.Command.DisplaceRate = 0
Domino.Cache.Command.HitRate = 0
Domino.Cache.Command.MaxSize = 128
Domino.Cache.Database.HitRate = 31.795887070981
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 12.1803893203813
Domino.Cache.Design.HitRate = 87.8188037624451
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 99.9999898564001
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.NNotesID.Count = 0
Domino.Cache.NNotesID.MaxSize = 2,500
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session.Count = 0
Domino.Cache.Session.MaxSize = 1,000
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User.Count = 0
Domino.Cache.User.DisplaceRate = 0
Domino.Cache.User.HitRate = 99.9999725464939
Domino.Cache.User.MaxSize = 2,500
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0
Domino.Command.DeleteDocuments = 0
Domino.Command.EditDocument = 1342063
Domino.Command.GetOrbCookie = 0

Domino.Command.MoveToFolder = 0
Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0
Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 1882054
Domino.Command.OpenElement = 10
Domino.Command.OpenFileResource = 0
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 3480490
Domino.Command.Unknown = 0
Domino.Config.ActiveThreads.Max = 40
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI = /export/lotus/notesdata1/domino/cgi-bin
Domino.Config.Directory.HTML = /export/lotus/notesdata1/domino/html
Domino.Config.Directory.Icons = /export/lotus/notesdata1/domino/icons
Domino.Config.Directory.JavaRoot = /export/lotus/notesdata1/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName =
Domino.Config.Image.Format = GIF

Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile = /export/lotus/notesdata1/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 3,450,291
Domino.Requests.Per1Day.PeakTime = 08/19/2005 03:05:12 EDT
Domino.Requests.Per1Day.Total = 3,450,291
Domino.Requests.Per1Hour.Peak = 425,915
Domino.Requests.Per1Hour.PeakTime = 08/18/2005 21:23:06 EDT
Domino.Requests.Per1Hour.Total = 386,442
Domino.Requests.Per1Minute.Peak = 8,340
Domino.Requests.Per1Minute.PeakTime = 08/18/2005 23:52:35 EDT
Domino.Requests.Per1Minute.Total = 7,593
Domino.Requests.Per5Minute.Peak = 39,132
Domino.Requests.Per5Minute.PeakTime = 08/18/2005 23:56:45 EDT
Domino.Requests.Per5Minute.Total = 31,357
Domino.Requests.Total = 3,480,404
Domino.ThreadPool.average = 65536
Domino.ThreadPool.max = 524288
Domino.Threads.Active.Peak = 40
FT.Index.Bytes.PerHour = 0
FT.Index.Count = 2
FT.Index.Documents.Added = 0
FT.Index.Documents.Deleted = 0

FT.Index.Documents.Updated = 0
FT.Index.Total.Bytes = 0
FT.Index.Total.TimeMS = 38
Http.Accept.ConnectionsAccepted = 3642474
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 3650211
Http.Accept.PollTimeouts = 7736
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 100
Http.MaxConnections = 2000
Http.Workers = 40
Http.Worker.Total.BytesRead = 1,786,467,866
Http.Worker.Total.BytesWritten = 53,383,330,015
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.DomWS.Requests = 0
Http.Worker.Total.DomWS.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 40
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 3642374
Http.Worker.Total.Notes.RequestTime = 721,432,858
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.QuickPlace.Requests = 0
Http.Worker.Total.QuickPlace.RequestTime = 0
Http.Worker.Total.RequestsProcessed = 3642374
Http.Worker.Total.TotalRequestTime = 721,432,858
Mail.AverageDeliverTime = 1
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 52
Mail.CurrentByteDeliveryRate = 217787
Mail.CurrentByteTransferRate = 103212
Mail.CurrentMessageDeliveryRate = 7

Mail.CurrentMessageTransferRate = 4
Mail.DBCacheEntries = 5399
Mail.DBCacheHits = 230589
Mail.DBCacheReads = 294729
MAIL.Dead = 0
Mail.Delivered = 264890
Mail.DeliveredSize.100KB_to_1MB = 12713
Mail.DeliveredSize.10KB_to_100KB = 107235
Mail.DeliveredSize.1KB_to_10KB = 144267
Mail.DeliveredSize.1MB_to_10MB = 675
Mail.Deliveries = 295041
Mail.DeliveryThreads.Active = 0
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = SUN7
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 0
Mail.Mailbox.Accesses = 84930
Mail.Mailbox.AccessWarnings = 159
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 4
Mail.Mailbox.Opens = 37455
Mail.MaximumDeliverTime = 152
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9768
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 262837
Mail.PeakByteTransferRate = 459158
Mail.PeakMessageDeliveryRate = 9
Mail.PeakMessageDeliveryTime = 08/18/2005 21:28:00 EDT
Mail.PeakMessagesDelivered = 564
Mail.PeakMessagesTransferred = 310
Mail.PeakMessageTransferRate = 5
Mail.PeakMessageTransferTime = 08/18/2005 21:05:50 EDT
Mail.PeakTotalBytesDelivered = 15770242
Mail.PeakTotalBytesTransferred = 27549501
Mail.TotalKBDelivered = 13,152,694
Mail.TotalKBTransferred = 6,768,038

Mail.TotalKBTransferred.NRPC = 6,768,038
Mail.TotalPending = 14
Mail.TotalRouted = 454944
Mail.TotalRouted.NRPC = 454944
Mail.Transferred = 146829
Mail.TransferredSize.100KB_to_1MB = 6992
Mail.TransferredSize.10KB_to_100KB = 59384
Mail.TransferredSize.1KB_to_10KB = 80131
Mail.TransferredSize.1MB_to_10MB = 322
Mail.Transferred.NRPC = 146829
Mail.TransferThreads.Active = 0
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 7
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 20
Mem.Allocated = 1146654484
Mem.Allocated.Process = -1394025064
Mem.Allocated.Shared = -1754287632
Mem.Availability = Plentiful
Mem.PhysicalRAM = 2147483647
NET.GroupCache.Hits = 44,399
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,186
NET.Log.budice1/sun7.PeakUnwrittenEntries = 9
NET.Log.budice1/sun7.UnwrittenEntries = 2
NET.TCPIP.BytesReceived = 6,008,223,282
NET.TCPIP.BytesSent = 5,699,147,668
NET.TCPIP.Sessions.Established.Incoming = 37508
NET.TCPIP.Sessions.Established.Outgoing = 36195
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 87
NET.TCPIP.Sessions.Recycled = 0

NET.TCPIP.Sessions.Recycling = 0
Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.10.AssignedName = sd48
Platform.LogicalDisk.10.PctUtil = 3.1
Platform.LogicalDisk.10.PctUtil.Avg = 0.9
Platform.LogicalDisk.10.PctUtil.Peak = 3.6
Platform.LogicalDisk.10.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.10.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.10.ServiceTimeinmsecs.Peak = 4
Platform.LogicalDisk.11.AssignedName = sd63
Platform.LogicalDisk.11.PctUtil = 0
Platform.LogicalDisk.11.PctUtil.Avg = 0.9
Platform.LogicalDisk.11.PctUtil.Peak = 3.6
Platform.LogicalDisk.11.ServiceTimeinmsecs = 0
Platform.LogicalDisk.11.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.11.ServiceTimeinmsecs.Peak = 4.7
Platform.LogicalDisk.12.AssignedName = sd79
Platform.LogicalDisk.12.PctUtil = 0.4
Platform.LogicalDisk.12.PctUtil.Avg = 0.8
Platform.LogicalDisk.12.PctUtil.Peak = 3.6
Platform.LogicalDisk.12.ServiceTimeinmsecs = 0
Platform.LogicalDisk.12.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.12.ServiceTimeinmsecs.Peak = 3.6
Platform.LogicalDisk.13.AssignedName = sd93
Platform.LogicalDisk.13.PctUtil = 0
Platform.LogicalDisk.13.PctUtil.Avg = 0.8
Platform.LogicalDisk.13.PctUtil.Peak = 3.6
Platform.LogicalDisk.13.ServiceTimeinmsecs = 0
Platform.LogicalDisk.13.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.13.ServiceTimeinmsecs.Peak = 4.3
Platform.LogicalDisk.1.AssignedName = ssd1
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0
Platform.LogicalDisk.1.PctUtil.Peak = 0.1
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 15.4
Platform.LogicalDisk.2.AssignedName = ssd2
Platform.LogicalDisk.2.PctUtil = 0
Platform.LogicalDisk.2.PctUtil.Avg = 0

Platform.LogicalDisk.2.PctUtil.Peak = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 12.3
Platform.LogicalDisk.3.AssignedName = ssd3
Platform.LogicalDisk.3.PctUtil = 0.5
Platform.LogicalDisk.3.PctUtil.Avg = 0
Platform.LogicalDisk.3.PctUtil.Peak = 0.5
Platform.LogicalDisk.3.ServiceTimeinmsecs = 5.3
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 1
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 20.5
Platform.LogicalDisk.4.AssignedName = ssd0
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0
Platform.LogicalDisk.4.PctUtil.Peak = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.5.AssignedName = ssd4
Platform.LogicalDisk.5.PctUtil = 0
Platform.LogicalDisk.5.PctUtil.Avg = 0
Platform.LogicalDisk.5.PctUtil.Peak = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.6.AssignedName = sd212
Platform.LogicalDisk.6.PctUtil = 2.5
Platform.LogicalDisk.6.PctUtil.Avg = 0.9
Platform.LogicalDisk.6.PctUtil.Peak = 3.6
Platform.LogicalDisk.6.ServiceTimeinmsecs = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.6.ServiceTimeinmsecs.Peak = 1.9
Platform.LogicalDisk.7.AssignedName = sd1
Platform.LogicalDisk.7.PctUtil = 1.9
Platform.LogicalDisk.7.PctUtil.Avg = 0.8
Platform.LogicalDisk.7.PctUtil.Peak = 3.6
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 3.1
Platform.LogicalDisk.9.AssignedName = sd34

Platform.LogicalDisk.9.PctUtil = 0
Platform.LogicalDisk.9.PctUtil.Avg = 0.9
Platform.LogicalDisk.9.PctUtil.Peak = 3.6
Platform.LogicalDisk.9.ServiceTimeinmsecs = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.9.ServiceTimeinmsecs.Peak = 3.8
Platform.LogicalDisk.TotalNumofDisks = 14
Platform.LogicalDisk..14.AssignedName = sd1
Platform.LogicalDisk..14.PctUtil = 0
Platform.LogicalDisk..14.PctUtil.Avg = 0
Platform.LogicalDisk..14.PctUtil.Peak = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk..8.AssignedName = sd1
Platform.LogicalDisk..8.PctUtil = 1.7
Platform.LogicalDisk..8.PctUtil.Avg = 0.9
Platform.LogicalDisk..8.PctUtil.Peak = 3.6
Platform.LogicalDisk..8.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk..8.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk..8.ServiceTimeinmsecs.Peak = 3.3
Platform.Memory.RAM.AvailMBytes = 12,517.1
Platform.Memory.RAM.AvailMBytes.Avg = 13,042.8
Platform.Memory.RAM.AvailMBytes.Min = 0
Platform.Memory.RAM.AvailMBytes.Peak = 35,511.2
Platform.Memory.RAM.PctUtil = 80.9
Platform.Memory.RAM.TotalMBytes = 65536
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.1.AdapterName = ipdrop
Platform.Network.1.BytesRecvdPerSec = Not Available
Platform.Network.1.BytesSentPerSec = Not Available
Platform.Network.1.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = Not Available
Platform.Network.1.TotalBytesPerSec = Not Available
Platform.Network.2.AdapterName = ipsec_stat
Platform.Network.2.BytesRecvdPerSec = Not Available
Platform.Network.2.BytesSentPerSec = Not Available

Platform.Network.2.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = Not Available
Platform.Network.2.TotalBytesPerSec = Not Available
Platform.Network.3.AdapterName = tcpstat
Platform.Network.3.BytesRecvdPerSec = Not Available
Platform.Network.3.BytesSentPerSec = Not Available
Platform.Network.3.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.3.PctCollisionRate = 0
Platform.Network.3.PctUtilBandwidth = Not Available
Platform.Network.3.TotalBytesPerSec = Not Available
Platform.Network.4.AdapterName = ipstat
Platform.Network.4.BytesRecvdPerSec = Not Available
Platform.Network.4.BytesSentPerSec = Not Available
Platform.Network.4.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.4.PctCollisionRate = 0
Platform.Network.4.PctUtilBandwidth = Not Available
Platform.Network.4.TotalBytesPerSec = Not Available
Platform.Network.5.AdapterName = ip6stat
Platform.Network.5.BytesRecvdPerSec = Not Available
Platform.Network.5.BytesSentPerSec = Not Available
Platform.Network.5.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.5.PctCollisionRate = 0
Platform.Network.5.PctUtilBandwidth = Not Available
Platform.Network.5.TotalBytesPerSec = Not Available
Platform.Network.6.AdapterName = ah_stat
Platform.Network.6.BytesRecvdPerSec = Not Available
Platform.Network.6.BytesSentPerSec = Not Available
Platform.Network.6.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.6.PctCollisionRate = 0
Platform.Network.6.PctUtilBandwidth = Not Available
Platform.Network.6.TotalBytesPerSec = Not Available
Platform.Network.7.AdapterName = esp_stat
Platform.Network.7.BytesRecvdPerSec = Not Available
Platform.Network.7.BytesSentPerSec = Not Available
Platform.Network.7.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.7.PctCollisionRate = 0
Platform.Network.7.PctUtilBandwidth = Not Available
Platform.Network.7.TotalBytesPerSec = Not Available
Platform.Network.8.AdapterName = eri0

Platform.Network.8.BytesRecvdPerSec = 681.5
Platform.Network.8.BytesSentPerSec = 1,252.6
Platform.Network.8.CurrBandwidthMbitsPerSec = 100
Platform.Network.8.PctCollisionRate = 0
Platform.Network.8.PctUtilBandwidth = 0
Platform.Network.8.TotalBytesPerSec = 1,934.1
Platform.Network.9.AdapterName = ge1
Platform.Network.9.BytesRecvdPerSec = 986,437.7
Platform.Network.9.BytesSentPerSec = 5,337,336.9
Platform.Network.9.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.9.PctCollisionRate = 0
Platform.Network.9.PctUtilBandwidth = 5.1
Platform.Network.9.TotalBytesPerSec = 6,323,774.6
Platform.Network.Total.NumofAdapters = 9
Platform.Network.Total.BytesRecvdPerSec = 987,119.2
Platform.Network.Total.BytesSentPerSec = 5,338,589.5
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,100
Platform.Network.Total.NetworkBytesPerSec = 6,325,708.7
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 4.6
Platform.PagingFile.Total.PctUtil = 0
Platform.PagingFile.Total.PctUtil.Avg = 6.5
Platform.PagingFile.Total.PctUtil.Peak = 100
Platform.Process.ActiveDomino.TotalCpuUtil = 5.4
Platform.Process.ActiveNumOfDominoProc = 4
Platform.Process.event.1.PctCpuUtil = 0.1
Platform.Process.event.1.ProcessID = 6991
Platform.Process.http.1.PctCpuUtil = 4.7
Platform.Process.http.1.ProcessID = 17657
Platform.Process.router.1.PctCpuUtil = 0.5
Platform.Process.router.1.ProcessID = 17652
Platform.Process.server.1.PctCpuUtil = 0.1
Platform.Process.server.1.ProcessID = 3122
Platform.System.ContextSwitchesPerSec = 8,273
Platform.System.ContextSwitchesPerSec.Avg = 8,243.1
Platform.System.ContextSwitchesPerSec.Min = 5,055.1
Platform.System.ContextSwitchesPerSec.Peak = 11,111.3
Platform.System.CPUQueueLen = 8.3
Platform.System.CPUQueueLen.Avg = 5.7
Platform.System.CPUQueueLen.Peak = 14.1

Platform.System.PctCombinedCpuUtil = 98.7
Platform.System.PctCombinedCpuUtil.Avg = 79.6
Platform.System.PctCombinedCpuUtil.Peak = 100
Platform.System.PctTotalPrivilegedCpuUtil = 5.6
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 4.7
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 15.5
Platform.System.PctTotalUserCpuUtil = 93.1
Platform.System.PctTotalUserCpuUtil.Avg = 74.9
Platform.System.PctTotalUserCpuUtil.Peak = 94.6
Platform.Time.LastSample = 08/19/2005 03:10:00 EDT
Platform.Time.SampleRateInMins = 1
Server.Administrators = CN=admin/O=sun7
Server.Administrators.Access = CN=admin/O=sun7
Server.AvailabilityIndex = 4
Server.AvailabilityThreshold = 0
Server.BootID = 6781702
Server.BusyTimeQuery.ReceivedCount = 0
Server.CPU.Count = 16
Server.ElapsedTime = 12:19:44
Server.ExpansionFactor = 53.2472547488941
Server.MailBoxes = 4
Server.Monitor.Start = 08/18/2005 14:50:23 EDT
Server.Name = CN=budice1/O=sun7
Server.OpenRequest.MaxUsers = 0
Server.OpenRequest.Restricted = 0
Server.Path.Configfile = /export/lotus/notesdata1/notes.ini
Server.Path.Data = /export/lotus/notesdata1
Server.Path.Executable = /opt/lotus/notes/65020/sunspa/
Server.Ports = TCPIP
Server.PoweredBy = Notes
Server.Sessions.Dropped = 8
Server.SharedMail = 0
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:03 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:05 EDT]

Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:03 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:03 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:05 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:10:04 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:04 EDT]
Server.Task = HTTP Server: Listen for connect requests on TCP Port:80: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Idle: [08/19/2005 03:10:06 EDT]
Server.Task = Event Monitor: Idle: [08/19/2005 03:10:07 EDT]
Server.Tasks = 106
Server.Task.DB = Database Server: Idle: [08/19/2005 03:10:07 EDT]
Server.Time.Start = 08/18/2005 14:50:23 EDT
Server.Title =
Server.Trans.PerMinute = 819
Server.Trans.PerMinute.Peak = 1295
Server.Trans.PerMinute.Peak.Time = 08/19/2005 00:53:24 EDT
Server.Trans.Total = 524521
Server.Users = 1
Server.Users.1MinPeak = 23
Server.Users.1MinPeakTime = 08/18/2005 16:01:35 EDT
Server.Users.5MinPeak = 40
Server.Users.5MinPeakTime = 08/18/2005 16:01:35 EDT
Server.Users.Active = 0
Server.Users.Active15Min = 0
Server.Users.Active1Min = 0
Server.Users.Active30Min = 0

Server.Users.Active3Min = 0
Server.Users.Active5Min = 0
Server.Users.Peak = 43
Server.Users.Peak.Time = 08/18/2005 17:05:05 EDT
Server.Version.Notes = Release 6.5.2
Server.Version.Notes.BuildNumber = 194
Server.Version.OS = SunOS 5.10 Generic_118822-10
Server.WorkThreads = 40
Stats.Time.Current = 08/19/2005 03:10:25 EDT
Stats.Time.Start = 08/18/2005 14:50:17 EDT
601 statistics found

Show Stat, Partition 2

show stat

Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 30
Database.Database.BufferPool.MM.Writes = 2
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 95.5
Database.DbCache.CurrentEntries = 1539
Database.DbCache.HighWaterMark = 2340
Database.DbCache.Hits = 944655
Database.DbCache.InitialDbOpens = 966977
Database.DbCache.Lookups = 979959
Database.DbCache.MaxEntries = 5400
Database.DbCache.OvercrowdingRejections = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 114
Database.FreeHandleStack.FreeHandleStackHits = 16575246
Database.FreeHandleStack.HandleAllocations = 16596777
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0
Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0

Database.NAMELookupCacheCacheSize = 10,718,472
Database.NAMELookupCacheHashSize = 1,236,854
Database.NAMELookupCacheHits = 61,139
Database.NAMELookupCacheLookups = 1,555,634
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 1,323,660
Database.NAMELookupCacheNoHitHits = 170,835
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,764,704
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 75
Database.NAMELookupTotal = 1555654
Database.NAMELookupTotalLookupTime = 1,848.046
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 325,024
Database.NSFPool.Peak = 158,334,976
Database.NSFPool.Used = 123,072,480
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfullHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.Replicate.UnreadMarks.ChunkLookups = 0
Database.NSF.Replicate.UnreadMarks.ChunksScanned = 0
Database.NSF.Replicate.UnreadMarks.ChunksSkimmed = 0
Database.NSF.Replicate.UnreadMarks.DroppedFutureEntries = 0
Database.NSF.Replicate.UnreadMarks.DroppedOldEntries = 0
Database.NSF.Replicate.UnreadMarks.FullReplications = 0
Database.NSF.Replicate.UnreadMarks.LocalMaxChunks = 0
Database.NSF.Replicate.UnreadMarks.LocalUnreadOperations = 0
Database.NSF.Replicate.UnreadMarks.MessagesReceived = 0
Database.NSF.Replicate.UnreadMarks.MessagesSent = 0
Database.NSF.Replicate.UnreadMarks.OperationsReceived = 0
Database.NSF.Replicate.UnreadMarks.OperationsSent = 0
Database.NSF.Replicate.UnreadMarks.UsersActive = 0

Database.NSF.Replicate.UnreadMarks.UsersActiveMax = 0
Database.NSF.SignatureCache.Hits = 19501
Database.NSF.SignatureCache.Tries = 45502
Database.RM.Sys.Logged = Disabled
Disk.Fixed = 0
Disk.Remote = 0
Disk./export/lotus.Free = 80,040,087,552
Disk./export/lotus.Size = 105,749,790,720
Disk./export/lotus.Type = ufs
Domino.Cache.Command.Count = 0
Domino.Cache.Command.DisplaceRate = 0
Domino.Cache.Command.HitRate = 0
Domino.Cache.Command.MaxSize = 128
Domino.Cache.Database.HitRate = 31.7969536893293
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 12.4969812900436
Domino.Cache.Design.HitRate = 87.5022147756666
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 100.000030316075
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.NNotesID.Count = 0
Domino.Cache.NNotesID.MaxSize = 2,500
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session.Count = 0
Domino.Cache.Session.MaxSize = 1,000
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User.Count = 0
Domino.Cache.User.DisplaceRate = 0
Domino.Cache.User.HitRate = 99.9999726472011
Domino.Cache.User.MaxSize = 2,500
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0
Domino.Command.DeleteDocuments = 0
Domino.Command.EditDocument = 1347364

Domino.Command.GetOrbCookie = 0
Domino.Command.MoveToFolder = 0
Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0
Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 1888834
Domino.Command.OpenElement = 10
Domino.Command.OpenFileResource = 0
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 3493423
Domino.Command.Unknown = 0
Domino.Config.ActiveThreads.Max = 40
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI = /export/lotus/notesdata2/domino/cgi-bin
Domino.Config.Directory.HTML = /export/lotus/notesdata2/domino/html
Domino.Config.Directory.Icons = /export/lotus/notesdata2/domino/icons
Domino.Config.Directory.JavaRoot = /export/lotus/notesdata2/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName = budice2

Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile = /export/lotus/notesdata2/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 3,475,768
Domino.Requests.Per1Day.PeakTime = 08/19/2005 03:07:22 EDT
Domino.Requests.Per1Day.Total = 3,475,768
Domino.Requests.Per1Hour.Peak = 430,972
Domino.Requests.Per1Hour.PeakTime = 08/18/2005 21:11:00 EDT
Domino.Requests.Per1Hour.Total = 377,139
Domino.Requests.Per1Minute.Peak = 8,570
Domino.Requests.Per1Minute.PeakTime = 08/18/2005 23:51:40 EDT
Domino.Requests.Per1Minute.Total = 5,776
Domino.Requests.Per5Minute.Peak = 39,362
Domino.Requests.Per5Minute.PeakTime = 08/18/2005 23:56:43 EDT
Domino.Requests.Per5Minute.Total = 29,235
Domino.Requests.Total = 3,493,048
Domino.ThreadPool.average = 65536
Domino.ThreadPool.max = 524288
Domino.Threads.Active.Peak = 39
FT.Index.Bytes.PerHour = 0
FT.Index.Count = 2
FT.Index.Documents.Added = 0

FT.Index.Documents.Deleted = 0
FT.Index.Documents.Updated = 0
FT.Index.Total.Bytes = 0
FT.Index.Total.TimeMS = 37
Http.Accept.ConnectionsAccepted = 3655841
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 3664905
Http.Accept.PollTimeouts = 9063
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 6
Http.MaxConnections = 2000
Http.Workers = 40
Http.Worker.Total.BytesRead = 1,793,071,890
Http.Worker.Total.BytesWritten = 53,598,126,314
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.DomWS.Requests = 0
Http.Worker.Total.DomWS.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 14
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 3655835
Http.Worker.Total.Notes.RequestTime = 701,687,457
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.QuickPlace.Requests = 0
Http.Worker.Total.QuickPlace.RequestTime = 0
Http.Worker.Total.RequestsProcessed = 3655835
Http.Worker.Total.TotalRequestTime = 701,687,457
Mail.AverageDeliverTime = 1
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 51
Mail.CurrentByteDeliveryRate = 168932
Mail.CurrentByteTransferRate = 451009

Mail.CurrentMessageDeliveryRate = 7
Mail.CurrentMessageTransferRate = 4
Mail.DBCacheEntries = 5399
Mail.DBCacheHits = 230756
Mail.DBCacheReads = 294653
MAIL.Dead = 0
Mail.Delivered = 264946
Mail.DeliveredSize.100KB_to_1MB = 12784
Mail.DeliveredSize.10KB_to_100KB = 106674
Mail.DeliveredSize.1KB_to_10KB = 144848
Mail.DeliveredSize.1MB_to_10MB = 640
Mail.Deliveries = 295004
Mail.DeliveryThreads.Active = 1
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = SUN7
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 0
Mail.Mailbox.Accesses = 85184
Mail.Mailbox.AccessWarnings = 142
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 4
Mail.Mailbox.Opens = 37414
Mail.MaximumDeliverTime = 154
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9768
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 562236
Mail.PeakByteTransferRate = 480067
Mail.PeakMessageDeliveryRate = 9
Mail.PeakMessageDeliveryTime = 08/18/2005 21:00:39 EDT
Mail.PeakMessagesDelivered = 574
Mail.PeakMessagesTransferred = 313
Mail.PeakMessageTransferRate = 5
Mail.PeakMessageTransferTime = 08/18/2005 21:00:39 EDT
Mail.PeakTotalBytesDelivered = 33734160
Mail.PeakTotalBytesTransferred = 28804044
Mail.TotalKBDelivered = 12,816,522

Mail.TotalKBTransferred = 6,816,794
Mail.TotalKBTransferred.NRPC = 6,816,794
Mail.TotalPending = 7
Mail.TotalRouted = 455550
Mail.TotalRouted.NRPC = 455550
Mail.Transferred = 147341
Mail.TransferredSize.100KB_to_1MB = 6977
Mail.TransferredSize.10KB_to_100KB = 59668
Mail.TransferredSize.1KB_to_10KB = 80370
Mail.TransferredSize.1MB_to_10MB = 326
Mail.Transferred.NRPC = 147341
Mail.TransferThreads.Active = 2
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 7
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 21
Mem.Allocated = 928631148
Mem.Allocated.Process = -1611000620
Mem.Allocated.Shared = -1755335528
Mem.Availability = Plentiful
Mem.PhysicalRAM = 2147483647
NET.GroupCache.Hits = 44,836
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,186
NET.Log.budice2/sun7.PeakUnwrittenEntries = 9
NET.Log.budice2/sun7.UnwrittenEntries = 2
NET.TCPIP.BytesReceived = 6,062,560,744
NET.TCPIP.BytesSent = 5,723,557,980
NET.TCPIP.Sessions.Established.Incoming = 37467
NET.TCPIP.Sessions.Established.Outgoing = 36375
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 87

NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0
Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.10.AssignedName = sd48
Platform.LogicalDisk.10.PctUtil = 3.5
Platform.LogicalDisk.10.PctUtil.Avg = 0.8
Platform.LogicalDisk.10.PctUtil.Peak = 3.6
Platform.LogicalDisk.10.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.10.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.10.ServiceTimeinmsecs.Peak = 4
Platform.LogicalDisk.11.AssignedName = sd63
Platform.LogicalDisk.11.PctUtil = 0
Platform.LogicalDisk.11.PctUtil.Avg = 0.9
Platform.LogicalDisk.11.PctUtil.Peak = 3.6
Platform.LogicalDisk.11.ServiceTimeinmsecs = 0
Platform.LogicalDisk.11.ServiceTimeinmsecs.Avg = 0.2
Platform.LogicalDisk.11.ServiceTimeinmsecs.Peak = 4.7
Platform.LogicalDisk.12.AssignedName = sd79
Platform.LogicalDisk.12.PctUtil = 2.8
Platform.LogicalDisk.12.PctUtil.Avg = 0.9
Platform.LogicalDisk.12.PctUtil.Peak = 3.6
Platform.LogicalDisk.12.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.12.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.12.ServiceTimeinmsecs.Peak = 4
Platform.LogicalDisk.13.AssignedName = sd93
Platform.LogicalDisk.13.PctUtil = 0
Platform.LogicalDisk.13.PctUtil.Avg = 0.8
Platform.LogicalDisk.13.PctUtil.Peak = 3.6
Platform.LogicalDisk.13.ServiceTimeinmsecs = 0
Platform.LogicalDisk.13.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.13.ServiceTimeinmsecs.Peak = 3.8
Platform.LogicalDisk.1.AssignedName = ssd1
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0
Platform.LogicalDisk.1.PctUtil.Peak = 0.1
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 15.4
Platform.LogicalDisk.2.AssignedName = ssd2
Platform.LogicalDisk.2.PctUtil = 0

Platform.LogicalDisk.2.PctUtil.Avg = 0
Platform.LogicalDisk.2.PctUtil.Peak = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 12.3
Platform.LogicalDisk.3.AssignedName = ssd3
Platform.LogicalDisk.3.PctUtil = 1.1
Platform.LogicalDisk.3.PctUtil.Avg = 0
Platform.LogicalDisk.3.PctUtil.Peak = 1.1
Platform.LogicalDisk.3.ServiceTimeinmsecs = 4.4
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 0.9
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 20.5
Platform.LogicalDisk.4.AssignedName = ssd0
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0
Platform.LogicalDisk.4.PctUtil.Peak = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.5.AssignedName = ssd4
Platform.LogicalDisk.5.PctUtil = 0
Platform.LogicalDisk.5.PctUtil.Avg = 0
Platform.LogicalDisk.5.PctUtil.Peak = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.6.AssignedName = sd212
Platform.LogicalDisk.6.PctUtil = 0
Platform.LogicalDisk.6.PctUtil.Avg = 0.8
Platform.LogicalDisk.6.PctUtil.Peak = 3.6
Platform.LogicalDisk.6.ServiceTimeinmsecs = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.6.ServiceTimeinmsecs.Peak = 1.9
Platform.LogicalDisk.7.AssignedName = sd1
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0.9
Platform.LogicalDisk.7.PctUtil.Peak = 3.6
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 3.1

Platform.LogicalDisk.9.AssignedName = sd34
Platform.LogicalDisk.9.PctUtil = 1.5
Platform.LogicalDisk.9.PctUtil.Avg = 0.9
Platform.LogicalDisk.9.PctUtil.Peak = 3.5
Platform.LogicalDisk.9.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.9.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.9.ServiceTimeinmsecs.Peak = 3.8
Platform.LogicalDisk.TotalNumofDisks = 14
Platform.LogicalDisk..14.AssignedName = sd1
Platform.LogicalDisk..14.PctUtil = 0
Platform.LogicalDisk..14.PctUtil.Avg = 0
Platform.LogicalDisk..14.PctUtil.Peak = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk..8.AssignedName = sd1
Platform.LogicalDisk..8.PctUtil = 2.6
Platform.LogicalDisk..8.PctUtil.Avg = 0.9
Platform.LogicalDisk..8.PctUtil.Peak = 3.6
Platform.LogicalDisk..8.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk..8.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk..8.ServiceTimeinmsecs.Peak = 3.3
Platform.Memory.RAM.AvailMBytes = 12,479.4
Platform.Memory.RAM.AvailMBytes.Avg = 13,031.4
Platform.Memory.RAM.AvailMBytes.Min = 0
Platform.Memory.RAM.AvailMBytes.Peak = 35,413.6
Platform.Memory.RAM.PctUtil = 81
Platform.Memory.RAM.TotalMBytes = 65536
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.1.AdapterName = ipdrop
Platform.Network.1.BytesRecvdPerSec = Not Available
Platform.Network.1.BytesSentPerSec = Not Available
Platform.Network.1.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = Not Available
Platform.Network.1.TotalBytesPerSec = Not Available
Platform.Network.2.AdapterName = ipsec_stat
Platform.Network.2.BytesRecvdPerSec = Not Available

Platform.Network.2.BytesSentPerSec = Not Available
Platform.Network.2.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = Not Available
Platform.Network.2.TotalBytesPerSec = Not Available
Platform.Network.3.AdapterName = tcpstat
Platform.Network.3.BytesRecvdPerSec = Not Available
Platform.Network.3.BytesSentPerSec = Not Available
Platform.Network.3.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.3.PctCollisionRate = 0
Platform.Network.3.PctUtilBandwidth = Not Available
Platform.Network.3.TotalBytesPerSec = Not Available
Platform.Network.4.AdapterName = ipstat
Platform.Network.4.BytesRecvdPerSec = Not Available
Platform.Network.4.BytesSentPerSec = Not Available
Platform.Network.4.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.4.PctCollisionRate = 0
Platform.Network.4.PctUtilBandwidth = Not Available
Platform.Network.4.TotalBytesPerSec = Not Available
Platform.Network.5.AdapterName = ip6stat
Platform.Network.5.BytesRecvdPerSec = Not Available
Platform.Network.5.BytesSentPerSec = Not Available
Platform.Network.5.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.5.PctCollisionRate = 0
Platform.Network.5.PctUtilBandwidth = Not Available
Platform.Network.5.TotalBytesPerSec = Not Available
Platform.Network.6.AdapterName = ah_stat
Platform.Network.6.BytesRecvdPerSec = Not Available
Platform.Network.6.BytesSentPerSec = Not Available
Platform.Network.6.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.6.PctCollisionRate = 0
Platform.Network.6.PctUtilBandwidth = Not Available
Platform.Network.6.TotalBytesPerSec = Not Available
Platform.Network.7.AdapterName = esp_stat
Platform.Network.7.BytesRecvdPerSec = Not Available
Platform.Network.7.BytesSentPerSec = Not Available
Platform.Network.7.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.7.PctCollisionRate = 0
Platform.Network.7.PctUtilBandwidth = Not Available
Platform.Network.7.TotalBytesPerSec = Not Available

Platform.Network.8.AdapterName = eri0
Platform.Network.8.BytesRecvdPerSec = 757.6
Platform.Network.8.BytesSentPerSec = 1,836.9
Platform.Network.8.CurrBandwidthMbitsPerSec = 100
Platform.Network.8.PctCollisionRate = 0
Platform.Network.8.PctUtilBandwidth = 0
Platform.Network.8.TotalBytesPerSec = 2,594.5
Platform.Network.9.AdapterName = ge1
Platform.Network.9.BytesRecvdPerSec = 832,189.3
Platform.Network.9.BytesSentPerSec = 5,338,959.1
Platform.Network.9.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.9.PctCollisionRate = 0
Platform.Network.9.PctUtilBandwidth = 4.9
Platform.Network.9.TotalBytesPerSec = 6,171,148.5
Platform.Network.TotalNumofAdapters = 9
Platform.Network.Total.BytesRecvdPerSec = 832,947
Platform.Network.Total.BytesSentPerSec = 5,340,796
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,100
Platform.Network.Total.NetworkBytesPerSec = 6,173,743
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 4.5
Platform.PagingFile.Total.PctUtil = 0
Platform.PagingFile.Total.PctUtil.Avg = 7.6
Platform.PagingFile.Total.PctUtil.Peak = 100
Platform.Process.ActiveDomino.TotalCpuUtil = 5.6
Platform.Process.ActiveNumOfDominoProc = 4
Platform.Process.event.1.PctCpuUtil = 0.1
Platform.Process.event.1.ProcessID = 4552
Platform.Process.http.1.PctCpuUtil = 4.8
Platform.Process.http.1.ProcessID = 12911
Platform.Process.router.1.PctCpuUtil = 0.6
Platform.Process.router.1.ProcessID = 12909
Platform.Process.server.1.PctCpuUtil = 0.1
Platform.Process.server.1.ProcessID = 2243
Platform.System.ContextSwitchesPerSec = 8,377.5
Platform.System.ContextSwitchesPerSec.Avg = 8,243.8
Platform.System.ContextSwitchesPerSec.Min = 5,038.4
Platform.System.ContextSwitchesPerSec.Peak = 10,808.9
Platform.System.CPUQueueLen = 7.9
Platform.System.CPUQueueLen.Avg = 5.7

Platform.System.CPUQueueLen.Peak = 14.6
Platform.System.PctCombinedCpuUtil = 100
Platform.System.PctCombinedCpuUtil.Avg = 79.6
Platform.System.PctCombinedCpuUtil.Peak = 100
Platform.System.PctTotalPrivilegedCpuUtil = 5.7
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 4.7
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 15.5
Platform.System.PctTotalUserCpuUtil = 94.3
Platform.System.PctTotalUserCpuUtil.Avg = 74.9
Platform.System.PctTotalUserCpuUtil.Peak = 94.6
Platform.Time.LastSample = 08/19/2005 03:10:18 EDT
Platform.Time.SampleRateInMins = 1
Server.Administrators = CN=admin/O=sun7
Server.Administrators.Access = CN=admin/O=sun7
Server.AvailabilityIndex = 25
Server.AvailabilityThreshold = 0
Server.BootID = 6781501
Server.BusyTimeQuery.ReceivedCount = 0
Server.CPU.Count = 16
Server.ElapsedTime = 12:20:01
Server.ExpansionFactor = 22.2711389938731
Server.MailBoxes = 4
Server.Monitor.Start = 08/18/2005 14:50:19 EDT
Server.Name = CN=budice2/O=sun7
Server.OpenRequest.MaxUsers = 0
Server.OpenRequest.Restricted = 0
Server.Path.Configfile = /export/lotus/notesdata2/notes.ini
Server.Path.Data = /export/lotus/notesdata2
Server.Path.Executable = /opt/lotus/notes/65020/sunspa/
Server.Ports = TCPIP
Server.PoweredBy = Notes
Server.Sessions.Dropped = 10
Server.SharedMail = 0
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:14 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:19 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:14 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:19 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:16 EDT]

Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:17 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:17 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:14 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:10:17 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:17 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:16 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:10:17 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:10:17 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:19 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:17 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:17 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:16 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:14 EDT]
Server.Task = HTTP Server: Listen for connect requests on TCP Port:80: [08/19/2005 03:10:18 EDT]
Server.Task = Router: Idle: [08/19/2005 03:10:19 EDT]
Server.Task = Event Monitor: Idle: [08/19/2005 03:10:19 EDT]
Server.Tasks = 105
Server.Task.DB = Database Server: Idle: [08/19/2005 03:10:19 EDT]
Server.Time.Start = 08/18/2005 14:50:19 EDT
Server.Title =
Server.Trans.PerMinute = 867
Server.Trans.PerMinute.Peak = 1380
Server.Trans.PerMinute.Peak.Time = 08/18/2005 19:26:47 EDT
Server.Trans.Total = 531111
Server.Users = 0
Server.Users.1MinPeak = 25
Server.Users.1MinPeakTime = 08/18/2005 17:57:48 EDT
Server.Users.5MinPeak = 40
Server.Users.5MinPeakTime = 08/18/2005 15:20:52 EDT
Server.Users.Active = 0
Server.Users.Active15Min = 0
Server.Users.Active1Min = 0

Server.Users.Active30Min = 0
Server.Users.Active3Min = 0
Server.Users.Active5Min = 0
Server.Users.Peak = 43
Server.Users.Peak.Time = 08/18/2005 17:32:09 EDT
Server.Version.Notes = Release 6.5.2
Server.Version.Notes.BuildNumber = 194
Server.Version.OS = SunOS 5.10 Generic_118822-10
Server.WorkThreads = 40
Stats.Time.Current = 08/19/2005 03:10:22 EDT
Stats.Time.Start = 08/18/2005 14:50:15 EDT
598 statistics found

Show Stat, Partition 3

show stat

Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 30
Database.Database.BufferPool.MM.Writes = 2
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 95.53
Database.DbCache.CurrentEntries = 1292
Database.DbCache.HighWaterMark = 2183
Database.DbCache.Hits = 927063
Database.DbCache.InitialDbOpens = 943856
Database.DbCache.Lookups = 956828
Database.DbCache.MaxEntries = 5400
Database.DbCache.OvercrowdingRejections = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 114
Database.FreeHandleStack.FreeHandleStackHits = 16453243
Database.FreeHandleStack.HandleAllocations = 16473574
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0
Database.LDAP.NAMELookupTotal = 0

Database.LDAP.NAMELookupTotalLookupTime = 0
Database.NAMELookupCacheCacheSize = 10,706,132
Database.NAMELookupCacheHashSize = 1,236,854
Database.NAMELookupCacheHits = 58,966
Database.NAMELookupCacheLookups = 1,533,307
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 1,304,608
Database.NAMELookupCacheNoHitHits = 169,733
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,751,392
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 75
Database.NAMELookupTotal = 1533325
Database.NAMELookupTotalLookupTime = 1,793.461
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 334,688
Database.NSFPool.Peak = 150,994,944
Database.NSFPool.Used = 117,145,088
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfulHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.Replicate.UnreadMarks.ChunkLookups = 0
Database.NSF.Replicate.UnreadMarks.ChunksScanned = 0
Database.NSF.Replicate.UnreadMarks.ChunksSkimmed = 0
Database.NSF.Replicate.UnreadMarks.DroppedFutureEntries = 0
Database.NSF.Replicate.UnreadMarks.DroppedOldEntries = 0
Database.NSF.Replicate.UnreadMarks.FullReplications = 0
Database.NSF.Replicate.UnreadMarks.LocalMaxChunks = 0
Database.NSF.Replicate.UnreadMarks.LocalUnreadOperations = 0
Database.NSF.Replicate.UnreadMarks.MessagesReceived = 0
Database.NSF.Replicate.UnreadMarks.MessagesSent = 0
Database.NSF.Replicate.UnreadMarks.OperationsReceived = 0
Database.NSF.Replicate.UnreadMarks.OperationsSent = 0

Database.NSF.Replicate.UnreadMarks.UsersActive = 0
Database.NSF.Replicate.UnreadMarks.UsersActiveMax = 0
Database.NSF.SignatureCache.Hits = 19501
Database.NSF.SignatureCache.Tries = 45502
Database.RM.Sys.Logged = Disabled
Disk.Fixed = 1
Disk.Remote = 0
Disk./export/lotus.Free = 80,027,750,400
Disk./export/lotus.Size = 105,749,790,720
Disk./export/lotus.Type = ufs
Domino.Cache.Command.Count = 0
Domino.Cache.Command.DisplaceRate = 0
Domino.Cache.Command.HitRate = 0
Domino.Cache.Command.MaxSize = 128
Domino.Cache.Database.HitRate = 31.7928016973749
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 11.8768544160928
Domino.Cache.Design.HitRate = 88.122343123436
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 100
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.NNotesID.Count = 0
Domino.Cache.NNotesID.MaxSize = 2,000
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session.Count = 0
Domino.Cache.Session.MaxSize = 1,000
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User.Count = 0
Domino.Cache.User.DisplaceRate = 0
Domino.Cache.User.HitRate = 99.9999724870421
Domino.Cache.User.MaxSize = 2,000
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0
Domino.Command.DeleteDocuments = 0

Domino.Command.EditDocument = 1339087
Domino.Command.GetOrbCookie = 0
Domino.Command.MoveToFolder = 0
Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0
Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 1877279
Domino.Command.OpenElement = 10
Domino.Command.OpenFileResource = 0
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 3472148
Domino.Command.Unknown = 0
Domino.Config.ActiveThreads.Max = 40
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI = /export/lotus/notesdata3/domino/cgi-bin
Domino.Config.Directory.HTML = /export/lotus/notesdata3/domino/html
Domino.Config.Directory.Icons = /export/lotus/notesdata3/domino/icons
Domino.Config.Directory.JavaRoot = /export/lotus/notesdata3/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0
Domino.Config.HomeURL = /homepage.nsf?Open

Domino.Config.HostName = budice3
Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile = /export/lotus/notesdata3/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 3,446,517
Domino.Requests.Per1Day.PeakTime = 08/19/2005 03:05:56 EDT
Domino.Requests.Per1Day.Total = 3,446,517
Domino.Requests.Per1Hour.Peak = 410,834
Domino.Requests.Per1Hour.PeakTime = 08/18/2005 21:32:50 EDT
Domino.Requests.Per1Hour.Total = 383,907
Domino.Requests.Per1Minute.Peak = 8,309
Domino.Requests.Per1Minute.PeakTime = 08/19/2005 01:38:08 EDT
Domino.Requests.Per1Minute.Total = 7,123
Domino.Requests.Per5Minute.Peak = 37,986
Domino.Requests.Per5Minute.PeakTime = 08/19/2005 01:27:49 EDT
Domino.Requests.Per5Minute.Total = 30,986
Domino.Requests.Total = 3,472,018
Domino.ThreadPool.average = 65536
Domino.ThreadPool.max = 524288
Domino.Threads.Active.Peak = 39
FT.Index.Bytes.PerHour = 0
FT.Index.Count = 2

FT.Index.Documents.Added = 0
FT.Index.Documents.Deleted = 0
FT.Index.Documents.Updated = 0
FT.Index.Total.Bytes = 0
FT.Index.Total.TimeMS = 35
Http.Accept.ConnectionsAccepted = 3634496
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 3645170
Http.Accept.PollTimeouts = 10673
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 208
Http.MaxConnections = 2000
Http.Workers = 40
Http.Worker.Total.BytesRead = 1,782,941,672
Http.Worker.Total.BytesWritten = 53,309,883,015
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.DomWS.Requests = 0
Http.Worker.Total.DomWS.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 27
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 3634288
Http.Worker.Total.Notes.RequestTime = 649,270,553
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.QuickPlace.Requests = 0
Http.Worker.Total.QuickPlace.RequestTime = 0
Http.Worker.Total.RequestsProcessed = 3634288
Http.Worker.Total.TotalRequestTime = 649,270,553
Mail.AverageDeliverTime = 1
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 50
Mail.CurrentByteDeliveryRate = 345054

Mail.CurrentByteTransferRate = 451599
Mail.CurrentMessageDeliveryRate = 6
Mail.CurrentMessageTransferRate = 4
Mail.DBCacheEntries = 5399
Mail.DBCacheHits = 229799
Mail.DBCacheReads = 275895
MAIL.Dead = 0
Mail.Delivered = 247024
Mail.DeliveredSize.100KB_to_1MB = 11975
Mail.DeliveredSize.10KB_to_100KB = 99684
Mail.DeliveredSize.1KB_to_10KB = 134786
Mail.DeliveredSize.1MB_to_10MB = 579
Mail.Deliveries = 276062
Mail.DeliveryThreads.Active = 0
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = SUN7
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 0
Mail.Mailbox.Accesses = 84843
Mail.Mailbox.AccessWarnings = 122
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 4
Mail.Mailbox.Opens = 35507
Mail.MaximumDeliverTime = 177
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9768
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 759746
Mail.PeakByteTransferRate = 465214
Mail.PeakMessageDeliveryRate = 9
Mail.PeakMessageDeliveryTime = 08/19/2005 00:37:29 EDT
Mail.PeakMessagesDelivered = 549
Mail.PeakMessagesTransferred = 302
Mail.PeakMessageTransferRate = 5
Mail.PeakMessageTransferTime = 08/18/2005 20:40:29 EDT
Mail.PeakTotalBytesDelivered = 45584782
Mail.PeakTotalBytesTransferred = 27912885

Mail.TotalKBDelivered = 11,774,868
Mail.TotalKBTransferred = 7,381,389
Mail.TotalKBTransferred.NRPC = 7,381,389
Mail.TotalPending = 14
Mail.TotalRouted = 441205
Mail.TotalRouted.NRPC = 441205
Mail.Transferred = 149019
Mail.TransferredSize.100KB_to_1MB = 7332
Mail.TransferredSize.10KB_to_100KB = 60277
Mail.TransferredSize.1KB_to_10KB = 81035
Mail.TransferredSize.1MB_to_10MB = 375
Mail.Transferred.NRPC = 149019
Mail.TransferThreads.Active = 2
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 11
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 27
Mem.Allocated = 995044024
Mem.Allocated.Process = -1515384240
Mem.Allocated.Shared = -1784539032
Mem.Availability = Plentiful
Mem.PhysicalRAM = 2147483647
NET.GroupCache.Hits = 42,854
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,186
NET.Log.budice3/sun7.PeakUnwrittenEntries = 6
NET.Log.budice3/sun7.UnwrittenEntries = 2
NET.TCPIP.BytesReceived = 5,687,280,862
NET.TCPIP.BytesSent = 6,031,765,852
NET.TCPIP.Sessions.Established.Incoming = 35560
NET.TCPIP.Sessions.Established.Outgoing = 36899
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535
NET.TCPIP.Sessions.LimitMin = 10

NET.TCPIP.Sessions.Peak = 87
NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0
Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.10.AssignedName = sd48
Platform.LogicalDisk.10.PctUtil = 0
Platform.LogicalDisk.10.PctUtil.Avg = 0.9
Platform.LogicalDisk.10.PctUtil.Peak = 3.6
Platform.LogicalDisk.10.ServiceTimeinmsecs = 0
Platform.LogicalDisk.10.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.10.ServiceTimeinmsecs.Peak = 4
Platform.LogicalDisk.11.AssignedName = sd63
Platform.LogicalDisk.11.PctUtil = 0
Platform.LogicalDisk.11.PctUtil.Avg = 0.9
Platform.LogicalDisk.11.PctUtil.Peak = 3.6
Platform.LogicalDisk.11.ServiceTimeinmsecs = 0
Platform.LogicalDisk.11.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.11.ServiceTimeinmsecs.Peak = 4.7
Platform.LogicalDisk.12.AssignedName = sd79
Platform.LogicalDisk.12.PctUtil = 0
Platform.LogicalDisk.12.PctUtil.Avg = 0.9
Platform.LogicalDisk.12.PctUtil.Peak = 3.6
Platform.LogicalDisk.12.ServiceTimeinmsecs = 0
Platform.LogicalDisk.12.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.12.ServiceTimeinmsecs.Peak = 3.8
Platform.LogicalDisk.13.AssignedName = sd93
Platform.LogicalDisk.13.PctUtil = 0
Platform.LogicalDisk.13.PctUtil.Avg = 0.8
Platform.LogicalDisk.13.PctUtil.Peak = 3.6
Platform.LogicalDisk.13.ServiceTimeinmsecs = 0
Platform.LogicalDisk.13.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.13.ServiceTimeinmsecs.Peak = 3.3
Platform.LogicalDisk.1.AssignedName = ssd1
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0
Platform.LogicalDisk.1.PctUtil.Peak = 0.1
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 15.4
Platform.LogicalDisk.2.AssignedName = ssd2

Platform.LogicalDisk.2.PctUtil = 0
Platform.LogicalDisk.2.PctUtil.Avg = 0
Platform.LogicalDisk.2.PctUtil.Peak = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 12.3
Platform.LogicalDisk.3.AssignedName = ssd3
Platform.LogicalDisk.3.PctUtil = 0
Platform.LogicalDisk.3.PctUtil.Avg = 0
Platform.LogicalDisk.3.PctUtil.Peak = 0.4
Platform.LogicalDisk.3.ServiceTimeinmsecs = 0
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 1
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 20.5
Platform.LogicalDisk.4.AssignedName = ssd0
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0
Platform.LogicalDisk.4.PctUtil.Peak = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.5.AssignedName = ssd4
Platform.LogicalDisk.5.PctUtil = 0
Platform.LogicalDisk.5.PctUtil.Avg = 0
Platform.LogicalDisk.5.PctUtil.Peak = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.6.AssignedName = sd212
Platform.LogicalDisk.6.PctUtil = 0.8
Platform.LogicalDisk.6.PctUtil.Avg = 0.8
Platform.LogicalDisk.6.PctUtil.Peak = 3.5
Platform.LogicalDisk.6.ServiceTimeinmsecs = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.6.ServiceTimeinmsecs.Peak = 1.9
Platform.LogicalDisk.7.AssignedName = sd1
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0.9
Platform.LogicalDisk.7.PctUtil.Peak = 3.6
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0

Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 3.1
Platform.LogicalDisk.9.AssignedName = sd34
Platform.LogicalDisk.9.PctUtil = 0
Platform.LogicalDisk.9.PctUtil.Avg = 0.9
Platform.LogicalDisk.9.PctUtil.Peak = 3.6
Platform.LogicalDisk.9.ServiceTimeinmsecs = 0
Platform.LogicalDisk.9.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.9.ServiceTimeinmsecs.Peak = 3.8
Platform.LogicalDisk.TotalNumofDisks = 14
Platform.LogicalDisk..14.AssignedName = sd1
Platform.LogicalDisk..14.PctUtil = 0
Platform.LogicalDisk..14.PctUtil.Avg = 0
Platform.LogicalDisk..14.PctUtil.Peak = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk..8.AssignedName = sd1
Platform.LogicalDisk..8.PctUtil = 2.7
Platform.LogicalDisk..8.PctUtil.Avg = 0.9
Platform.LogicalDisk..8.PctUtil.Peak = 3.6
Platform.LogicalDisk..8.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk..8.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk..8.ServiceTimeinmsecs.Peak = 3.3
Platform.Memory.RAM.AvailMBytes = 12,494.2
Platform.Memory.RAM.AvailMBytes.Avg = 13,035.9
Platform.Memory.RAM.AvailMBytes.Min = 0
Platform.Memory.RAM.AvailMBytes.Peak = 35,566
Platform.Memory.RAM.PctUtil = 80.9
Platform.Memory.RAM.TotalMBytes = 65536
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.1.AdapterName = ipdrop
Platform.Network.1.BytesRecvPerSec = Not Available
Platform.Network.1.BytesSentPerSec = Not Available
Platform.Network.1.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = Not Available
Platform.Network.1.TotalBytesPerSec = Not Available
Platform.Network.2.AdapterName = ipsec_stat

Platform.Network.2.BytesRecvdPerSec = Not Available
Platform.Network.2.BytesSentPerSec = Not Available
Platform.Network.2.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = Not Available
Platform.Network.2.TotalBytesPerSec = Not Available
Platform.Network.3.AdapterName = tcpstat
Platform.Network.3.BytesRecvdPerSec = Not Available
Platform.Network.3.BytesSentPerSec = Not Available
Platform.Network.3.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.3.PctCollisionRate = 0
Platform.Network.3.PctUtilBandwidth = Not Available
Platform.Network.3.TotalBytesPerSec = Not Available
Platform.Network.4.AdapterName = ipstat
Platform.Network.4.BytesRecvdPerSec = Not Available
Platform.Network.4.BytesSentPerSec = Not Available
Platform.Network.4.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.4.PctCollisionRate = 0
Platform.Network.4.PctUtilBandwidth = Not Available
Platform.Network.4.TotalBytesPerSec = Not Available
Platform.Network.5.AdapterName = ip6stat
Platform.Network.5.BytesRecvdPerSec = Not Available
Platform.Network.5.BytesSentPerSec = Not Available
Platform.Network.5.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.5.PctCollisionRate = 0
Platform.Network.5.PctUtilBandwidth = Not Available
Platform.Network.5.TotalBytesPerSec = Not Available
Platform.Network.6.AdapterName = ah_stat
Platform.Network.6.BytesRecvdPerSec = Not Available
Platform.Network.6.BytesSentPerSec = Not Available
Platform.Network.6.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.6.PctCollisionRate = 0
Platform.Network.6.PctUtilBandwidth = Not Available
Platform.Network.6.TotalBytesPerSec = Not Available
Platform.Network.7.AdapterName = esp_stat
Platform.Network.7.BytesRecvdPerSec = Not Available
Platform.Network.7.BytesSentPerSec = Not Available
Platform.Network.7.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.7.PctCollisionRate = 0
Platform.Network.7.PctUtilBandwidth = Not Available

Platform.Network.7.TotalBytesPerSec = Not Available
Platform.Network.8.AdapterName = eri0
Platform.Network.8.BytesRecvdPerSec = 603.7
Platform.Network.8.BytesSentPerSec = 1,202
Platform.Network.8.CurrBandwidthMbitsPerSec = 100
Platform.Network.8.PctCollisionRate = 0
Platform.Network.8.PctUtilBandwidth = 0
Platform.Network.8.TotalBytesPerSec = 1,805.6
Platform.Network.9.AdapterName = ge1
Platform.Network.9.BytesRecvdPerSec = 785,673.5
Platform.Network.9.BytesSentPerSec = 5,365,687.9
Platform.Network.9.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.9.PctCollisionRate = 0
Platform.Network.9.PctUtilBandwidth = 4.9
Platform.Network.9.TotalBytesPerSec = 6,151,361.4
Platform.Network.Total.NumofAdapters = 9
Platform.Network.Total.BytesRecvdPerSec = 786,277.2
Platform.Network.Total.BytesSentPerSec = 5,366,889.8
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,100
Platform.Network.Total.NetworkBytesPerSec = 6,153,167
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 4.5
Platform.PagingFile.Total.PctUtil = 0
Platform.PagingFile.Total.PctUtil.Avg = 6.2
Platform.PagingFile.Total.PctUtil.Peak = 100
Platform.Process.ActiveDomino.TotalCpuUtil = 5.3
Platform.Process.ActiveNumOfDominoProc = 4
Platform.Process.event.1.PctCpuUtil = 0.1
Platform.Process.event.1.ProcessID = 4171
Platform.Process.http.1.PctCpuUtil = 4.6
Platform.Process.http.1.ProcessID = 12666
Platform.Process.router.1.PctCpuUtil = 0.5
Platform.Process.router.1.ProcessID = 12662
Platform.Process.server.1.PctCpuUtil = 0.1
Platform.Process.server.1.ProcessID = 1585
Platform.System.ContextSwitchesPerSec = 7,816.2
Platform.System.ContextSwitchesPerSec.Avg = 8,242.1
Platform.System.ContextSwitchesPerSec.Min = 5,051.3
Platform.System.ContextSwitchesPerSec.Peak = 11,183.4
Platform.System.CPUQueueLen = 7.9

Platform.System.CPUQueueLen.Avg = 5.7
Platform.System.CPUQueueLen.Peak = 13.2
Platform.System.PctCombinedCpuUtil = 94.4
Platform.System.PctCombinedCpuUtil.Avg = 79.6
Platform.System.PctCombinedCpuUtil.Peak = 100
Platform.System.PctTotalPrivilegedCpuUtil = 5.2
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 4.7
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 15.5
Platform.System.PctTotalUserCpuUtil = 89.2
Platform.System.PctTotalUserCpuUtil.Avg = 74.9
Platform.System.PctTotalUserCpuUtil.Peak = 94.6
Platform.Time.LastSample = 08/19/2005 03:09:27 EDT
Platform.Time.SampleRateInMins = 1
Server.Administrators = CN=admin/O=sun7
Server.Administrators.Access = CN=admin/O=sun7
Server.AvailabilityIndex = 11
Server.AvailabilityThreshold = 0
Server.BootID = 6781302
Server.BusyTimeQuery.ReceivedCount = 0
Server.CPU.Count = 16
Server.ElapsedTime = 12:19:27
Server.ExpansionFactor = 41.2878747307051
Server.MailBoxes = 4
Server.Monitor.Start = 08/18/2005 14:50:18 EDT
Server.Name = CN=budice3/O=sun7
Server.OpenRequest.MaxUsers = 0
Server.OpenRequest.Restricted = 0
Server.Path.Configfile = /export/lotus/notesdata3/notes.ini
Server.Path.Data = /export/lotus/notesdata3
Server.Path.Executable = /opt/lotus/notes/65020/sunspa/
Server.Ports = TCPIP
Server.PoweredBy = Notes
Server.Sessions.Dropped = 2
Server.SharedMail = 0
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:39 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:38 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:34 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:43 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:39 EDT]

Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:42 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:34 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:41 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:34 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:39 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:40 EDT]
Server.Task = Router: Opening MAIL.BOX on BUDICE1/SUN7: [08/19/2005 03:09:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:26 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:44 EDT]
Server.Task = Router: Delivering mail to mail26579/sun7: [08/19/2005 03:09:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:43 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:09:39 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:09:36 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:41 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:31 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:40 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:38 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:44 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:39 EDT]
Server.Task = HTTP Server: Listen for connect requests on TCP Port:80: [08/19/2005 03:09:43 EDT]
Server.Task = Router: Idle: [08/19/2005 03:09:44 EDT]
Server.Task = Event Monitor: Idle: [08/19/2005 03:09:44 EDT]
Server.Tasks = 105
Server.Task.DB = Database Server: Idle: [08/19/2005 03:09:44 EDT]
Server.Time.Start = 08/18/2005 14:50:18 EDT
Server.Title =
Server.Trans.PerMinute = 793
Server.Trans.PerMinute.Peak = 1242
Server.Trans.PerMinute.Peak.Time = 08/18/2005 20:46:27 EDT
Server.Trans.Total = 505188
Server.Users = 0
Server.Users.1MinPeak = 29
Server.Users.1MinPeakTime = 08/18/2005 16:57:10 EDT
Server.Users.5MinPeak = 40
Server.Users.5MinPeakTime = 08/18/2005 15:51:08 EDT
Server.Users.Active = 0
Server.Users.Active15Min = 0

Server.Users.Active1Min = 0
Server.Users.Active30Min = 0
Server.Users.Active3Min = 0
Server.Users.Active5Min = 0
Server.Users.Peak = 43
Server.Users.Peak.Time = 08/18/2005 17:15:59 EDT
Server.Version.Notes = Release 6.5.2
Server.Version.Notes.BuildNumber = 194
Server.Version.OS = SunOS 5.10 Generic_118822-10
Server.WorkThreads = 40
Stats.Time.Current = 08/19/2005 03:10:20 EDT
Stats.Time.Start = 08/18/2005 14:50:13 EDT
598 statistics found

Show Stat, Partition 4

show stat

Database.DAFailoverCount = 0
Database.DARefreshServerInfoCount = 0
Database.DAReloadCount = 0
Database.Database.BufferPool.Maximum.Megabytes = 1800
Database.Database.BufferPool.MM.Reads = 29
Database.Database.BufferPool.MM.Writes = 2
Database.Database.BufferPool.Peak.Megabytes = 1800
Database.Database.BufferPool.PerCentReadsInBuffer = 95.51
Database.DbCache.CurrentEntries = 1274
Database.DbCache.HighWaterMark = 2178
Database.DbCache.Hits = 919383
Database.DbCache.InitialDbOpens = 936558
Database.DbCache.Lookups = 949531
Database.DbCache.MaxEntries = 5400
Database.DbCache.OvercrowdingRejections = 0
Database.ExtMgrPool.Peak = 65,406
Database.ExtMgrPool.Used = 114
Database.FreeHandleStack.FreeHandleStackHits = 16286466
Database.FreeHandleStack.HandleAllocations = 16306214
Database.FreeHandleStack.MissRate = 0
Database.LDAP.NAMELookupBindFailures = 0
Database.LDAP.NAMELookupBinds = 0
Database.LDAP.NAMELookupBytesReceived = 0
Database.LDAP.NAMELookupEntries = 0
Database.LDAP.NAMELookupFailures = 0

Database.LDAP.NAMELookupTotal = 0
Database.LDAP.NAMELookupTotalLookupTime = 0
Database.NAMELookupCacheCacheSize = 10,726,024
Database.NAMELookupCacheHashSize = 1,236,854
Database.NAMELookupCacheHits = 65,148
Database.NAMELookupCacheLookups = 1,517,730
Database.NAMELookupCacheMaxSize = 16,777,216
Database.NAMELookupCacheMisses = 1,284,735
Database.NAMELookupCacheNoHitHits = 167,847
Database.NAMELookupCachePool.Peak = 16,777,216
Database.NAMELookupCachePool.Used = 16,737,056
Database.NAMELookupCacheResets = 0
Database.NAMELookupMisses = 75
Database.NAMELookupTotal = 1517748
Database.NAMELookupTotalLookupTime = 1,776.97
Database.NIFPool.Peak = 1,048,576
Database.NIFPool.Used = 337,024
Database.NSFPool.Peak = 150,994,944
Database.NSFPool.Used = 117,164,928
Database.NSF.ClusterHashTable.EntriesWithSameIndex = 0
Database.NSF.ClusterHashTable.FreedEntriesOnCleanup = 0
Database.NSF.ClusterHashTable.HashedEntries = 0
Database.NSF.ClusterHashTable.HashIsFull = 0
Database.NSF.ClusterHashTable.MissedHashHits = 0
Database.NSF.ClusterHashTable.SuccessfulHashHits = 0
Database.NSF.Replicate.NotesMergedBack = 0
Database.NSF.Replicate.NotesReceived = 0
Database.NSF.Replicate.NotesReopened = 0
Database.NSF.Replicate.NotesSent = 0
Database.NSF.Replicate.UnreadMarks.ChunkLookups = 0
Database.NSF.Replicate.UnreadMarks.ChunksScanned = 0
Database.NSF.Replicate.UnreadMarks.ChunksSkimmed = 0
Database.NSF.Replicate.UnreadMarks.DroppedFutureEntries = 0
Database.NSF.Replicate.UnreadMarks.DroppedOldEntries = 0
Database.NSF.Replicate.UnreadMarks.FullReplications = 0
Database.NSF.Replicate.UnreadMarks.LocalMaxChunks = 0
Database.NSF.Replicate.UnreadMarks.LocalUnreadOperations = 0
Database.NSF.Replicate.UnreadMarks.MessagesReceived = 0
Database.NSF.Replicate.UnreadMarks.MessagesSent = 0
Database.NSF.Replicate.UnreadMarks.OperationsReceived = 0

Database.NSF.Replicate.UnreadMarks.OperationsSent = 0
Database.NSF.Replicate.UnreadMarks.UsersActive = 0
Database.NSF.Replicate.UnreadMarks.UsersActiveMax = 0
Database.NSF.SignatureCache.Hits = 19501
Database.NSF.SignatureCache.Tries = 45502
Database.RM.Sys.Logged = Disabled
Disk.Fixed = 1
Disk.Remote = 0
Disk./export/lotus.Free = 80,027,750,400
Disk./export/lotus.Size = 105,749,790,720
Disk./export/lotus.Type = ufs
Domino.Cache.Command.Count = 0
Domino.Cache.Command.DisplaceRate = 0
Domino.Cache.Command.HitRate = 0
Domino.Cache.Command.MaxSize = 128
Domino.Cache.Database.HitRate = 31.789965218535
Domino.Cache.Design.Count = 128
Domino.Cache.Design.DisplaceRate = 12.0678975340756
Domino.Cache.Design.HitRate = 87.9312980110723
Domino.Cache.Design.MaxSize = 128
Domino.Cache.Forms View Summary.Count = 1
Domino.Cache.Forms View Summary.DisplaceRate = 0
Domino.Cache.Forms View Summary.HitRate = 99.9999897223641
Domino.Cache.FormsCache.Count = 0
Domino.Cache.FormsCache.MaxSize = 256
Domino.Cache.iNote WA Forms file.Count = 1
Domino.Cache.NNotesID.Count = 0
Domino.Cache.NNotesID.MaxSize = 2,000
Domino.Cache.Note Cache.HitRate = 0
Domino.Cache.Session.Count = 0
Domino.Cache.Session.MaxSize = 1,000
Domino.Cache.SkinGroupsCache.Count = 0
Domino.Cache.SkinGroupsCache.MaxSize = 256
Domino.Cache.User.Count = 0
Domino.Cache.User.DisplaceRate = 0
Domino.Cache.User.HitRate = 99.999972208002
Domino.Cache.User.MaxSize = 2,000
Domino.Command.CopyToFolder = 0
Domino.Command.CreateDocument = 0
Domino.Command.DeleteDocument = 0

Domino.Command.DeleteDocuments = 0
Domino.Command.EditDocument = 1325066
Domino.Command.GetOrbCookie = 0
Domino.Command.MoveToFolder = 0
Domino.Command.Navigate = 0
Domino.Command.OpenAbout = 0
Domino.Command.OpenAgent = 0
Domino.Command.OpenCssResource = 0
Domino.Command.OpenDatabase = 0
Domino.Command.OpenDocument = 1857828
Domino.Command.OpenElement = 10
Domino.Command.OpenFileResource = 0
Domino.Command.OpenForm = 0
Domino.Command.OpenHelp = 0
Domino.Command.OpenIcon = 0
Domino.Command.OpenImageResource = 0
Domino.Command.OpenJavascriptLib = 0
Domino.Command.OpenNavigator = 0
Domino.Command.OpenPreferences = 0
Domino.Command.OpenServer = 0
Domino.Command.OpenView = 0
Domino.Command.ReadForm = 0
Domino.Command.Redirect = 0
Domino.Command.RemoveFromFolder = 0
Domino.Command.RequestCert = 0
Domino.Command.SaveDocument = 0
Domino.Command.SearchDomain = 0
Domino.Command.SearchSite = 0
Domino.Command.SearchView = 0
Domino.Command.Total = 3435638
Domino.Command.Unknown = 0
Domino.Config.ActiveThreads.Max = 40
Domino.Config.ActiveThreads.Min = 20
Domino.Config.AllowDirectoryLinks = 1
Domino.Config.Directory.CGI = /export/lotus/notesdata4/domino/cgi-bin
Domino.Config.Directory.HTML = /export/lotus/notesdata4/domino/html
Domino.Config.Directory.Icons = /export/lotus/notesdata4/domino/icons
Domino.Config.Directory.JavaRoot = /export/lotus/notesdata4/domino/java
Domino.Config.DNSLookup = 0
Domino.Config.EnforceAccess = 0

Domino.Config.HomeURL = /homepage.nsf?Open
Domino.Config.HostName = budice4
Domino.Config.Image.Format = GIF
Domino.Config.Image.Interlaced = 1
Domino.Config.Log.Access = access
Domino.Config.Log.Error = error
Domino.Config.Log.Filter =
Domino.Config.Log.TimeStamp = 0
Domino.Config.PortNumber = 80
Domino.Config.PortStatus = 1
Domino.Config.SSL.KeyFile = /export/lotus/notesdata4/keyfile.kyr
Domino.Config.SSL.PortNumber = 443
Domino.Config.SSL.Status = 0
Domino.Config.Timeout.CGI = 5
Domino.Config.Timeout.IdleThread = 0
Domino.Config.Timeout.Input = 2
Domino.Config.Timeout.Output = 20
Domino.Config.URLpath.CGI = /cgi-bin
Domino.Config.URLpath.Icons = /icons
Domino.Config.URLpath.JavaRoot = /domjava
Domino.Config.URLpath.Servlet = /servlet
Domino.Config.View.Lines = 30
Domino.Config.WelcomePage = default.htm
Domino.Requests.Per1Day.Peak = 3,426,683
Domino.Requests.Per1Day.PeakTime = 08/19/2005 03:08:48 EDT
Domino.Requests.Per1Day.Total = 3,426,683
Domino.Requests.Per1Hour.Peak = 413,835
Domino.Requests.Per1Hour.PeakTime = 08/18/2005 21:21:56 EDT
Domino.Requests.Per1Hour.Total = 385,688
Domino.Requests.Per1Minute.Peak = 8,376
Domino.Requests.Per1Minute.PeakTime = 08/18/2005 22:02:00 EDT
Domino.Requests.Per1Minute.Total = 7,306
Domino.Requests.Per5Minute.Peak = 39,054
Domino.Requests.Per5Minute.PeakTime = 08/18/2005 21:36:08 EDT
Domino.Requests.Per5Minute.Total = 32,047
Domino.Requests.Total = 3,434,932
Domino.ThreadPool.average = 65536
Domino.ThreadPool.max = 524288
Domino.Threads.Active.Peak = 40
FT.Index.Bytes.PerHour = 0

FT.Index.Count = 2
FT.Index.Documents.Added = 0
FT.Index.Documents.Deleted = 0
FT.Index.Documents.Updated = 0
FT.Index.Total.Bytes = 0
FT.Index.Total.TimeMS = 36
Http.Accept.ConnectionsAccepted = 3597744
Http.Accept.ConnectionsDenied = 0
Http.Accept.ConnectionsRefused = 0
Http.Accept.Errors = 0
Http.Accept.Polls = 3609966
Http.Accept.PollTimeouts = 12221
Http.Accept.ServerBusy = 0
Http.CurrentConnections = 112
Http.MaxConnections = 2000
Http.Workers = 40
Http.Worker.Total.BytesRead = 1,763,932,815
Http.Worker.Total.BytesWritten = 52,826,285,124
Http.Worker.Total.Cgi.Requests = 0
Http.Worker.Total.Cgi.RequestTime = 0
Http.Worker.Total.DomWS.Requests = 0
Http.Worker.Total.DomWS.RequestTime = 0
Http.Worker.Total.Dsapi.Requests = 0
Http.Worker.Total.Dsapi.RequestTime = 0
Http.Worker.Total.File.Requests = 0
Http.Worker.Total.File.RequestTime = 0
Http.Worker.Total.Http.Requests = 0
Http.Worker.Total.Http.RequestTime = 0
Http.Worker.Total.IdleSessionTimeouts = 58
Http.Worker.Total.InputTimeouts = 0
Http.Worker.Total.Notes.Requests = 3597632
Http.Worker.Total.Notes.RequestTime = 674,466,806
Http.Worker.Total.OutputTimeouts = 0
Http.Worker.Total.QuickPlace.Requests = 0
Http.Worker.Total.QuickPlace.RequestTime = 0
Http.Worker.Total.RequestsProcessed = 3597632
Http.Worker.Total.TotalRequestTime = 674,466,806
Mail.AverageDeliverTime = 1
Mail.AverageServerHops = 1
Mail.AverageSizeDelivered = 52

Mail.CurrentByteDeliveryRate = 513500
Mail.CurrentByteTransferRate = 105825
Mail.CurrentMessageDeliveryRate = 6
Mail.CurrentMessageTransferRate = 3
Mail.DBCacheEntries = 5399
Mail.DBCacheHits = 226637
Mail.DBCacheReads = 272592
MAIL.Dead = 0
Mail.Delivered = 244870
Mail.DeliveredSize.100KB_to_1MB = 11755
Mail.DeliveredSize.10KB_to_100KB = 98893
Mail.DeliveredSize.1KB_to_10KB = 133617
Mail.DeliveredSize.1MB_to_10MB = 605
Mail.Deliveries = 272854
Mail.DeliveryThreads.Active = 0
Mail.DeliveryThreads.Max = 25
Mail.DeliveryThreads.Total = 25
Mail.Domain = SUN7
MAIL.Hold = 0
Mail.Mailbox.AccessConflicts = 0
Mail.Mailbox.Accesses = 83761
Mail.Mailbox.AccessWarnings = 113
Mail.Mailbox.CurrentAccesses = 0
Mail.Mailbox.MaxConcurrentAccesses = 4
Mail.Mailbox.Opens = 35488
Mail.MaximumDeliverTime = 181
Mail.MaximumServerHops = 2
Mail.MaximumSizeDelivered = 9768
Mail.MinimumDeliverTime = 1
Mail.MinimumServerHops = 1
Mail.MinimumSizeDelivered = 1
Mail.PeakByteDeliveryRate = 529372
Mail.PeakByteTransferRate = 119686
Mail.PeakMessageDeliveryRate = 8
Mail.PeakMessageDeliveryTime = 08/18/2005 21:00:41 EDT
Mail.PeakMessagesDelivered = 489
Mail.PeakMessagesTransferred = 319
Mail.PeakMessageTransferRate = 5
Mail.PeakMessageTransferTime = 08/18/2005 21:24:50 EDT
Mail.PeakTotalBytesDelivered = 31762360

Mail.PeakTotalBytesTransferred = 7181169
Mail.TotalKBDelivered = 11,967,722
Mail.TotalKBTransferred = 7,465,862
Mail.TotalKBTransferred.NRPC = 7,465,862
Mail.TotalPending = 12
Mail.TotalRouted = 436776
Mail.TotalRouted.NRPC = 436776
Mail.Transferred = 147671
Mail.TransferredSize.100KB_to_1MB = 7220
Mail.TransferredSize.10KB_to_100KB = 59447
Mail.TransferredSize.1KB_to_10KB = 80615
Mail.TransferredSize.1MB_to_10MB = 389
Mail.Transferred.NRPC = 147671
Mail.TransferThreads.Active = 0
Mail.TransferThreads.Concurrent.Highest = 1
Mail.TransferThreads.Concurrent.Max = 12
Mail.TransferThreads.Max = 25
Mail.TransferThreads.Total = 3
MAIL.Waiting = 12
MAIL.WaitingForDIR = 0
MAIL.WaitingForDNS = 0
MAIL.WaitingRecipients = 27
Mem.Allocated = 1130989234
Mem.Allocated.Process = -1378509464
Mem.Allocated.Shared = -1785468520
Mem.Availability = Plentiful
Mem.PhysicalRAM = 2147483647
NET.GroupCache.Hits = 42,899
NET.GroupCache.Misses = 12
NET.GroupCache.NumEntries = 7
NET.GroupCache.Size = 65,406
NET.GroupCache.Used = 2,186
NET.Log.budice4/sun7.PeakUnwrittenEntries = 7
NET.Log.budice4/sun7.UnwrittenEntries = 2
NET.TCPIP.BytesReceived = 5,622,906,830
NET.TCPIP.BytesSent = 6,076,384,980
NET.TCPIP.Sessions.Established.Incoming = 35541
NET.TCPIP.Sessions.Established.Outgoing = 36550
NET.TCPIP.Sessions.Limit = 65535
NET.TCPIP.Sessions.LimitMax = 65535

NET.TCPIP.Sessions.LimitMin = 10
NET.TCPIP.Sessions.Peak = 87
NET.TCPIP.Sessions.Recycled = 0
NET.TCPIP.Sessions.Recycling = 0
Platform.ActiveNumOfDominoPartitions = 4
Platform.LogicalDisk.10.AssignedName = sd48
Platform.LogicalDisk.10.PctUtil = 3.5
Platform.LogicalDisk.10.PctUtil.Avg = 0.8
Platform.LogicalDisk.10.PctUtil.Peak = 3.5
Platform.LogicalDisk.10.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.10.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.10.ServiceTimeinmsecs.Peak = 4
Platform.LogicalDisk.11.AssignedName = sd63
Platform.LogicalDisk.11.PctUtil = 0
Platform.LogicalDisk.11.PctUtil.Avg = 0.9
Platform.LogicalDisk.11.PctUtil.Peak = 3.6
Platform.LogicalDisk.11.ServiceTimeinmsecs = 0
Platform.LogicalDisk.11.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.11.ServiceTimeinmsecs.Peak = 4.4
Platform.LogicalDisk.12.AssignedName = sd79
Platform.LogicalDisk.12.PctUtil = 2.6
Platform.LogicalDisk.12.PctUtil.Avg = 0.8
Platform.LogicalDisk.12.PctUtil.Peak = 3.6
Platform.LogicalDisk.12.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.12.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.12.ServiceTimeinmsecs.Peak = 3.8
Platform.LogicalDisk.13.AssignedName = sd93
Platform.LogicalDisk.13.PctUtil = 0
Platform.LogicalDisk.13.PctUtil.Avg = 0.7
Platform.LogicalDisk.13.PctUtil.Peak = 3.6
Platform.LogicalDisk.13.ServiceTimeinmsecs = 0
Platform.LogicalDisk.13.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.13.ServiceTimeinmsecs.Peak = 3.3
Platform.LogicalDisk.1.AssignedName = ssd1
Platform.LogicalDisk.1.PctUtil = 0
Platform.LogicalDisk.1.PctUtil.Avg = 0
Platform.LogicalDisk.1.PctUtil.Peak = 0.1
Platform.LogicalDisk.1.ServiceTimeinmsecs = 0
Platform.LogicalDisk.1.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.1.ServiceTimeinmsecs.Peak = 15.4

Platform.LogicalDisk.2.AssignedName = ssd2
Platform.LogicalDisk.2.PctUtil = 0
Platform.LogicalDisk.2.PctUtil.Avg = 0
Platform.LogicalDisk.2.PctUtil.Peak = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.2.ServiceTimeinmsecs.Peak = 12.3
Platform.LogicalDisk.3.AssignedName = ssd3
Platform.LogicalDisk.3.PctUtil = 1.1
Platform.LogicalDisk.3.PctUtil.Avg = 0
Platform.LogicalDisk.3.PctUtil.Peak = 1.1
Platform.LogicalDisk.3.ServiceTimeinmsecs = 4.4
Platform.LogicalDisk.3.ServiceTimeinmsecs.Avg = 1
Platform.LogicalDisk.3.ServiceTimeinmsecs.Peak = 20.5
Platform.LogicalDisk.4.AssignedName = ssd0
Platform.LogicalDisk.4.PctUtil = 0
Platform.LogicalDisk.4.PctUtil.Avg = 0
Platform.LogicalDisk.4.PctUtil.Peak = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.4.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.5.AssignedName = ssd4
Platform.LogicalDisk.5.PctUtil = 0
Platform.LogicalDisk.5.PctUtil.Avg = 0
Platform.LogicalDisk.5.PctUtil.Peak = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.5.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk.6.AssignedName = sd212
Platform.LogicalDisk.6.PctUtil = 0
Platform.LogicalDisk.6.PctUtil.Avg = 0.9
Platform.LogicalDisk.6.PctUtil.Peak = 3.6
Platform.LogicalDisk.6.ServiceTimeinmsecs = 0
Platform.LogicalDisk.6.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.6.ServiceTimeinmsecs.Peak = 1.9
Platform.LogicalDisk.7.AssignedName = sd1
Platform.LogicalDisk.7.PctUtil = 0
Platform.LogicalDisk.7.PctUtil.Avg = 0.8
Platform.LogicalDisk.7.PctUtil.Peak = 3.6
Platform.LogicalDisk.7.ServiceTimeinmsecs = 0

Platform.LogicalDisk.7.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk.7.ServiceTimeinmsecs.Peak = 3.1
Platform.LogicalDisk.9.AssignedName = sd34
Platform.LogicalDisk.9.PctUtil = 1.4
Platform.LogicalDisk.9.PctUtil.Avg = 0.9
Platform.LogicalDisk.9.PctUtil.Peak = 3.6
Platform.LogicalDisk.9.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk.9.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk.9.ServiceTimeinmsecs.Peak = 3.8
Platform.LogicalDisk.TotalNumofDisks = 14
Platform.LogicalDisk..14.AssignedName = sd1
Platform.LogicalDisk..14.PctUtil = 0
Platform.LogicalDisk..14.PctUtil.Avg = 0
Platform.LogicalDisk..14.PctUtil.Peak = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs.Avg = 0
Platform.LogicalDisk..14.ServiceTimeinmsecs.Peak = 0
Platform.LogicalDisk..8.AssignedName = sd1
Platform.LogicalDisk..8.PctUtil = 2.6
Platform.LogicalDisk..8.PctUtil.Avg = 0.9
Platform.LogicalDisk..8.PctUtil.Peak = 3.6
Platform.LogicalDisk..8.ServiceTimeinmsecs = 0.1
Platform.LogicalDisk..8.ServiceTimeinmsecs.Avg = 0.1
Platform.LogicalDisk..8.ServiceTimeinmsecs.Peak = 3.3
Platform.Memory.RAM.AvailMBytes = 12,502.6
Platform.Memory.RAM.AvailMBytes.Avg = 12,999.4
Platform.Memory.RAM.AvailMBytes.Min = 0
Platform.Memory.RAM.AvailMBytes.Peak = 35,612.6
Platform.Memory.RAM.PctUtil = 80.9
Platform.Memory.RAM.TotalMBytes = 65536
Platform.Memory.ScanRatePagesPerSec = 0
Platform.Memory.ScanRatePagesPerSec.Avg = 0
Platform.Memory.ScanRatePagesPerSec.Peak = 0
Platform.Network.1.AdapterName = ipdrop
Platform.Network.1.BytesRecvdPerSec = Not Available
Platform.Network.1.BytesSentPerSec = Not Available
Platform.Network.1.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.1.PctCollisionRate = 0
Platform.Network.1.PctUtilBandwidth = Not Available
Platform.Network.1.TotalBytesPerSec = Not Available

Platform.Network.2.AdapterName = ipsec_stat
Platform.Network.2.BytesRecvdPerSec = Not Available
Platform.Network.2.BytesSentPerSec = Not Available
Platform.Network.2.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.2.PctCollisionRate = 0
Platform.Network.2.PctUtilBandwidth = Not Available
Platform.Network.2.TotalBytesPerSec = Not Available
Platform.Network.3.AdapterName = tcpstat
Platform.Network.3.BytesRecvdPerSec = Not Available
Platform.Network.3.BytesSentPerSec = Not Available
Platform.Network.3.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.3.PctCollisionRate = 0
Platform.Network.3.PctUtilBandwidth = Not Available
Platform.Network.3.TotalBytesPerSec = Not Available
Platform.Network.4.AdapterName = ipstat
Platform.Network.4.BytesRecvdPerSec = Not Available
Platform.Network.4.BytesSentPerSec = Not Available
Platform.Network.4.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.4.PctCollisionRate = 0
Platform.Network.4.PctUtilBandwidth = Not Available
Platform.Network.4.TotalBytesPerSec = Not Available
Platform.Network.5.AdapterName = ip6stat
Platform.Network.5.BytesRecvdPerSec = Not Available
Platform.Network.5.BytesSentPerSec = Not Available
Platform.Network.5.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.5.PctCollisionRate = 0
Platform.Network.5.PctUtilBandwidth = Not Available
Platform.Network.5.TotalBytesPerSec = Not Available
Platform.Network.6.AdapterName = ah_stat
Platform.Network.6.BytesRecvdPerSec = Not Available
Platform.Network.6.BytesSentPerSec = Not Available
Platform.Network.6.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.6.PctCollisionRate = 0
Platform.Network.6.PctUtilBandwidth = Not Available
Platform.Network.6.TotalBytesPerSec = Not Available
Platform.Network.7.AdapterName = esp_stat
Platform.Network.7.BytesRecvdPerSec = Not Available
Platform.Network.7.BytesSentPerSec = Not Available
Platform.Network.7.CurrBandwidthMbitsPerSec = Not Available
Platform.Network.7.PctCollisionRate = 0

Platform.Network.7.PctUtilBandwidth = Not Available
Platform.Network.7.TotalBytesPerSec = Not Available
Platform.Network.8.AdapterName = eri0
Platform.Network.8.BytesRecvdPerSec = 734.1
Platform.Network.8.BytesSentPerSec = 1,350
Platform.Network.8.CurrBandwidthMbitsPerSec = 100
Platform.Network.8.PctCollisionRate = 0
Platform.Network.8.PctUtilBandwidth = 0
Platform.Network.8.TotalBytesPerSec = 2,084.1
Platform.Network.9.AdapterName = ge1
Platform.Network.9.BytesRecvdPerSec = 832,033.8
Platform.Network.9.BytesSentPerSec = 5,342,149.6
Platform.Network.9.CurrBandwidthMbitsPerSec = 1,000
Platform.Network.9.PctCollisionRate = 0
Platform.Network.9.PctUtilBandwidth = 4.9
Platform.Network.9.TotalBytesPerSec = 6,174,183.5
Platform.Network.Total.NumofAdapters = 9
Platform.Network.Total.BytesRecvdPerSec = 832,768
Platform.Network.Total.BytesSentPerSec = 5,343,499.6
Platform.Network.Total.CurrBandwidthMbitsPerSec = 1,100
Platform.Network.Total.NetworkBytesPerSec = 6,176,267.6
Platform.Network.Total.PctCollisionRate = 0
Platform.Network.Total.PctUtilBandwidth = 4.5
Platform.PagingFile.Total.PctUtil = 0
Platform.PagingFile.Total.PctUtil.Avg = 5.2
Platform.PagingFile.Total.PctUtil.Peak = 100
Platform.Process.ActiveDomino.TotalCpuUtil = 5.4
Platform.Process.ActiveNumOfDominoProc = 4
Platform.Process.event.1.PctCpuUtil = 0.1
Platform.Process.event.1.ProcessID = 2170
Platform.Process.http.1.PctCpuUtil = 4.7
Platform.Process.http.1.ProcessID = 9836
Platform.Process.router.1.PctCpuUtil = 0.5
Platform.Process.router.1.ProcessID = 9834
Platform.Process.server.1.PctCpuUtil = 0.1
Platform.Process.server.1.ProcessID = 1198
Platform.System.ContextSwitchesPerSec = 8,376.4
Platform.System.ContextSwitchesPerSec.Avg = 8,242.3
Platform.System.ContextSwitchesPerSec.Min = 5,036.2
Platform.System.ContextSwitchesPerSec.Peak = 11,302

Platform.System.CPUQueueLen = 8
Platform.System.CPUQueueLen.Avg = 5.7
Platform.System.CPUQueueLen.Peak = 14.6
Platform.System.PctCombinedCpuUtil = 100
Platform.System.PctCombinedCpuUtil.Avg = 79.6
Platform.System.PctCombinedCpuUtil.Peak = 100
Platform.System.PctTotalPrivilegedCpuUtil = 5.7
Platform.System.PctTotalPrivilegedCpuUtil.Avg = 4.7
Platform.System.PctTotalPrivilegedCpuUtil.Peak = 15.5
Platform.System.PctTotalUserCpuUtil = 94.3
Platform.System.PctTotalUserCpuUtil.Avg = 74.9
Platform.System.PctTotalUserCpuUtil.Peak = 94.6
Platform.Time.LastSample = 08/19/2005 03:10:18 EDT
Platform.Time.SampleRateInMins = 1
Server.Administrators = CN=admin/O=sun7
Server.Administrators.Access = CN=admin/O=sun7
Server.AvailabilityIndex = 10
Server.AvailabilityThreshold = 0
Server.BootID = 6781103
Server.BusyTimeQuery.ReceivedCount = 0
Server.CPU.Count = 16
Server.ElapsedTime = 12:19:55
Server.ExpansionFactor = 42.1453530751709
Server.MailBoxes = 4
Server.Monitor.Start = 08/18/2005 14:50:14 EDT
Server.Name = CN=budice4/O=sun7
Server.OpenRequest.MaxUsers = 0
Server.OpenRequest.Restricted = 0
Server.Path.Configfile = /export/lotus/notesdata4/notes.ini
Server.Path.Data = /export/lotus/notesdata4
Server.Path.Executable = /opt/lotus/notes/65020/sunspa/
Server.Ports = TCPIP
Server.PoweredBy = Notes
Server.Sessions.Dropped = 2
Server.SharedMail = 0
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:59 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:01 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:08 EDT]

Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:08 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:08 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:08 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:09:55 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:08 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:03 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:01 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:01 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:08 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:08 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to transfer: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:08 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:01 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:01 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:05 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:07 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Searching for mail to deliver: [08/19/2005 03:10:01 EDT]
Server.Task = HTTP Server: Listen for connect requests on TCP Port:80: [08/19/2005 03:10:06 EDT]
Server.Task = Router: Idle: [08/19/2005 03:10:08 EDT]
Server.Task = Event Monitor: Idle: [08/19/2005 03:10:08 EDT]
Server.Tasks = 105
Server.Task.DB = Database Server: Idle: [08/19/2005 03:10:08 EDT]
Server.Time.Start = 08/18/2005 14:50:14 EDT
Server.Title =
Server.Trans.PerMinute = 985
Server.Trans.PerMinute.Peak = 1358
Server.Trans.PerMinute.Peak.Time = 08/18/2005 19:50:08 EDT
Server.Trans.Total = 503467
Server.Users = 0
Server.Users.1MinPeak = 28
Server.Users.1MinPeakTime = 08/18/2005 15:56:07 EDT
Server.Users.5MinPeak = 40
Server.Users.5MinPeakTime = 08/18/2005 15:35:52 EDT
Server.Users.Active = 0

Server.Users.Active15Min = 1
Server.Users.Active1Min = 1
Server.Users.Active30Min = 1
Server.Users.Active3Min = 1
Server.Users.Active5Min = 1
Server.Users.Peak = 44
Server.Users.Peak.Time = 08/18/2005 20:56:32 EDT
Server.Version.Notes = Release 6.5.2
Server.Version.Notes.BuildNumber = 194
Server.Version.OS = SunOS 5.10 Generic_118822-10
Server.WorkThreads = 40
Stats.Time.Current = 08/19/2005 03:10:18 EDT
Stats.Time.Start = 08/18/2005 14:50:11 EDT
598 statistics found